





Ergebnis: **274** (290.2)  
 Serien: 94 91 89  
 Zähler: 11 13 5 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 7855 (25), 5910 (15), 5701 (3)  
 beste Teiler 399.8 (4.) 1053.1 (26.) 1336.8 (9.)  
 Trefferlage 5.65 mm rechts, 10.39 mm hoch  
 Streuwert 26.07, horizontal: 30.46, vertikal: 20.78



Serie 1:  
 10.3 ↙                      9.4 ↘                      8.8 ↗                      10.8 \*                      9.6 ←  
 10.4 \*                      10.0 ↗                      8.8 →                      10.5 \*                      10.3 ↑  
 beste Teiler 399.8 (4.) 1336.8 (9.) 1505.9 (6.)  
 Trefferlage 8.33 mm rechts, 4.00 mm hoch  
 Streuwert 24.04, horizontal: 29.76, vertikal: 16.44





Serie 2:  
 9.4 →                      9.5 →                      10.3 ↑                      9.8 ↑                      8.7 ↗  
 10.3 ↑                      9.6 ↙                      8.9 ←                      9.7 ↙                      10.1 ↓  
 beste Teiler 1859.6 (16.) 1909.9 (13.) 2498.2 (20.)  
 Trefferlage 1.70 mm rechts, 3.52 mm hoch  
 Streuwert 28.01, horizontal: 30.71, vertikal: 25.02




Serie 3:  
 9.3 ↘                      9.7 →                      9.6 ↑                      9.7 →                      7.9 ↗  
 10.6 \*                      9.6 ↑                      9.5 ↘                      8.9 ↘                      10.2 ↑  
 beste Teiler 1053.1 (26.) 2223.0 (30.) 3344.1 (22.)  
 Trefferlage 6.94 mm rechts, 23.64 mm hoch  
 Streuwert 25.85, horizontal: 33.67, vertikal: 14.24

Unterschrift des Schützen


Ergebnis: **278** (290.4)  
 Serien: 91 96 91  
 Zähler: 12 15 2 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 8730 (6), 5342 (9), 5318 (30)  
 beste Teiler 945.0 (10.) 1215.1 (15.) 1347.2 (29.)  
 Trefferlage 6.47 mm rechts, 8.01 mm hoch  
 Streuwert 26.06, horizontal: 30.24, vertikal: 21.08



Serie 1:  
 10.0 ↘                      9.8 ↓                      9.8 ↙                      10.0 →                      9.4 ↑  
 7.6 →                      10.4 ↖                      9.4 →                      8.9 ↖                      10.6 \*  
 beste Teiler 945.0 (10.) 1614.1 (7.) 2705.3 (4.)  
 Trefferlage 8.29 mm rechts, 5.38 mm hoch  
 Streuwert 30.55, horizontal: 36.47, vertikal: 23.15





Serie 2:  
 10.1 ↗                      10.3 ↖                      9.6 →                      10.2 ↘                      10.5 \*  
 10.0 ↗                      10.1 ↗                      9.1 ↑                      9.1 →                      9.8 ↘  
 beste Teiler 1215.1 (15.) 1757.8 (12.) 1954.0 (14.)  
 Trefferlage 18.63 mm rechts, 7.54 mm hoch  
 Streuwert 17.82, horizontal: 16.65, vertikal: 18.92




Serie 3:  
 9.6 ↗                      9.8 ↓                      10.0 →                      9.4 ↙                      9.3 ↗  
 9.4 ↖                      9.7 ↑                      9.1 ↖                      10.5 \*                      8.9 ↖  
 beste Teiler 1347.2 (29.) 2672.6 (23.) 3094.4 (22.)  
 Trefferlage 7.51 mm links, 11.10 mm hoch  
 Streuwert 27.13, horizontal: 30.87, vertikal: 22.79

Unterschrift des Schützen


Ergebnis: **290** (301.9)  
 Serien: 98 96 96  
 Zähler: 20 10 0 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 4275 (18), 4264 (19), 4225 (11)  
 beste Teiler 318.1 (25.) 877.1 (9.) 974.7 (22.)  
 Trefferlage 3.45 mm rechts, 1.48 mm tief  
 Streuwert 18.71, horizontal: 16.36, vertikal: 20.79



Serie 1:  
 10.3 ↑                      10.1 ↓                      10.0 ↓                      9.6 ↑                      10.2 ↘  
 9.7 ↖                      10.2 ←                      10.4 \*                      10.6 \*                      10.1 ↓  
 beste Teiler 877.1 (9.) 1456.4 (8.) 1927.8 (1.)  
 Trefferlage 4.02 mm links, 0.09 mm tief  
 Streuwert 17.56, horizontal: 12.98, vertikal: 21.17





Serie 2:  
 9.4 ↑                      10.1 ↗                      10.5 \*                      10.2 ↘                      10.4 \*  
 10.0 ↓                      10.0 ↗                      9.4 ↘                      9.4 →                      9.7 ↓  
 beste Teiler 1358.6 (13.) 1481.9 (15.) 2055.0 (14.)  
 Trefferlage 9.68 mm rechts, 1.60 mm hoch  
 Streuwert 21.64, horizontal: 19.08, vertikal: 23.92




Serie 3:  
 10.1 ↘                      10.6 \*                      10.4 ↘                      9.9 →                      10.8 \*  
 9.6 ↓                      9.9 ↓                      9.9 ↘                      10.1 ↖                      10.3 ↘  
 beste Teiler 318.1 (25.) 974.7 (22.) 1643.0 (23.)  
 Trefferlage 4.70 mm rechts, 5.96 mm tief  
 Streuwert 16.73, horizontal: 14.93, vertikal: 18.36

Unterschrift des Schützen


Ergebnis: **291** (305.5)  
 Serien: 99 98 94  
 Zähler: 24 3 3 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 6899 (23), 5910 (14), 5342 (26)  
 beste Teiler 188.5 (18.) 238.3 (19.) 468.3 (3.)  
 Trefferlage 6.16 mm links, 2.39 mm hoch  
 Streuwert 18.33, horizontal: 21.65, vertikal: 14.24



Serie 1:  
 10.3 ↙                      10.7 \*                      10.8 \*                      10.6 \*                      10.5 \*  
 10.5 \*                      10.1 ↙                      9.7 ↘                      10.8 \*                      10.5 \*  
 beste Teiler 468.3 (3.) 510.0 (9.) 711.4 (2.)  
 Trefferlage 7.11 mm links, 1.13 mm tief  
 Streuwert 11.07, horizontal: 12.40, vertikal: 9.57





Serie 2:  
 10.6 \*                      10.4 \*                      10.4 ↗                      8.7 ↖                      10.5 \*  
 10.0 ↘                      10.1 →                      10.9 \*                      10.9 \*                      10.0 ↑  
 beste Teiler 188.5 (18.) 238.3 (19.) 947.5 (11.)  
 Trefferlage 1.05 mm rechts, 5.75 mm hoch  
 Streuwert 17.83, horizontal: 22.00, vertikal: 12.34




Serie 3:  
 10.6 \*                      10.3 ↙                      8.3 ↙                      10.3 ↘                      9.6 →  
 8.9 ↘                      10.0 ↖                      10.0 ↑                      9.9 ↓                      10.6 \*  
 beste Teiler 850.6 (21.) 950.7 (30.) 1712.4 (24.)  
 Trefferlage 12.44 mm links, 2.57 mm hoch  
 Streuwert 24.02, horizontal: 27.76, vertikal: 19.57

Unterschrift des Schützen


Ergebnis: **278** (293.0)  
 Serien: 94 95 89  
 Zähler: 15 9 5 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 7794 (28), 6201 (9), 6182 (15)  
 beste Teiler 356.0 (16.) 730.7 (8.) 1010.9 (26.)  
 Trefferlage 20.75 mm links, 2.12 mm hoch  
 Streuwert 22.23, horizontal: 22.14, vertikal: 22.32



Serie 1:  
 9.4 ↙ 10.6 \* 10.5 \* 9.9 ← 10.0 ↘  
 8.7 ← 10.4 ↘ 10.7 \* 8.6 ← 10.1 ←  
 beste Teiler 730.7 (8.) 1037.6 (2.) 1277.0 (3.)  
 Trefferlage 20.03 mm links, 11.53 mm tief  
 Streuwert 18.68, horizontal: 22.59, vertikal: 13.69





Serie 2:  
 9.4 ← 10.2 ↓ 9.9 ↓ 10.6 \* 8.6 ↘  
 10.8 \* 9.7 ↘ 10.2 ← 10.2 ↑ 10.5 \*  
 beste Teiler 356.0 (16.) 1084.4 (14.) 1143.9 (20.)  
 Trefferlage 14.71 mm links, 0.14 mm tief  
 Streuwert 19.89, horizontal: 20.31, vertikal: 19.46




Serie 3:  
 9.5 ← 8.9 ↑ 8.9 ↘ 10.3 ↘ 9.4 ↘  
 10.6 \* 10.1 ↑ 7.9 ← 9.4 ↘ 9.0 ←  
 beste Teiler 1010.9 (26.) 1864.6 (24.) 2405.5 (27.)  
 Trefferlage 27.50 mm links, 18.05 mm hoch  
 Streuwert 23.55, horizontal: 23.77, vertikal: 23.33

Unterschrift des Schützen


Ergebnis: **289** (301.6)  
 Serien: 96 96 97  
 Zähler: 19 11 0 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4895 (4), 4572 (26), 4516 (8)  
 beste Teiler 403.3 (2.) 808.5 (15.) 828.7 (6.)  
 Trefferlage 1.01 mm rechts, 4.64 mm tief  
 Streuwert 19.17, horizontal: 21.73, vertikal: 16.20



Serie 1:  
 9.7 ←                      10.8 \*                      10.4 →                      9.1 ↘                      10.2 ↙  
 10.7 \*                      10.0 ↘                      9.3 ↓                      10.2 ←                      9.7 →  
 beste Teiler 403.3 (2.) 828.7 (6.) 1619.9 (3.)  
 Trefferlage 3.05 mm rechts, 10.01 mm tief  
 Streuwert 20.56, horizontal: 23.36, vertikal: 17.33





Serie 2:  
 10.3 ↘                      9.8 →                      9.9 ↖                      10.2 ↗                      10.7 \*  
 9.9 ←                      10.2 ↑                      10.3 ↓                      9.8 ←                      10.1 →  
 beste Teiler 808.5 (15.) 1765.8 (18.) 1865.7 (11.)  
 Trefferlage 3.32 mm links, 0.36 mm tief  
 Streuwert 17.75, horizontal: 20.68, vertikal: 14.22




Serie 3:  
 10.0 ↑                      10.3 ↗                      9.5 ↙                      10.4 →                      10.3 ↙  
 9.2 ↘                      9.9 ↘                      10.0 ←                      10.3 ↓                      10.4 →  
 beste Teiler 1569.1 (30.) 1643.0 (24.) 1732.2 (29.)  
 Trefferlage 3.29 mm rechts, 3.57 mm tief  
 Streuwert 20.09, horizontal: 22.75, vertikal: 17.01

\_\_\_\_\_  
 Unterschrift des Schützen


Ergebnis: **289** (299.0)  
 Serien: 96 97 96  
 Zähler: 21 7 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 6787 (21), 6346 (15), 5146 (9)  
 beste Teiler 1027.8 (2.) 1193.4 (27.) 1258.7 (20.)  
 Trefferlage 7.14 mm links, 8.78 mm hoch  
 Streuwert 20.26, horizontal: 24.46, vertikal: 14.93



Serie 1:  
 10.3 ↘                      10.6 \*                      9.4 ↘                      10.4 ↑                      10.2 ↖  
 10.1 ↗                      10.4 \*                      9.5 ←                      9.0 ←                      9.4 ↖  
 beste Teiler 1027.8 (2.) 1484.2 (7.) 1554.7 (4.)  
 Trefferlage 7.99 mm links, 7.51 mm hoch  
 Streuwert 21.26, horizontal: 24.79, vertikal: 17.01



Serie 2:  
 9.6 ←                      10.1 ↑                      10.4 ↑                      10.1 ↘                      8.5 ←  
 10.3 ←                      10.1 ↘                      10.5 \*                      10.3 ↑                      10.5 \*  
 beste Teiler 1258.7 (20.) 1311.0 (18.) 1598.3 (13.)  
 Trefferlage 8.97 mm links, 5.68 mm hoch  
 Streuwert 19.90, horizontal: 24.53, vertikal: 13.80





Serie 3:  
 8.3 ←                      10.2 →                      10.4 ↑                      10.1 ↑                      10.0 ↗  
 9.6 ↗                      10.5 \*                      10.3 ↗                      9.9 ↘                      10.0 ↑  
 beste Teiler 1193.4 (27.) 1588.4 (23.) 1938.8 (28.)  
 Trefferlage 4.45 mm links, 13.14 mm hoch  
 Streuwert 21.25, horizontal: 26.44, vertikal: 14.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **279** (294.2)  
 Serien: 92 95 92  
 Zähler: 13 13 4 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 7346 (22), 6484 (4), 6121 (23)  
 beste Teiler 467.4 (21.) 483.6 (28.) 832.6 (15.)  
 Trefferlage 0.86 mm links, 7.78 mm tief  
 Streuwert 24.92, horizontal: 29.81, vertikal: 18.81



Serie 1:  
 9.9 ↘                      10.6 \*                      8.8 →                      8.5 ←                      9.9 ←  
 10.4 ↘                      9.9 ↙                      9.2 ↓                      10.2 ↗                      10.5 \*  
 beste Teiler 1065.0 (2.) 1323.9 (10.) 1631.1 (6.)  
 Trefferlage 8.65 mm links, 6.22 mm tief  
 Streuwert 25.52, horizontal: 31.49, vertikal: 17.63



Serie 2:  
 9.7 ↘                      10.5 \*                      10.0 ↗                      9.5 ↙                      10.7 \*  
 10.1 ←                      10.4 \*                      9.9 ↑                      9.3 ↘                      9.5 ↓  
 beste Teiler 832.6 (15.) 1114.3 (12.) 1485.7 (17.)  
 Trefferlage 3.62 mm links, 5.52 mm tief  
 Streuwert 21.10, horizontal: 22.76, vertikal: 19.29





Serie 3:  
 10.8 \*                      8.1 →                      8.6 ↗                      9.2 ←                      9.6 ↘  
 10.0 ↓                      9.2 ↓                      10.8 \*                      10.6 \*                      9.8 ←  
 beste Teiler 467.4 (21.) 483.6 (28.) 1093.1 (29.)  
 Trefferlage 9.69 mm rechts, 11.58 mm tief  
 Streuwert 28.15, horizontal: 33.96, vertikal: 20.79


Unterschrift des Schützen




Ergebnis: **288** (301.2)  
 Serien: 95 96 97  
 Zähler: 20 8 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 6970 (20), 5856 (6), 4707 (9)  
 beste Teiler 622.8 (10.) 623.7 (19.) 658.0 (25.)  
 Trefferlage 10.57 mm links, 6.95 mm hoch  
 Streuwert 18.82, horizontal: 20.35, vertikal: 17.17



Serie 1:  
 10.5 \*                      9.9 ↖                      10.6 \*                      10.5 \*                      9.9 ↖  
    8.7 ↘                      10.0 →                      10.5 \*                      9.2 ↖                      10.7 \*  
 beste Teiler 622.8 (10.) 1094.7 (3.) 1138.0 (8.)  
 Trefferlage 4.33 mm links, 2.38 mm hoch  
 Streuwert 21.65, horizontal: 24.06, vertikal: 18.95





Serie 2:  
 9.9 ↑                      9.5 ↖                      10.5 \*                      10.3 ↗                      10.0 ←  
    10.3 ↙                      10.1 ←                      10.2 ↖                      10.7 \*                      8.3 ↖  
 beste Teiler 623.7 (19.) 1276.2 (13.) 1843.0 (16.)  
 Trefferlage 15.47 mm links, 11.42 mm hoch  
 Streuwert 18.59, horizontal: 19.03, vertikal: 18.15




Serie 3:  
 9.3 ↖                      10.2 ←                      9.8 ↙                      10.0 ↗                      10.7 \*  
    10.1 ↗                      10.3 ←                      10.4 \*                      10.6 \*                      9.5 ←  
 beste Teiler 658.0 (25.) 1098.5 (29.) 1408.7 (28.)  
 Trefferlage 11.91 mm links, 7.04 mm hoch  
 Streuwert 16.39, horizontal: 17.92, vertikal: 14.69

Unterschrift des Schützen


Ergebnis: **289** (301.1)  
 Serien: 94 97 98  
 Zähler: 19 11 0 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 4871 (17), 4823 (2), 4438 (25)  
 beste Teiler 603.8 (12.) 649.4 (30.) 873.3 (23.)  
 Trefferlage 6.64 mm rechts, 10.33 mm tief  
 Streuwert 17.67, horizontal: 17.72, vertikal: 17.61



Serie 1:  
 10.1 ↓                      9.1 ↘                      9.9 ↓                      9.9 ↖                      9.9 ↑  
 10.6 \*                      9.9 →                      10.5 \*                      9.5 ↘                      10.1 ↓  
 beste Teiler 939.8 (6.) 1210.2 (8.) 2305.0 (10.)  
 Trefferlage 8.06 mm rechts, 7.28 mm tief  
 Streuwert 20.22, horizontal: 19.33, vertikal: 21.07





Serie 2:  
 10.2 →                      10.7 \*                      10.0 ↓                      10.4 →                      10.0 ↓  
 9.5 ↘                      9.1 ↙                      10.0 ↘                      9.7 ↘                      10.3 ↖  
 beste Teiler 603.8 (12.) 1605.3 (14.) 1871.9 (20.)  
 Trefferlage 5.87 mm rechts, 15.67 mm tief  
 Streuwert 17.13, horizontal: 19.44, vertikal: 14.47




Serie 3:  
 10.1 ↑                      10.5 \*                      10.6 \*                      10.0 ↘                      9.3 →  
 10.3 ↓                      10.2 ↙                      10.6 \*                      9.4 ↓                      10.7 \*  
 beste Teiler 649.4 (30.) 873.3 (23.) 898.7 (28.)  
 Trefferlage 5.99 mm rechts, 8.04 mm tief  
 Streuwert 16.67, horizontal: 16.05, vertikal: 17.27

Unterschrift des Schützen


Ergebnis: **279** (293.8)  
 Serien: 96 90 93  
 Zähler: 14 11 5 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 7337 (13), 6996 (19), 5955 (28)  
 beste Teiler 455.9 (18.) 784.4 (21.) 1030.5 (30.)  
 Trefferlage 14.27 mm rechts, 9.22 mm tief  
 Streuwert 22.82, horizontal: 25.01, vertikal: 20.39



Serie 1:  
 9.7 → 10.4 \* 10.5 \* 10.1 → 9.7 ↘  
 10.1 ↘ 9.3 → 9.8 → 10.2 ↙ 10.1 ↖  
 beste Teiler 1346.6 (3.) 1467.1 (2.) 2153.0 (9.)  
 Trefferlage 13.71 mm rechts, 5.82 mm tief  
 Streuwert 17.66, horizontal: 21.92, vertikal: 11.99





Serie 2:  
 10.3 ↙ 9.8 ↙ 8.1 ↘ 9.9 ↙ 9.3 ↘  
 9.7 → 8.8 → 10.8 \* 8.3 ↘ 10.3 →  
 beste Teiler 455.9 (18.) 1728.8 (11.) 1919.9 (20.)  
 Trefferlage 15.83 mm rechts, 23.40 mm tief  
 Streuwert 24.98, horizontal: 28.28, vertikal: 21.18




Serie 3:  
 10.7 \* 9.4 → 10.2 ↗ 9.8 ↑ 9.7 ↘  
 10.3 → 10.4 → 8.7 ↘ 8.8 ↖ 10.6 \*  
 beste Teiler 784.4 (21.) 1030.5 (30.) 1532.4 (27.)  
 Trefferlage 13.28 mm rechts, 1.54 mm hoch  
 Streuwert 23.59, horizontal: 27.04, vertikal: 19.53

Unterschrift des Schützen


Ergebnis: **287** (299.0)  
 Serien: 96 95 96  
 Zähler: 19 9 2 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 6329 (11), 5555 (24), 4345 (5)  
 beste Teiler 476.5 (27.) 545.8 (14.) 775.4 (16.)  
 Trefferlage 3.77 mm links, 8.89 mm tief  
 Streuwert 20.36, horizontal: 16.52, vertikal: 23.58



Serie 1:  
 10.0 ↖                      9.4 ↑                      10.5 \*                      10.0 ↙                      9.3 ←  
    9.7 ←                      10.2 ←                      10.1 ↗                      9.5 ↓                      10.0 ←  
 beste Teiler 1355.0 (3.) 2006.7 (7.) 2275.4 (8.)  
 Trefferlage 13.00 mm links, 2.99 mm tief  
 Streuwert 20.72, horizontal: 17.45, vertikal: 23.55





Serie 2:  
    8.5 ↙                      10.4 \*                      10.1 ↘                      10.8 \*                      9.7 ↗  
    10.7 \*                      10.4 \*                      9.7 ↓                      9.4 ↖                      10.3 ↑  
 beste Teiler 545.8 (14.) 775.4 (16.) 1414.3 (17.)  
 Trefferlage 4.66 mm links, 6.11 mm tief  
 Streuwert 22.10, horizontal: 15.26, vertikal: 27.27




Serie 3:  
    10.4 \*                      10.2 ↖                      10.0 ↘                      8.8 ↓                      10.0 ↘  
    10.2 ↓                      10.8 \*                      9.9 ↘                      9.8 ↘                      10.2 ↓  
 beste Teiler 476.5 (27.) 1491.0 (21.) 1980.8 (26.)  
 Trefferlage 6.35 mm rechts, 17.57 mm tief  
 Streuwert 15.73, horizontal: 11.49, vertikal: 19.05

Unterschrift des Schützen


Ergebnis: **289** (301.8)  
 Serien: 96 97 96  
 Zähler: 19 11 0 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 4957 (13), 4687 (30), 4378 (7)  
 beste Teiler 200.5 (17.) 822.5 (23.) 940.3 (12.)  
 Trefferlage 2.92 mm links, 4.91 mm hoch  
 Streuwert 19.24, horizontal: 18.80, vertikal: 19.68



Serie 1:  
 10.4 \*                      10.2 ↓                      9.9 ↑                      10.6 \*                      10.3 →  
 9.3 ↑                      9.3 ↙                      10.3 ↓                      10.1 ↖                      9.3 ←  
 beste Teiler 1048.6 (4.) 1447.9 (1.) 1766.8 (8.)  
 Trefferlage 11.74 mm links, 0.98 mm hoch  
 Streuwert 19.85, horizontal: 17.78, vertikal: 21.72





Serie 2:  
 10.1 ↘                      10.6 \*                      9.1 ↖                      10.4 \*                      10.3 ↘  
 9.8 ↑                      10.9 \*                      9.8 ↑                      10.1 →                      10.3 →  
 beste Teiler 200.5 (17.) 940.3 (12.) 1433.9 (14.)  
 Trefferlage 0.48 mm links, 2.53 mm hoch  
 Streuwert 19.36, horizontal: 18.91, vertikal: 19.81




Serie 3:  
 9.9 ↑                      9.6 ↘                      10.7 \*                      10.4 \*                      10.3 ↓  
 9.8 ↗                      10.1 ↗                      10.5 \*                      10.2 ↓                      9.2 ↗  
 beste Teiler 822.5 (23.) 1134.6 (28.) 1515.9 (24.)  
 Trefferlage 3.46 mm rechts, 11.20 mm hoch  
 Streuwert 17.92, horizontal: 18.06, vertikal: 17.77

Unterschrift des Schützen


Ergebnis: **293** (308.0)  
 Serien: 98 98 97  
 Zähler: 23 7 0 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 3980 (12), 3894 (13), 3328 (26)  
 beste Teiler 738.7 (17.) 801.3 (22.) 951.5 (11.)  
 Trefferlage 3.31 mm rechts, 0.66 mm tief  
 Streuwert 14.92, horizontal: 15.29, vertikal: 14.54



Serie 1:  
 10.5 \*                      10.5 \*                      10.0 ↗                      10.3 ↘                      10.6 \*  
 10.5 \*                      9.9 ←                      9.9 ↓                      10.5 \*                      10.5 \*  
 beste Teiler 955.5 (5.) 1171.9 (1.) 1187.2 (6.)  
 Trefferlage 1.86 mm links, 0.35 mm tief  
 Streuwert 13.94, horizontal: 15.24, vertikal: 12.49



Serie 2:  
 10.6 \*                      9.5 ↘                      9.5 ↗                      10.2 ✓                      10.2 ↓  
 10.6 \*                      10.7 \*                      10.1 →                      10.3 ↓                      10.4 \*  
 beste Teiler 738.7 (17.) 951.5 (11.) 979.6 (16.)  
 Trefferlage 4.65 mm rechts, 7.38 mm tief  
 Streuwert 15.87, horizontal: 18.56, vertikal: 12.61





Serie 3:  
 10.5 \*                      10.7 \*                      9.9 ↗                      10.1 ↓                      9.9 ↑  
 9.7 ↗                      10.5 \*                      10.6 \*                      10.6 \*                      10.2 →  
 beste Teiler 801.3 (22.) 960.6 (28.) 988.3 (29.)  
 Trefferlage 7.15 mm rechts, 5.74 mm hoch  
 Streuwert 14.12, horizontal: 11.33, vertikal: 16.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289** (301.7)  
 Serien: 94 97 98  
 Zähler: 20 9 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 5808 (8), 4893 (25), 4522 (4)  
 beste Teiler 460.0 (11.) 675.3 (20.) 825.8 (18.)  
 Trefferlage 8.43 mm links, 1.19 mm tief  
 Streuwert 19.19, horizontal: 20.33, vertikal: 17.98



Serie 1:  
 10.1 ↘                      9.6 ↙                      10.0 ↘                      9.3 ←                      10.3 ←  
 10.1 ↘                      10.6 \*                      8.7 ←                      9.7 ↗                      9.5 ←  
 beste Teiler 1038.4 (7.) 1935.9 (5.) 2426.8 (1.)  
 Trefferlage 21.02 mm links, 1.17 mm hoch  
 Streuwert 20.23, horizontal: 23.05, vertikal: 16.94





Serie 2:  
 10.8 \*                      9.7 ↑                      10.4 ↘                      9.9 ↗                      10.5 \*  
 10.1 ↘                      10.4 ↘                      10.7 \*                      9.3 ↓                      10.7 \*  
 beste Teiler 460.0 (11.) 675.3 (20.) 825.8 (18.)  
 Trefferlage 3.48 mm links, 3.62 mm hoch  
 Streuwert 16.76, horizontal: 12.68, vertikal: 20.03




Serie 3:  
 10.6 \*                      10.1 ←                      9.5 ↘                      10.2 ←                      9.1 ↙  
 10.3 →                      10.6 \*                      10.1 ↑                      10.6 \*                      10.2 ↘  
 beste Teiler 948.9 (27.) 959.9 (21.) 978.9 (29.)  
 Trefferlage 0.78 mm links, 8.38 mm tief  
 Streuwert 17.81, horizontal: 19.25, vertikal: 16.24

Unterschrift des Schützen


Ergebnis: **285** (300.5)  
 Serien: 96 96 93  
 Zähler: 15 15 0 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 4521 (24), 4381 (23), 4207 (19)  
 beste Teiler 463.5 (30.) 482.9 (26.) 759.4 (13.)  
 Trefferlage 0.45 mm links, 3.33 mm hoch  
 Streuwert 20.48, horizontal: 22.17, vertikal: 18.65



Serie 1:  
 9.9 ←                      10.5 \*                      9.6 ↖                      10.4 ↙                      9.7 ↙  
 10.4 ↖                      10.3 ↖                      10.2 ↙                      10.6 \*                      9.5 ↘  
 beste Teiler 868.8 (9.) 1116.9 (2.) 1609.3 (6.)  
 Trefferlage 10.35 mm links, 1.24 mm tief  
 Streuwert 17.04, horizontal: 20.80, vertikal: 12.16



Serie 2:  
 10.6 \*                      10.2 →                      10.7 \*                      9.9 ←                      10.2 ↗  
 9.6 ↑                      9.5 ↘                      10.5 \*                      9.4 ↓                      10.5 \*  
 beste Teiler 759.4 (13.) 844.3 (11.) 1231.3 (18.)  
 Trefferlage 4.87 mm rechts, 2.94 mm hoch  
 Streuwert 19.15, horizontal: 17.93, vertikal: 20.29





Serie 3:  
 9.4 →                      9.6 ↙                      9.3 ↗                      9.3 ↙                      9.7 ↗  
 10.8 \*                      10.3 ↖                      9.7 ↖                      9.4 ↗                      10.8 \*  
 beste Teiler 463.5 (30.) 482.9 (26.) 1707.0 (27.)  
 Trefferlage 4.12 mm rechts, 8.30 mm hoch  
 Streuwert 24.24, horizontal: 25.80, vertikal: 22.58


Unterschrift des Schützen




Ergebnis: **295** (308.4)  
 Serien: 96 100 99  
 Zähler: 25 5 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 3855 (29), 3475 (9), 3429 (10)  
 beste Teiler 242.8 (13.) 521.2 (15.) 595.0 (22.)  
 Trefferlage 0.49 mm rechts, 0.25 mm hoch  
 Streuwert 14.87, horizontal: 14.44, vertikal: 15.28



Serie 1:  
 10.4 ↘                      10.5 \*                      10.5 \*                      10.0 ↘                      9.9 →  
 10.3 →                      9.9 ↘                      10.0 ↘                      9.7 ↓                      9.7 ↓  
 beste Teiler 1142.0 (2.) 1210.6 (3.) 1642.2 (1.)  
 Trefferlage 2.18 mm rechts, 2.07 mm tief  
 Streuwert 18.61, horizontal: 17.03, vertikal: 20.07



Serie 2:  
 10.2 →                      10.4 \*                      10.9 \*                      10.2 ←                      10.8 \*  
 10.7 \*                      10.3 ←                      10.1 ↙                      10.2 →                      10.1 ↖  
 beste Teiler 242.8 (13.) 521.2 (15.) 657.9 (16.)  
 Trefferlage 3.49 mm links, 0.42 mm tief  
 Streuwert 12.58, horizontal: 15.29, vertikal: 9.10





Serie 3:  
 10.2 ↘                      10.7 \*                      10.0 ↗                      10.5 \*                      10.4 \*  
 10.6 \*                      10.7 \*                      10.5 \*                      9.5 ↑                      10.5 \*  
 beste Teiler 595.0 (22.) 629.4 (27.) 912.0 (26.)  
 Trefferlage 2.80 mm rechts, 3.26 mm hoch  
 Streuwert 13.64, horizontal: 11.02, vertikal: 15.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (302.3)  
 Serien: 97 95 99  
 Zähler: 22 7 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 7058 (14), 4260 (30), 3991 (10)  
 beste Teiler 433.1 (1.) 466.6 (2.) 913.6 (8.)  
 Trefferlage 7.29 mm rechts, 11.64 mm hoch  
 Streuwert 17.04, horizontal: 19.35, vertikal: 14.37



Serie 1:  
 10.8 \*                      10.8 \*                      10.4 \*                      10.3 ↘                      9.9 ↑  
 10.4 ↑                      10.6 \*                      10.6 \*                      9.8 →                      9.5 ←  
 beste Teiler 433.1 (1.) 466.6 (2.) 913.6 (8.)  
 Trefferlage 2.23 mm links, 8.73 mm hoch  
 Streuwert 14.40, horizontal: 17.70, vertikal: 10.07



Serie 2:  
 10.0 ↘                      10.3 →                      9.5 →                      8.2 ↑                      10.5 \*  
 9.5 →                      10.4 \*                      10.3 →                      9.8 →                      10.0 ←  
 beste Teiler 1260.7 (15.) 1393.4 (17.) 1770.8 (12.)  
 Trefferlage 10.76 mm rechts, 16.35 mm hoch  
 Streuwert 20.82, horizontal: 21.99, vertikal: 19.58





Serie 3:  
 10.2 →                      10.3 →                      10.1 ↖                      10.2 ↑                      10.0 ↗  
 10.2 ↘                      10.2 ↘                      10.0 →                      10.1 →                      9.4 →  
 beste Teiler 1722.3 (22.) 2026.4 (27.) 2090.0 (24.)  
 Trefferlage 13.35 mm rechts, 9.85 mm hoch  
 Streuwert 14.09, horizontal: 15.93, vertikal: 11.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (304.9)  
 Serien: 100 94 97 0  
 Zähler: 22 7 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 7337 (16), 4653 (21), 4256 (24)  
 beste Teiler 155.9 (26.) 278.1 (8.) 612.3 (6.)  
 Trefferlage 6.47 mm links, 2.93 mm hoch  
 Streuwert 17.96, horizontal: 15.92, vertikal: 19.79




Serie 1:  
 10.4 ↗ 10.5 \* 10.4 ↓ 10.6 \* 10.6 \*  
 10.7 \* 10.3 ↓ 10.9 \* 10.4 \* 10.4 \*  
 beste Teiler 278.1 (8.) 612.3 (6.) 1063.2 (5.)  
 Trefferlage 0.17 mm links, 4.19 mm tief  
 Streuwert 9.42, horizontal: 7.55, vertikal: 10.97



Serie 2:  
 10.0 ← 10.2 ↘ 10.6 \* 9.7 ↓ 10.5 \*  
 8.1 ↘ 9.9 ↖ 10.4 \* 9.9 ↖ 9.6 ↖  
 beste Teiler 938.6 (13.) 1138.2 (15.) 1428.5 (18.)  
 Trefferlage 14.97 mm links, 6.79 mm hoch  
 Streuwert 21.62, horizontal: 16.47, vertikal: 25.77



Serie 3:  
 9.2 ↖ 9.9 ↖ 10.1 ↗ 9.4 ↖ 10.0 →  
 10.9 \* 10.2 ↙ 10.3 ↗ 10.5 \* 10.3 ↓  
 beste Teiler 155.9 (26.) 1277.0 (29.) 1905.7 (28.)  
 Trefferlage 4.27 mm links, 6.21 mm hoch  
 Streuwert 19.38, horizontal: 18.94, vertikal: 19.82





Serie 4:  
 0.0+ ↖  
AST.NSC  
 beste Teiler  
 Trefferlage 0.00 mm , 0.00 mm  
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

AST – Treffer wurde nach Ende der Schießzeit abgegeben  
 NSC – Treffer wurde vermessen, geht aber nicht in die Wertung ein


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285** (298.9)  
 Serien: 97 94 94  
 Zähler: 18 9 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 7210 (19), 6753 (27), 5611 (13)  
 beste Teiler 94.9 (1.) 512.2 (2.) 697.1 (6.)  
 Trefferlage 8.90 mm links, 2.60 mm hoch  
 Streuwert 22.08, horizontal: 22.51, vertikal: 21.64



Serie 1:  
 10.9 \* 10.8 \* 9.4 ↗ 9.6 ↘ 10.4 ↓  
 10.7 \* 10.2 ↓ 10.1 ← 9.1 ↖ 10.4 \*  
 beste Teiler 94.9 (1.) 512.2 (2.) 697.1 (6.)  
 Trefferlage 12.59 mm links, 5.84 mm hoch  
 Streuwert 16.96, horizontal: 16.56, vertikal: 17.36





Serie 2:  
 9.9 ↑ 9.9 ↘ 8.8 ↖ 10.6 \* 10.6 \*  
 10.3 ← 10.0 ↗ 10.0 → 8.2 ↙ 10.4 →  
 beste Teiler 1023.6 (15.) 1069.2 (14.) 1665.5 (20.)  
 Trefferlage 4.08 mm links, 0.59 mm hoch  
 Streuwert 25.74, horizontal: 24.95, vertikal: 26.51




Serie 3:  
 9.5 ↖ 10.4 ↓ 10.2 ↑ 9.8 ↙ 9.6 ↘  
 10.5 \* 8.4 ← 9.3 ↗ 10.6 \* 10.3 ←  
 beste Teiler 898.7 (29.) 1353.5 (26.) 1647.5 (22.)  
 Trefferlage 10.04 mm links, 1.35 mm hoch  
 Streuwert 24.30, horizontal: 26.34, vertikal: 22.08

Unterschrift des Schützen


Ergebnis: **287** (297.2)  
 Serien: 95 94 98  
 Zähler: 21 5 4 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 6500 (17), 6415 (10), 6109 (15)  
 beste Teiler 986.5 (11.) 986.9 (14.) 1018.9 (28.)  
 Trefferlage 6.22 mm links, 3.91 mm hoch  
 Streuwert 22.80, horizontal: 29.35, vertikal: 13.35



Serie 1:  
 10.5 \*                      10.0 →                      10.3 ↙                      10.5 \*                      8.8 ←  
 10.4 \*                      10.0 ←                      9.7 ↘                      10.1 ↖                      8.5 →  
 beste Teiler 1204.8 (4.) 1239.4 (1.) 1524.1 (6.)  
 Trefferlage 4.66 mm links, 2.49 mm hoch  
 Streuwert 24.66, horizontal: 32.25, vertikal: 13.24





Serie 2:  
 10.6 \*                      10.0 →                      9.1 ←                      10.6 \*                      8.6 ←  
 10.3 ↓                      8.5 ←                      9.3 ←                      10.2 ↘                      10.0 ↘  
 beste Teiler 986.5 (11.) 986.9 (14.) 1716.4 (16.)  
 Trefferlage 14.28 mm links, 0.84 mm hoch  
 Streuwert 26.26, horizontal: 34.86, vertikal: 12.79




Serie 3:  
 9.4 →                      10.1 ↖                      9.8 ↘                      10.1 ↘                      10.1 ↗  
 10.1 ↖                      10.0 ↘                      10.6 \*                      10.5 \*                      10.5 \*  
 beste Teiler 1018.9 (28.) 1285.4 (29.) 1299.0 (30.)  
 Trefferlage 0.26 mm rechts, 8.41 mm hoch  
 Streuwert 17.31, horizontal: 19.97, vertikal: 14.15

Unterschrift des Schützen


Ergebnis: **295** (307.7)  
 Serien: 98 99 98  
 Zähler: 25 5 0 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 5156 (28), 3843 (15), 3499 (3)  
 beste Teiler 527.2 (12.) 814.7 (30.) 824.8 (18.)  
 Trefferlage 0.20 mm rechts, 1.37 mm hoch  
 Streuwert 15.66, horizontal: 16.75, vertikal: 14.49



Serie 1:  
 9.9 ↓                      10.4 \*                      9.7 ↖                      10.5 \*                      10.2 ↗  
 10.4 ↖                      10.3 ↓                      10.1 ↖                      10.0 ↖                      10.4 \*  
 beste Teiler 1262.8 (4.) 1396.7 (2.) 1426.3 (10.)  
 Trefferlage 7.98 mm links, 0.41 mm hoch  
 Streuwert 15.69, horizontal: 13.55, vertikal: 17.57





Serie 2:  
 10.4 ↓                      10.8 \*                      10.6 \*                      10.4 \*                      9.5 ↖  
 10.0 →                      10.5 \*                      10.7 \*                      10.3 →                      10.4 ↖  
 beste Teiler 527.2 (12.) 824.8 (18.) 887.4 (13.)  
 Trefferlage 1.51 mm rechts, 3.14 mm hoch  
 Streuwert 13.75, horizontal: 16.43, vertikal: 10.42




Serie 3:  
 10.2 ↗                      10.4 →                      10.2 ↗                      9.7 ↓                      10.6 \*  
 10.4 \*                      10.4 ↗                      9.0 ↘                      10.6 \*                      10.7 \*  
 beste Teiler 814.7 (30.) 1048.8 (25.) 1062.5 (29.)  
 Trefferlage 7.08 mm rechts, 0.56 mm hoch  
 Streuwert 16.96, horizontal: 17.92, vertikal: 15.94

Unterschrift des Schützen


Ergebnis: **273** (286.5)  
 Serien: 90 92 91  
 Zähler: 10 14 5 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 8405 (28), 7360 (13), 6935 (1)  
 beste Teiler 782.3 (16.) 961.0 (20.) 1393.0 (22.)  
 Trefferlage 0.00 mm , 6.34 mm hoch  
 Streuwert 29.74, horizontal: 32.85, vertikal: 26.26



Serie 1:  
 8.3 ↘                      9.2 ↘                      9.7 ↑                      10.4 \*                      8.8 ↗  
 9.8 ↘                      10.1 ↑                      8.9 ↘                      9.8 ↓                      10.3 ←  
 beste Teiler 1524.2 (4.) 1671.5 (10.) 2317.2 (7.)  
 Trefferlage 6.90 mm links, 12.63 mm hoch  
 Streuwert 29.23, horizontal: 29.85, vertikal: 28.59





Serie 2:  
 8.7 ↑                      10.0 ↗                      8.1 ↘                      9.4 ↗                      9.8 ↘  
 10.7 \*                      10.3 ←                      9.2 ↘                      9.6 ↘                      10.6 \*  
 beste Teiler 782.3 (16.) 961.0 (20.) 1808.3 (17.)  
 Trefferlage 7.85 mm rechts, 2.97 mm hoch  
 Streuwert 29.40, horizontal: 29.01, vertikal: 29.78




Serie 3:  
 10.1 ↗                      10.4 \*                      9.2 ↘                      9.2 →                      9.5 ↓  
 9.9 ↘                      9.2 →                      7.7 ←                      9.3 →                      10.3 ←  
 beste Teiler 1393.0 (22.) 1747.6 (30.) 2322.5 (21.)  
 Trefferlage 0.96 mm links, 3.41 mm hoch  
 Streuwert 32.21, horizontal: 40.29, vertikal: 21.26

Unterschrift des Schützen


Ergebnis: **280** (292.7)  
 Serien: 94 92 94  
 Zähler: 13 14 3 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 7309 (5), 6342 (10), 6140 (17)  
 beste Teiler 237.8 (9.) 771.0 (3.) 818.3 (22.)  
 Trefferlage 1.15 mm links, 7.21 mm hoch  
 Streuwert 25.62, horizontal: 28.27, vertikal: 22.66



Serie 1:  
 10.4 \* 10.5 \* 10.7 \* 10.4 ↖ 8.1 ↘  
 9.4 ↘ 9.7 ↙ 10.1 ← 10.9 \* 8.5 ↘  
 beste Teiler 237.8 (9.) 771.0 (3.) 1292.2 (2.)  
 Trefferlage 19.09 mm links, 12.27 mm hoch  
 Streuwert 21.46, horizontal: 23.32, vertikal: 19.42



Serie 2:  
 10.0 ↙ 9.4 ↑ 10.0 ↗ 9.9 ↖ 9.4 ↑  
 9.8 → 8.6 ↘ 9.2 ↘ 9.4 ↓ 10.0 ↘  
 beste Teiler 2573.1 (20.) 2666.3 (13.) 2779.2 (11.)  
 Trefferlage 5.75 mm rechts, 6.67 mm hoch  
 Streuwert 28.40, horizontal: 27.90, vertikal: 28.88





Serie 3:  
 9.0 → 10.7 \* 10.4 \* 9.1 ↑ 9.9 →  
 9.9 ← 9.9 ← 10.0 ↘ 9.4 → 10.0 →  
 beste Teiler 818.3 (22.) 1398.8 (23.) 2559.0 (28.)  
 Trefferlage 9.88 mm rechts, 2.68 mm hoch  
 Streuwert 23.45, horizontal: 26.60, vertikal: 19.80

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **278** (292.2)  
 Serien: 95 91 92  
 Zähler: 11 16 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 6814 (10), 6313 (12), 5396 (13)  
 beste Teiler 785.7 (2.) 950.2 (19.) 1078.3 (5.)  
 Trefferlage 5.54 mm links, 8.39 mm hoch  
 Streuwert 24.69, horizontal: 30.38, vertikal: 17.21



Serie 1:  
 10.0 →                      10.7 \*                      10.2 ↑                      9.3 →                      10.6 \*  
 10.2 ←                      9.9 ←                      10.0 ←                      9.7 →                      8.3 ↖  
 beste Teiler 785.7 (2.) 1078.3 (5.) 1950.1 (6.)  
 Trefferlage 2.57 mm links, 8.44 mm hoch  
 Streuwert 23.84, horizontal: 31.26, vertikal: 12.64





Serie 2:  
 9.6 ↓                      8.5 ←                      8.9 ↗                      9.9 →                      9.9 ↖  
 10.4 \*                      9.8 ↑                      9.7 ←                      10.6 \*                      10.1 ↑  
 beste Teiler 950.2 (19.) 1408.4 (16.) 2377.8 (20.)  
 Trefferlage 4.05 mm links, 7.24 mm hoch  
 Streuwert 25.88, horizontal: 29.72, vertikal: 21.37




Serie 3:  
 9.7 ↗                      10.4 \*                      10.2 ↘                      9.2 ←                      9.7 →  
 9.6 ↗                      9.3 ↖                      9.0 ←                      9.1 ←                      9.7 ←  
 beste Teiler 1391.8 (22.) 2197.8 (23.) 3386.3 (25.)  
 Trefferlage 9.99 mm links, 9.48 mm hoch  
 Streuwert 26.58, horizontal: 32.83, vertikal: 18.31

Unterschrift des Schützen


Ergebnis: **283** (299.6)  
 Serien: 95 95 93  
 Zähler: 17 10 2 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 8201 (29), 5531 (15), 5318 (10)  
 beste Teiler 285.8 (14.) 339.2 (24.) 359.2 (22.)  
 Trefferlage 2.66 mm rechts, 1.56 mm hoch  
 Streuwert 22.76, horizontal: 28.23, vertikal: 15.48



Serie 1:  
 10.1 ↗ 10.7 \* 10.4 \* 10.7 \* 9.8 ↖  
 10.5 \* 10.6 \* 9.4 ← 9.1 ↘ 8.9 ←  
 beste Teiler 632.2 (2.) 771.7 (4.) 981.1 (7.)  
 Trefferlage 6.68 mm links, 0.64 mm tief  
 Streuwert 21.86, horizontal: 25.50, vertikal: 17.48





Serie 2:  
 10.6 \* 9.6 ↗ 9.4 ← 10.8 \* 8.8 ↖  
 10.0 ↙ 10.0 → 9.8 ↓ 10.8 \* 10.7 \*  
 beste Teiler 285.8 (14.) 548.9 (19.) 821.7 (20.)  
 Trefferlage 5.37 mm links, 0.79 mm hoch  
 Streuwert 21.53, horizontal: 24.36, vertikal: 18.27




Serie 3:  
 9.3 → 10.8 \* 10.4 ↙ 10.8 \* 10.1 →  
 10.3 ↖ 9.8 → 9.8 ↗ 7.8 → 9.8 →  
 beste Teiler 339.2 (24.) 359.2 (22.) 1637.9 (23.)  
 Trefferlage 20.04 mm rechts, 4.56 mm hoch  
 Streuwert 21.63, horizontal: 28.63, vertikal: 10.78

Unterschrift des Schützen


Ergebnis: **279** (293.7)  
 Serien: 89 94 96  
 Zähler: 13 13 4 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 6676 (20), 6124 (2), 6022 (4)  
 beste Teiler 215.8 (29.) 823.5 (21.) 865.4 (14.)  
 Trefferlage 5.94 mm links, 4.78 mm tief  
 Streuwert 25.18, horizontal: 28.05, vertikal: 21.94



Serie 1:  
 9.7 ↙ 8.6 ↘ 10.6 \* 8.7 ↘ 9.6 ↘  
 9.9 ↓ 10.6 \* 9.9 ↙ 9.5 ↘ 8.9 ↓  
 beste Teiler 1077.8 (7.) 1079.1 (3.) 2903.3 (6.)  
 Trefferlage 10.65 mm rechts, 20.93 mm tief  
 Streuwert 24.46, horizontal: 29.31, vertikal: 18.37





Serie 2:  
 9.8 ↗ 9.7 ← 9.7 ↖ 10.6 \* 10.0 →  
 10.6 \* 9.0 ← 10.2 ↗ 10.0 ← 8.4 ↙  
 beste Teiler 865.4 (14.) 1020.5 (16.) 2099.4 (18.)  
 Trefferlage 15.11 mm links, 1.24 mm tief  
 Streuwert 23.71, horizontal: 27.07, vertikal: 19.79




Serie 3:  
 10.7 \* 10.1 → 9.7 ↖ 9.2 ← 10.3 ↖  
 9.1 ↖ 9.1 ↖ 10.3 ↗ 10.9 \* 10.3 ↙  
 beste Teiler 215.8 (29.) 823.5 (21.) 1781.2 (28.)  
 Trefferlage 13.38 mm links, 7.83 mm hoch  
 Streuwert 20.30, horizontal: 21.97, vertikal: 18.48

Unterschrift des Schützen


Ergebnis: **288** (297.6)  
 Serien: 94 97 97  
 Zähler: 21 6 3 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 6886 (9), 6340 (28), 5961 (5)  
 beste Teiler 562.2 (21.) 720.5 (27.) 1090.8 (17.)  
 Trefferlage 4.05 mm links, 13.58 mm hoch  
 Streuwert 20.62, horizontal: 23.31, vertikal: 17.53



Serie 1:  
 10.0 ↘                      10.1 ↗                      10.0 ↖                      10.3 ↑                      8.7 ↗  
 9.2 ↑                      10.0 ↗                      9.8 ↗                      8.3 ↖                      10.4 \*  
 beste Teiler 1481.9 (10.) 1687.4 (4.) 2315.9 (2.)  
 Trefferlage 1.39 mm links, 16.93 mm hoch  
 Streuwert 25.47, horizontal: 32.48, vertikal: 15.57





Serie 2:  
 10.0 ↘                      10.1 ↖                      9.4 ↖                      10.1 ↖                      9.3 ↑  
 10.5 \*                      10.6 \*                      10.2 ↖                      10.2 ↖                      9.7 ↗  
 beste Teiler 1090.8 (17.) 1255.1 (16.) 2108.0 (19.)  
 Trefferlage 5.11 mm links, 11.98 mm hoch  
 Streuwert 18.34, horizontal: 20.24, vertikal: 16.21




Serie 3:  
 10.7 \*                      10.5 \*                      10.2 ↖                      10.1 ↘                      10.5 \*  
 10.2 ↖                      10.7 \*                      8.5 ↑                      9.3 ↖                      10.0 ↑  
 beste Teiler 562.2 (21.) 720.5 (27.) 1347.8 (25.)  
 Trefferlage 5.66 mm links, 11.82 mm hoch  
 Streuwert 19.24, horizontal: 16.57, vertikal: 21.59

Unterschrift des Schützen


Ergebnis: **287** (300.6)  
 Serien: 96 95 96  
 Zähler: 17 13 0 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4485 (14), 4162 (22), 4041 (29)  
 beste Teiler 346.5 (23.) 736.4 (16.) 1260.5 (12.)  
 Trefferlage 0.72 mm links, 0.89 mm tief  
 Streuwert 19.69, horizontal: 19.14, vertikal: 20.22



Serie 1:  
 10.0 ↘                      10.1 →                      9.8 ↘                      10.2 →                      10.3 ↗  
 9.9 ↘                      9.8 ←                      9.5 ↙                      10.2 →                      10.4 \*  
 beste Teiler 1476.7 (10.) 1798.3 (5.) 2089.3 (9.)  
 Trefferlage 8.62 mm rechts, 8.02 mm tief  
 Streuwert 17.93, horizontal: 20.45, vertikal: 14.99



Serie 2:  
 10.2 ↑                      10.5 \*                      10.1 ↖                      9.3 ↘                      9.9 ↖  
 10.7 \*                      9.9 ↑                      9.7 ←                      10.3 ↑                      9.8 ↙  
 beste Teiler 736.4 (16.) 1260.5 (12.) 1700.3 (19.)  
 Trefferlage 5.37 mm links, 2.83 mm hoch  
 Streuwert 19.81, horizontal: 15.57, vertikal: 23.30



Serie 3:  
 9.8 ↑                      9.4 ↖                      10.8 \*                      10.2 ↑                      10.3 ↗  
 9.8 ↘                      10.1 ↙                      10.2 ↙                      9.4 ↙                      10.0 ↖  
 beste Teiler 346.5 (23.) 1745.6 (25.) 2053.9 (24.)  
 Trefferlage 5.42 mm links, 2.51 mm hoch  
 Streuwert 20.48, horizontal: 19.33, vertikal: 21.57

Unterschrift des Schützen

**KK 100m 30 – Wertung – Damen I**

**StartNr: 58**



StandNr: 102

14. Mai 2023 12:19


**Appelbaum, Kerstin #70**

4000 SV Lennetal e.V.


Ergebnis: **292** (305.2)  
 Serien: 98 97 97  
 Zähler: 22 8 0 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 5071 (13), 4125 (12), 3864 (24)  
 beste Teiler 373.6 (22.) 408.2 (23.) 754.5 (27.)  
 Trefferlage 0.25 mm links, 5.28 mm hoch  
 Streuwert 17.15, horizontal: 19.90, vertikal: 13.86



Serie 1:  
 10.4 →                      9.6 ↖                      10.1 ↗                      10.3 ↘                      10.4 \*  
 9.7 ↙                      10.6 \*                      10.6 \*                      10.5 \*                      10.4 ↘  
 beste Teiler 851.3 (8.) 1021.7 (7.) 1218.9 (9.)  
 Trefferlage 0.46 mm links, 4.23 mm hoch  
 Streuwert 15.54, horizontal: 16.75, vertikal: 14.22



Serie 2:  
 9.6 ↘                      9.4 ←                      9.0 ↖                      10.1 ↗                      10.2 ↑  
 10.0 ↙                      10.0 →                      10.2 ↙                      10.6 \*                      10.3 ↑  
 beste Teiler 880.6 (19.) 1826.9 (20.) 1995.2 (15.)  
 Trefferlage 10.88 mm links, 6.34 mm hoch  
 Streuwert 20.23, horizontal: 21.75, vertikal: 18.59





Serie 3:  
 9.8 →                      10.8 \*                      10.8 \*                      9.5 →                      10.3 ↑  
 9.8 →                      10.7 \*                      10.6 \*                      10.6 \*                      10.3 ↗  
 beste Teiler 373.6 (22.) 408.2 (23.) 754.5 (27.)  
 Trefferlage 10.59 mm rechts, 5.28 mm hoch  
 Streuwert 12.92, horizontal: 16.28, vertikal: 8.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281** (295.6)  
 Serien: 96 94 91  
 Zähler: 15 12 2 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 8680 (18), 5506 (22), 5282 (28)  
 beste Teiler 79.4 (19.) 619.9 (17.) 986.9 (30.)  
 Trefferlage 2.98 mm rechts, 8.45 mm hoch  
 Streuwert 23.86, horizontal: 19.77, vertikal: 27.35



Serie 1:  
 10.0 ↖                      9.3 ↘                      10.0 ↘                      9.8 ↗                      10.5 \*  
 10.4 \*                      9.6 ↗                      10.1 ↙                      9.8 ↑                      10.2 ↘  
 beste Teiler 1165.3 (5.) 1423.0 (6.) 2059.7 (10.)  
 Trefferlage 1.65 mm rechts, 11.59 mm hoch  
 Streuwert 19.41, horizontal: 19.85, vertikal: 18.95





Serie 2:  
 10.3 ↓                      9.5 ↗                      10.0 ↑                      10.2 ↘                      10.5 \*  
 9.7 ↗                      10.7 \*                      7.6 ↓                      10.9 \*                      9.8 ↗  
 beste Teiler 79.4 (19.) 619.9 (17.) 1246.3 (15.)  
 Trefferlage 8.86 mm rechts, 4.13 mm tief  
 Streuwert 25.78, horizontal: 13.17, vertikal: 33.99




Serie 3:  
 10.6 \*                      8.9 ↑                      9.4 ←                      9.5 ↗                      9.3 ↑  
 9.9 →                      10.2 ↘                      8.9 ↑                      9.4 ↖                      10.6 \*  
 beste Teiler 986.9 (30.) 1008.4 (21.) 2201.0 (27.)  
 Trefferlage 1.56 mm links, 17.91 mm hoch  
 Streuwert 24.87, horizontal: 25.06, vertikal: 24.67

Unterschrift des Schützen


Ergebnis: **280** (292.7)  
 Serien: 96 91 93  
 Zähler: 13 14 3 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 7386 (17), 6570 (21), 5979 (11)  
 beste Teiler 1090.1 (1.) 1182.1 (6.) 1235.9 (12.)  
 Trefferlage 8.10 mm links, 4.70 mm tief  
 Streuwert 25.13, horizontal: 21.06, vertikal: 28.63



Serie 1:  
 10.6 \*                      9.8 ↗                      9.3 ↘                      10.1 ↗                      10.3 ↓  
 10.5 \*                      10.5 \*                      9.7 ↙                      10.4 ↑                      9.1 ↓  
 beste Teiler 1090.1 (1.) 1182.1 (6.) 1239.9 (7.)  
 Trefferlage 5.57 mm links, 0.17 mm tief  
 Streuwert 20.69, horizontal: 16.67, vertikal: 24.06



Serie 2:  
 8.7 ↘                      10.5 \*                      9.6 ↘                      9.8 ↓                      9.7 ↑  
 10.4 \*                      8.1 ↘                      9.9 ↘                      9.2 ←                      10.2 ←  
 beste Teiler 1235.9 (12.) 1513.2 (16.) 2163.0 (20.)  
 Trefferlage 14.50 mm links, 4.41 mm hoch  
 Streuwert 28.04, horizontal: 27.10, vertikal: 28.95





Serie 3:  
 8.4 ↓                      10.2 ↓                      9.6 ↘                      9.6 ↓                      9.7 ↓  
 10.2 ↙                      10.4 →                      9.0 ↘                      9.2 ↓                      10.0 ↓  
 beste Teiler 1546.1 (27.) 1957.4 (26.) 2043.9 (22.)  
 Trefferlage 4.22 mm links, 18.36 mm tief  
 Streuwert 24.99, horizontal: 18.63, vertikal: 30.03


Unterschrift des Schützen




Ergebnis: **288** (302.6)  
 Serien: 95 95 98  
 Zähler: 19 10 1 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 5940 (2), 5133 (3), 5085 (30)  
 beste Teiler 246.4 (6.) 279.7 (11.) 630.6 (28.)  
 Trefferlage 0.77 mm links, 5.06 mm tief  
 Streuwert 19.64, horizontal: 19.12, vertikal: 20.14



Serie 1:  
 9.9 ←                      8.7 ↗                      9.0 ↘                      10.5 \*                      10.3 →  
 10.9 \*                      10.2 ←                      10.6 \*                      10.3 ↙                      9.7 ↘  
 beste Teiler 246.4 (6.) 980.7 (8.) 1195.8 (4.)  
 Trefferlage 7.34 mm links, 0.99 mm hoch  
 Streuwert 22.12, horizontal: 26.17, vertikal: 17.13





Serie 2:  
 10.8 \*                      10.4 ↘                      9.7 ↙                      9.6 ↘                      10.7 \*  
 9.4 ↓                      9.5 ↓                      10.6 \*                      9.9 ↗                      10.2 ↑  
 beste Teiler 279.7 (11.) 830.7 (15.) 1068.8 (18.)  
 Trefferlage 0.73 mm links, 8.92 mm tief  
 Streuwert 19.45, horizontal: 15.21, vertikal: 22.93




Serie 3:  
 10.5 \*                      10.3 ↓                      10.6 \*                      9.5 ↑                      10.0 ↘  
 10.4 ←                      10.6 \*                      10.7 \*                      10.1 ↓                      9.0 ↘  
 beste Teiler 630.6 (28.) 846.9 (23.) 849.2 (27.)  
 Trefferlage 5.74 mm rechts, 7.26 mm tief  
 Streuwert 17.21, horizontal: 12.91, vertikal: 20.64

Unterschrift des Schützen


Ergebnis: **286** (299.3)  
 Serien: 94 95 97  
 Zähler: 17 12 1 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 5525 (8), 5203 (14), 4723 (7)  
 beste Teiler 292.2 (3.) 433.5 (23.) 502.1 (29.)  
 Trefferlage 7.02 mm rechts, 3.86 mm hoch  
 Streuwert 20.73, horizontal: 22.14, vertikal: 19.21



Serie 1:  
 10.6 \*                      10.1 →                      10.8 \*                      9.5 →                      9.6 ↓  
 10.3 →                      9.2 ↖                      8.9 ←                      10.3 ↘                      9.9 ↗  
 beste Teiler 292.2 (3.) 846.7 (1.) 1842.1 (6.)  
 Trefferlage 3.22 mm rechts, 1.44 mm hoch  
 Streuwert 23.62, horizontal: 25.93, vertikal: 21.07





Serie 2:  
 10.0 →                      9.2 →                      9.3 ↖                      9.0 →                      10.2 ↓  
 9.8 ↙                      10.2 →                      10.2 ↗                      10.1 ↑                      9.9 ↑  
 beste Teiler 1985.6 (18.) 2025.0 (15.) 2107.4 (17.)  
 Trefferlage 10.76 mm rechts, 4.91 mm hoch  
 Streuwert 23.26, horizontal: 25.41, vertikal: 20.88




Serie 3:  
 9.9 ↗                      10.3 ↖                      10.8 \*                      10.1 ↗                      10.4 ↗  
 10.6 \*                      9.4 →                      9.7 ↘                      10.8 \*                      10.2 ↑  
 beste Teiler 433.5 (23.) 502.1 (29.) 945.9 (26.)  
 Trefferlage 7.08 mm rechts, 5.22 mm hoch  
 Streuwert 16.27, horizontal: 15.18, vertikal: 17.29

Unterschrift des Schützen


Ergebnis: **278** (293.4)  
 Serien: 91 94 93  
 Zähler: 11 16 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 6461 (8), 5831 (22), 5734 (3)  
 beste Teiler 283.1 (24.) 479.0 (4.) 1161.1 (25.)  
 Trefferlage 0.23 mm rechts, 3.14 mm tief  
 Streuwert 24.82, horizontal: 26.74, vertikal: 22.75



Serie 1:  
 10.3 ↙ 9.4 ↘ 8.8 ↖ 10.8 \* 9.9 ↗  
 9.6 ↗ 9.8 ↖ 8.5 ↓ 9.9 ↙ 10.3 ↘  
 beste Teiler 479.0 (4.) 1816.3 (1.) 1871.0 (10.)  
 Trefferlage 3.68 mm links, 0.55 mm tief  
 Streuwert 27.60, horizontal: 23.95, vertikal: 30.82





Serie 2:  
 9.1 ← 10.2 ↘ 10.0 ↘ 9.7 ↖ 10.0 ↙  
 9.6 ↓ 9.8 ← 10.0 → 9.4 ↘ 9.3 ←  
 beste Teiler 2022.5 (12.) 2598.9 (13.) 2610.7 (15.)  
 Trefferlage 7.07 mm links, 10.13 mm tief  
 Streuwert 24.14, horizontal: 28.69, vertikal: 18.50




Serie 3:  
 9.5 → 8.7 → 9.7 → 10.8 \* 10.5 \*  
 9.9 ↘ 10.4 \* 10.3 ↙ 9.5 ↖ 9.7 ↗  
 beste Teiler 283.1 (24.) 1161.1 (25.) 1397.4 (27.)  
 Trefferlage 11.45 mm rechts, 1.26 mm hoch  
 Streuwert 22.16, horizontal: 26.28, vertikal: 17.07

Unterschrift des Schützen


Ergebnis: **283** (294.9)  
 Serien: 97 93 93  
 Zähler: 17 11 1 0 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 10989 (29), 5374 (14), 5172 (11)  
 beste Teiler 742.4 (16.) 881.7 (24.) 1008.4 (17.)  
 Trefferlage 9.16 mm links, 3.76 mm hoch  
 Streuwert 25.11, horizontal: 29.46, vertikal: 19.83



Serie 1:  
 9.4 ↖ 10.2 ↙ 10.4 ↑ 10.0 ↑ 9.7 ↗  
 9.8 ↖ 10.4 \* 10.5 \* 10.2 ↘ 10.1 ↖  
 beste Teiler 1368.7 (8.) 1510.5 (7.) 1588.7 (3.)  
 Trefferlage 8.94 mm links, 14.43 mm hoch  
 Streuwert 14.56, horizontal: 14.70, vertikal: 14.42





Serie 2:  
 9.0 ↘ 9.6 ↘ 10.3 → 8.9 ↘ 9.6 ←  
 10.7 \* 10.6 \* 9.7 ↗ 10.5 \* 9.7 ↘  
 beste Teiler 742.4 (16.) 1008.4 (17.) 1343.4 (19.)  
 Trefferlage 8.53 mm rechts, 10.30 mm tief  
 Streuwert 22.79, horizontal: 25.73, vertikal: 19.40




Serie 3:  
 10.2 ↗ 10.0 ↘ 9.2 ↘ 10.6 \* 9.2 ↘  
 10.5 \* 10.0 ← 9.0 ← 6.7 ← 10.2 ←  
 beste Teiler 881.7 (24.) 1331.7 (26.) 2120.2 (21.)  
 Trefferlage 27.08 mm links, 7.17 mm hoch  
 Streuwert 27.72, horizontal: 34.83, vertikal: 17.98

Unterschrift des Schützen


Ergebnis: **284** (296.3)  
 Serien: 96 94 94  
 Zähler: 16 12 2 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 6183 (15), 6063 (18), 5226 (4)  
 beste Teiler 811.8 (26.) 845.3 (8.) 1078.4 (7.)  
 Trefferlage 5.95 mm rechts, 8.34 mm tief  
 Streuwert 22.19, horizontal: 23.72, vertikal: 20.55



Serie 1:  
 9.4 ↓                      10.0 ↓                      9.3 ↘                      9.0 →                      10.4 →  
 10.0 ↗                      10.6 \*                      10.6 \*                      10.2 ↘                      9.3 ↘  
 beste Teiler 845.3 (8.) 1078.4 (7.) 1561.5 (5.)  
 Trefferlage 11.08 mm rechts, 6.16 mm tief  
 Streuwert 22.09, horizontal: 20.98, vertikal: 23.14





Serie 2:  
 9.8 ↓                      10.4 \*                      10.2 ↘                      10.1 ←                      8.6 ↓  
 10.3 ↓                      10.3 →                      8.6 ↘                      9.9 ↗                      10.2 ↑  
 beste Teiler 1515.5 (12.) 1737.6 (16.) 1747.6 (17.)  
 Trefferlage 2.51 mm rechts, 16.95 mm tief  
 Streuwert 21.98, horizontal: 22.44, vertikal: 21.50




Serie 3:  
 9.0 →                      10.5 \*                      9.4 →                      9.8 ↙                      9.8 ↖  
 10.7 \*                      9.8 ↗                      10.0 ↙                      9.6 →                      10.5 \*  
 beste Teiler 811.8 (26.) 1212.8 (30.) 1352.0 (22.)  
 Trefferlage 4.25 mm rechts, 1.92 mm tief  
 Streuwert 22.95, horizontal: 28.70, vertikal: 15.14

Unterschrift des Schützen


Ergebnis: **276** (288.2)  
 Serien: 89 93 94  
 Zähler: 12 12 6 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 6519 (22), 6496 (5), 6019 (2)  
 beste Teiler 960.2 (6.) 1229.0 (29.) 1296.2 (1.)  
 Trefferlage 14.60 mm rechts, 8.93 mm hoch  
 Streuwert 25.74, horizontal: 24.93, vertikal: 26.53



Serie 1:  
 10.5 \* 8.7 ↘ 9.7 ↖ 8.9 → 8.5 →  
 10.6 \* 9.9 ↗ 10.0 ↓ 8.9 ↘ 9.3 →  
 beste Teiler 960.2 (6.) 1296.2 (1.) 2690.8 (8.)  
 Trefferlage 17.90 mm rechts, 7.29 mm tief  
 Streuwert 28.54, horizontal: 30.00, vertikal: 27.01





Serie 2:  
 10.1 → 9.0 ↗ 10.3 ↘ 9.2 ↑ 9.3 ↑  
 10.1 ← 9.1 → 10.2 ↑ 8.9 ↗ 9.8 ↘  
 beste Teiler 1797.5 (13.) 2007.2 (18.) 2234.3 (16.)  
 Trefferlage 12.20 mm rechts, 23.31 mm hoch  
 Streuwert 21.14, horizontal: 22.72, vertikal: 19.43




Serie 3:  
 10.1 → 8.5 ↗ 9.0 ↗ 10.4 → 10.4 ↘  
 9.6 ↖ 9.4 ↑ 9.1 ↘ 10.5 \* 10.2 ↘  
 beste Teiler 1229.0 (29.) 1582.6 (24.) 1594.8 (25.)  
 Trefferlage 13.69 mm rechts, 10.78 mm hoch  
 Streuwert 24.52, horizontal: 23.82, vertikal: 25.20

Unterschrift des Schützen


Ergebnis: **276** (287.2)  
 Serien: 92 98 86  
 Zähler: 17 10 2 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 6430 (8), 6131 (27), 5238 (1)  
 beste Teiler 252.1 (5.) 543.4 (23.) 1084.6 (19.)  
 Trefferlage 7.51 mm rechts, 11.59 mm hoch  
 Streuwert 20.91, horizontal: 26.07, vertikal: 13.96



Serie 1:  
 9.0 ↗ 9.5 ↘ 9.7 → 9.5 ↗ 10.9 \*  
 9.8 → 10.1 ↗ 8.5 ↗ 10.0 ↗ 9.8 ↘  
 beste Teiler 252.1 (5.) 2374.1 (7.) 2669.9 (9.)  
 Trefferlage 15.18 mm rechts, 19.19 mm hoch  
 Streuwert 21.36, horizontal: 26.44, vertikal: 14.60





Serie 2:  
 10.2 ← 9.9 ↘ 10.5 \* 10.2 ↗ 10.0 ↘  
 10.0 ← 10.1 ↘ 10.5 \* 10.6 \* 9.4 →  
 beste Teiler 1084.6 (19.) 1223.6 (18.) 1237.4 (13.)  
 Trefferlage 3.52 mm rechts, 4.99 mm hoch  
 Streuwert 17.44, horizontal: 21.50, vertikal: 12.08




Serie 3:  
 9.8 ↘ 10.0 ↗ 10.8 \* 10.6 \* 9.2 ←  
 10.0 ↘ 8.6 → 10.0 ↗ 10.0 ↗  
 beste Teiler 543.4 (23.) 1104.9 (24.) 2565.2 (22.)  
 Trefferlage 3.41 mm rechts, 10.48 mm hoch  
 Streuwert 23.57, horizontal: 30.99, vertikal: 12.26

Unterschrift des Schützen


Ergebnis: **288** (302.0)  
 Serien: 94 98 96  
 Zähler: 20 8 2 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 5920 (20), 5802 (21), 4803 (2)  
 beste Teiler 163.1 (16.) 500.5 (14.) 502.0 (28.)  
 Trefferlage 3.45 mm rechts, 2.52 mm tief  
 Streuwert 19.95, horizontal: 19.10, vertikal: 20.77



Serie 1:  
 9.9 ↗ 9.1 ↘ 9.4 ↖ 9.9 ↓ 10.0 ↘  
 10.5 \* 10.1 ↑ 10.2 ↙ 9.6 ↘ 9.8 ←  
 beste Teiler 1276.9 (6.) 1958.3 (8.) 2377.4 (7.)  
 Trefferlage 2.05 mm links, 3.52 mm tief  
 Streuwert 23.30, horizontal: 21.06, vertikal: 25.34



Serie 2:  
 10.6 \* 10.0 ← 10.3 ↑ 10.8 \* 10.2 ↗  
 10.9 \* 10.4 ↑ 10.4 ↘ 10.5 \* 8.7 ↘  
 beste Teiler 163.1 (16.) 500.5 (14.) 947.2 (11.)  
 Trefferlage 2.87 mm rechts, 1.83 mm hoch  
 Streuwert 17.63, horizontal: 20.58, vertikal: 14.08





Serie 3:  
 8.7 ↓ 10.4 ↘ 10.5 \* 10.6 \* 9.7 ↘  
 10.0 ↗ 10.1 ↗ 10.8 \* 10.3 ↘ 9.6 →  
 beste Teiler 502.0 (28.) 1079.6 (24.) 1238.8 (23.)  
 Trefferlage 9.54 mm rechts, 5.86 mm tief  
 Streuwert 19.34, horizontal: 15.27, vertikal: 22.70


Unterschrift des Schützen




Ergebnis: **274** (289.0)  
 Serien: 97 91 86  
 Zähler: 13 12 2 2 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 12422 (21), 9167 (15), 8091 (29)  
 beste Teiler 244.7 (20.) 379.8 (4.) 552.4 (8.)  
 Trefferlage 17.45 mm rechts, 2.57 mm hoch  
 Streuwert 29.12, horizontal: 32.65, vertikal: 25.09



Serie 1:  
 10.2 ↗ 9.6 ↗ 10.2 ↗ 10.8 \* 9.4 →  
 10.2 ↑ 10.0 → 10.8 \* 10.6 \* 9.4 ↘  
 beste Teiler 379.8 (4.) 552.4 (8.) 940.4 (9.)  
 Trefferlage 12.88 mm rechts, 6.42 mm hoch  
 Streuwert 16.72, horizontal: 16.25, vertikal: 17.18





Serie 2:  
 9.9 ↑ 10.5 \* 8.9 ↗ 10.1 ↘ 7.4 →  
 9.5 ↑ 9.5 ↗ 10.1 ↗ 9.5 ↗ 10.9 \*  
 beste Teiler 244.7 (20.) 1140.2 (12.) 2306.9 (14.)  
 Trefferlage 14.99 mm rechts, 13.34 mm hoch  
 Streuwert 27.89, horizontal: 28.14, vertikal: 27.64




Serie 3:  
 6.1 → 8.3 ↘ 10.7 \* 9.4 → 9.8 ↘  
 9.8 ↗ 9.5 → 9.9 ↘ 7.8 ↘ 10.2 ↓  
 beste Teiler 656.4 (23.) 2181.1 (30.) 2867.6 (28.)  
 Trefferlage 24.47 mm rechts, 12.02 mm tief  
 Streuwert 37.96, horizontal: 47.90, vertikal: 24.22

Unterschrift des Schützen


Ergebnis: **289** (302.5)  
 Serien: 95 98 96  
 Zähler: 20 9 1 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 5308 (6), 4267 (29), 4218 (7)  
 beste Teiler 222.6 (4.) 871.9 (10.) 1151.6 (11.)  
 Trefferlage 3.71 mm links, 8.74 mm hoch  
 Streuwert 17.71, horizontal: 19.45, vertikal: 15.78



Serie 1:  
 9.8 ←                      10.1 ↑                      10.0 ↑                      10.9 \*                      10.0 ↑  
 8.9 ↙                      9.4 ←                      10.2 ↖                      9.5 ↑                      10.6 \*  
 beste Teiler 222.6 (4.) 871.9 (10.) 2021.1 (8.)  
 Trefferlage 13.13 mm links, 8.00 mm hoch  
 Streuwert 20.12, horizontal: 18.32, vertikal: 21.76



Serie 2:  
 10.5 \*                      10.4 ←                      10.3 ↗                      10.4 \*                      9.5 ↗  
 10.3 ↘                      9.6 →                      10.5 \*                      10.1 ←                      10.5 \*  
 beste Teiler 1151.6 (11.) 1183.6 (18.) 1295.2 (20.)  
 Trefferlage 4.57 mm rechts, 8.21 mm hoch  
 Streuwert 15.26, horizontal: 18.96, vertikal: 10.30



Serie 3:  
 10.4 ↑                      10.4 ↘                      9.9 →                      9.9 →                      10.1 ←  
 10.4 \*                      10.2 ↑                      10.4 \*                      9.4 ↘                      9.9 ↑  
 beste Teiler 1470.0 (28.) 1518.0 (26.) 1630.4 (21.)  
 Trefferlage 2.60 mm links, 10.02 mm hoch  
 Streuwert 16.86, horizontal: 18.66, vertikal: 14.84

Unterschrift des Schützen

**KK 100m 30 – Wertung – Damen I**

**StartNr: 8**



StandNr: 106

14. Mai 2023 14:52


**Glohr, Christina #22**

1000 SFr Emsdetten e.V. / SFr Emsdetten e.V.


Ergebnis: **292** (308.6)  
 Serien: 98 100 94  
 Zähler: 23 6 1 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 5362 (21), 4631 (29), 4505 (2)  
 beste Teiler 107.7 (6.) 116.5 (13.) 242.4 (11.)  
 Trefferlage 8.97 mm links, 1.36 mm tief  
 Streuwert 15.46, horizontal: 17.13, vertikal: 13.57



Serie 1:  
 10.7 \*                      9.3 ←                      10.5 \*                      10.4 ←                      10.4 ↑  
 10.9 \*                      10.8 \*                      9.9 ←                      10.6 \*                      10.1 ↖  
 beste Teiler 107.7 (6.) 553.7 (7.) 643.8 (1.)  
 Trefferlage 10.11 mm links, 5.09 mm hoch  
 Streuwert 12.73, horizontal: 16.70, vertikal: 6.74



Serie 2:  
 10.9 \*                      10.6 \*                      10.9 \*                      10.8 \*                      10.2 ↖  
 10.0 ←                      10.9 \*                      10.7 \*                      10.3 ↘                      10.6 \*  
 beste Teiler 116.5 (13.) 242.4 (11.) 250.4 (17.)  
 Trefferlage 6.32 mm links, 1.24 mm hoch  
 Streuwert 8.31, horizontal: 9.43, vertikal: 7.00





Serie 3:  
 8.9 ↙                      10.4 \*                      10.6 \*                      10.4 ←                      9.6 →  
 9.9 ↗                      9.3 ←                      10.5 \*                      9.2 ↘                      10.3 ↓  
 beste Teiler 1108.0 (23.) 1366.7 (28.) 1433.8 (22.)  
 Trefferlage 10.50 mm links, 10.42 mm tief  
 Streuwert 21.45, horizontal: 23.80, vertikal: 18.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295** (308.8)  
 Serien: 99 99 97  
 Zähler: 25 5 0 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 4646 (23), 3500 (22), 3372 (5)  
 beste Teiler 152.5 (13.) 497.3 (24.) 538.2 (10.)  
 Trefferlage 1.62 mm links, 1.12 mm hoch  
 Streuwert 15.21, horizontal: 17.68, vertikal: 12.26



Serie 1:  
 10.1 ↘                      10.0 ↖                      10.5 \*                      10.8 \*                      9.7 →  
 10.3 ↓                      10.3 ↙                      10.5 \*                      10.0 ↑                      10.8 \*  
 beste Teiler 538.2 (10.) 556.8 (4.) 1113.1 (3.)  
 Trefferlage 3.82 mm rechts, 2.68 mm tief  
 Streuwert 14.60, horizontal: 15.92, vertikal: 13.15





Serie 2:  
 10.4 ↗                      10.0 ↖                      10.9 \*                      10.7 \*                      10.6 \*  
 10.0 ←                      9.9 ←                      10.0 →                      10.6 \*                      10.6 \*  
 beste Teiler 152.5 (13.) 727.7 (14.) 962.7 (15.)  
 Trefferlage 2.03 mm links, 2.82 mm hoch  
 Streuwert 13.82, horizontal: 16.48, vertikal: 10.51



Serie 3:  
 10.6 \*                      9.7 →                      9.2 ↖                      10.8 \*                      10.3 ↖  
 10.1 ↙                      10.6 \*                      10.4 \*                      10.6 \*                      9.8 ↖  
 beste Teiler 497.3 (24.) 951.0 (29.) 1031.1 (21.)  
 Trefferlage 6.64 mm links, 3.21 mm hoch  
 Streuwert 17.29, horizontal: 20.52, vertikal: 13.29


Unterschrift des Schützen

Ergebnis: **278** (293.0)  
 Serien: 92 94 92  
 Zähler: 11 16 3 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 7151 (2), 5312 (21), 5282 (5)  
 beste Teiler 1219.1 (9.) 1255.3 (14.) 1634.2 (28.)  
 Trefferlage 10.96 mm links, 8.09 mm tief  
 Streuwert 23.08, horizontal: 21.71, vertikal: 24.38




Serie 1:  
 9.7 ↑                      8.2 ↙                      10.2 ↓                      10.3 ←                      8.9 ←  
 10.0 ↑                      9.2 ↙                      9.6 ↘                      10.5 \*                      9.8 ↖

beste Teiler 1219.1 (9.) 1882.4 (4.) 2144.6 (3.)  
 Trefferlage 19.83 mm links, 2.68 mm hoch  
 Streuwert 25.01, horizontal: 22.72, vertikal: 27.12



Serie 2:  
 9.9 ←                      10.4 ↑                      9.9 ←                      10.5 \*                      9.8 ↘  
 9.6 ↓                      9.9 ←                      10.0 ←                      10.1 ←                      9.5 ↙

beste Teiler 1255.3 (14.) 1658.0 (12.) 2501.4 (19.)  
 Trefferlage 12.87 mm links, 8.52 mm tief  
 Streuwert 17.84, horizontal: 17.01, vertikal: 18.64





Serie 3:  
 8.9 ↓                      9.8 ↘                      9.1 ↘                      9.8 ←                      9.4 ↘  
 10.3 ↘                      9.1 ↙                      10.4 ↘                      9.9 ↓                      10.3 ←


beste Teiler 1634.2 (28.) 1788.1 (26.) 1943.8 (30.)  
 Trefferlage 0.19 mm links, 18.43 mm tief  
 Streuwert 23.21, horizontal: 22.19, vertikal: 24.19

Unterschrift des Schützen


Ergebnis: **266** (281.2)  
 Serien: 88 91 87  
 Zähler: 8 13 6 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 8566 (27), 8147 (10), 8028 (22)  
 beste Teiler 741.2 (19.) 1183.7 (30.) 1293.6 (28.)  
 Trefferlage 8.97 mm rechts, 6.45 mm tief  
 Streuwert 33.03, horizontal: 31.53, vertikal: 34.48



Serie 1:  
 9.7 → 10.4 \* 9.7 ↓ 9.0 ↖ 8.5 ↙  
 9.7 ↖ 9.6 ↓ 9.9 ↗ 9.8 ↘ 7.8 →  
 beste Teiler 1395.9 (2.) 2920.7 (8.) 3140.1 (9.)  
 Trefferlage 4.13 mm rechts, 8.67 mm tief  
 Streuwert 32.85, horizontal: 33.97, vertikal: 31.70





Serie 2:  
 8.4 ↗ 9.3 ↓ 9.3 ↗ 8.5 ↘ 9.3 ↑  
 9.7 → 10.3 → 9.2 → 10.7 \* 10.0 ↗  
 beste Teiler 741.2 (19.) 1741.7 (17.) 2650.8 (20.)  
 Trefferlage 22.68 mm rechts, 6.85 mm hoch  
 Streuwert 27.13, horizontal: 23.40, vertikal: 30.42




Serie 3:  
 8.7 ↖ 7.9 ↘ 10.4 \* 9.5 → 10.2 ↑  
 8.5 ↙ 7.6 ↓ 10.5 \* 8.6 ↓ 10.5 \*  
 beste Teiler 1183.7 (30.) 1293.6 (28.) 1488.4 (23.)  
 Trefferlage 0.10 mm rechts, 17.53 mm tief  
 Streuwert 37.02, horizontal: 34.34, vertikal: 39.51

Unterschrift des Schützen


Ergebnis: **266** (279.8)  
 Serien: 90 83 93  
 Zähler: 10 9 8 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 8407 (11), 7887 (6), 7817 (14)  
 beste Teiler 530.9 (5.) 883.1 (1.) 1202.8 (23.)  
 Trefferlage 10.82 mm rechts, 0.81 mm tief  
 Streuwert 34.15, horizontal: 38.32, vertikal: 29.40



Serie 1:  
 10.6 \*                      10.4 \*                      8.5 ↗                      10.1 ↘                      10.8 \*  
 7.9 ↘                      8.5 →                      9.7 ←                      9.4 ↑                      9.7 →  
 beste Teiler 530.9 (5.) 883.1 (1.) 1526.4 (2.)  
 Trefferlage 16.74 mm rechts, 4.83 mm hoch  
 Streuwert 30.17, horizontal: 34.92, vertikal: 24.53





Serie 2:  
 7.7 ↖                      8.8 ↖                      8.1 ↘                      7.9 ←                      9.5 ↘  
 8.9 ↘                      8.0 ↓                      9.0 ↙                      9.5 →                      10.2 →  
 beste Teiler 2068.2 (20.) 3901.0 (19.) 3939.4 (15.)  
 Trefferlage 1.08 mm links, 9.01 mm tief  
 Streuwert 44.91, horizontal: 48.80, vertikal: 40.66




Serie 3:  
 8.8 ↗                      10.2 →                      10.5 \*                      8.6 ↘                      9.3 ↗  
 10.1 ←                      9.0 →                      9.7 ←                      10.0 ↗                      10.4 \*  
 beste Teiler 1202.8 (23.) 1519.7 (30.) 2152.3 (22.)  
 Trefferlage 16.80 mm rechts, 1.72 mm hoch  
 Streuwert 25.56, horizontal: 29.90, vertikal: 20.31

Unterschrift des Schützen


Ergebnis: **294** (307.6)  
 Serien: 98 98 98  
 Zähler: 24 6 0 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 3351 (21), 3329 (14), 2981 (18)  
 beste Teiler 233.6 (24.) 353.1 (22.) 411.6 (6.)  
 Trefferlage 0.51 mm links, 6.25 mm hoch  
 Streuwert 14.67, horizontal: 14.78, vertikal: 14.57



Serie 1:  
 10.1 → 10.1 → 10.1 ↓ 10.7 \* 9.9 ↖  
 10.8 \* 10.5 \* 10.6 \* 10.6 \* 9.9 ↗  
 beste Teiler 411.6 (6.) 792.2 (4.) 954.6 (8.)  
 Trefferlage 5.00 mm rechts, 4.25 mm hoch  
 Streuwert 13.69, horizontal: 14.18, vertikal: 13.18



Serie 2:  
 10.0 ↖ 10.0 ↑ 10.2 → 9.7 ↑ 10.2 ↓  
 10.0 ↑ 10.7 \* 9.9 ↖ 10.5 \* 10.0 ↗  
 beste Teiler 712.2 (17.) 1141.3 (19.) 1963.5 (15.)  
 Trefferlage 2.42 mm links, 13.44 mm hoch  
 Streuwert 15.04, horizontal: 12.24, vertikal: 17.39





Serie 3:  
 9.7 ↖ 10.8 \* 10.2 ↖ 10.9 \* 9.9 ↑  
 10.1 ← 10.4 \* 10.4 \* 10.5 \* 10.2 →  
 beste Teiler 233.6 (24.) 353.1 (22.) 1282.6 (29.)  
 Trefferlage 4.11 mm links, 1.08 mm hoch  
 Streuwert 14.44, horizontal: 17.34, vertikal: 10.78


Unterschrift des Schützen




Ergebnis: **296** (309.2)  
 Serien: 99 98 99  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 3718 (15), 3454 (6), 2972 (27)  
 beste Teiler 584.5 (4.) 671.5 (13.) 726.1 (18.)  
 Trefferlage 4.31 mm links, 3.11 mm hoch  
 Streuwert 13.65, horizontal: 13.16, vertikal: 14.13



Serie 1:  
 10.5 \*                      10.4 \*                      10.7 \*                      10.7 \*                      10.3 ↗  
 9.7 ←                      10.2 ↑                      10.4 ↘                      10.5 \*                      10.4 ↓  
 beste Teiler 584.5 (4.) 731.7 (3.) 1215.0 (1.)  
 Trefferlage 0.58 mm links, 1.53 mm tief  
 Streuwert 13.20, horizontal: 14.85, vertikal: 11.30





Serie 2:  
 10.2 →                      10.2 ↖                      10.7 \*                      10.0 ↙                      9.6 ↖  
 10.5 \*                      10.5 \*                      10.7 \*                      10.3 ↓                      9.9 ↖  
 beste Teiler 671.5 (13.) 726.1 (18.) 1232.4 (16.)  
 Trefferlage 7.55 mm links, 2.05 mm hoch  
 Streuwert 14.79, horizontal: 13.86, vertikal: 15.67




Serie 3:  
 10.0 ↑                      10.5 \*                      10.3 ↑                      10.6 \*                      10.1 ↖  
 10.1 ↓                      9.9 ↑                      10.5 \*                      10.4 ←                      10.4 ↖  
 beste Teiler 1093.6 (24.) 1207.4 (28.) 1278.3 (22.)  
 Trefferlage 4.80 mm links, 8.82 mm hoch  
 Streuwert 12.78, horizontal: 10.86, vertikal: 14.44

\_\_\_\_\_  
 Unterschrift des Schützen


Ergebnis: **295** (310.0)  
 Serien: 99 98 98  
 Zähler: 25 5 0 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 3488 (10), 3333 (21), 3250 (22)  
 beste Teiler 413.5 (8.) 455.4 (29.) 510.4 (6.)  
 Trefferlage 1.46 mm links, 1.55 mm tief  
 Streuwert 13.54, horizontal: 12.40, vertikal: 14.60



Serie 1:  
 10.4 ↑                      10.4 \*                      10.3 ←                      10.5 \*                      10.5 \*  
 10.8 \*                      10.5 \*                      10.8 \*                      10.4 ↓                      9.7 ←  
 beste Teiler 413.5 (8.) 510.4 (6.) 1157.7 (7.)  
 Trefferlage 6.81 mm links, 1.99 mm hoch  
 Streuwert 11.21, horizontal: 12.77, vertikal: 9.39





Serie 2:  
 10.5 \*                      9.9 ↗                      10.4 \*                      10.2 ↗                      10.6 \*  
 10.3 ↓                      10.5 \*                      10.2 ↓                      10.2 ↘                      9.9 ↓  
 beste Teiler 929.6 (15.) 1114.2 (17.) 1349.1 (11.)  
 Trefferlage 7.56 mm rechts, 6.22 mm tief  
 Streuwert 12.86, horizontal: 10.00, vertikal: 15.19




Serie 3:  
 9.7 ↓                      9.8 ↖                      10.6 \*                      10.5 \*                      10.6 \*  
 10.0 ↗                      10.4 ←                      10.4 \*                      10.8 \*                      10.2 ↖  
 beste Teiler 455.4 (29.) 985.7 (23.) 1060.2 (25.)  
 Trefferlage 5.15 mm links, 0.42 mm tief  
 Streuwert 14.54, horizontal: 9.72, vertikal: 18.12

\_\_\_\_\_  
 Unterschrift des Schützen


Ergebnis: **293** (305.7)  
 Serien: 97 97 99  
 Zähler: 23 7 0 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 5187 (18), 3976 (25), 3911 (5)  
 beste Teiler 495.8 (24.) 499.6 (15.) 514.2 (4.)  
 Trefferlage 1.20 mm links, 7.27 mm hoch  
 Streuwert 16.42, horizontal: 16.72, vertikal: 16.12



Serie 1:  
 10.3 → 9.6 ↖ 10.1 ↙ 10.8 \* 9.5 ↗  
 10.0 ↗ 10.2 ↘ 10.2 ↖ 9.9 → 10.2 →  
 beste Teiler 514.2 (4.) 1730.1 (1.) 2022.7 (10.)  
 Trefferlage 3.33 mm rechts, 6.42 mm hoch  
 Streuwert 18.48, horizontal: 20.02, vertikal: 16.80





Serie 2:  
 9.9 ↖ 10.1 ↙ 10.1 ↗ 10.7 \* 10.8 \*  
 10.7 \* 10.2 ↖ 9.0 ↑ 10.2 ↓ 9.7 ↗  
 beste Teiler 499.6 (15.) 603.4 (16.) 618.2 (14.)  
 Trefferlage 0.34 mm links, 10.57 mm hoch  
 Streuwert 17.73, horizontal: 13.12, vertikal: 21.37




Serie 3:  
 10.0 ↖ 10.4 ↗ 10.6 \* 10.8 \* 9.5 ←  
 10.5 \* 10.5 \* 10.6 \* 10.3 ← 10.3 ↖  
 beste Teiler 495.8 (24.) 1034.4 (28.) 1111.5 (23.)  
 Trefferlage 6.60 mm links, 4.83 mm hoch  
 Streuwert 13.25, horizontal: 16.50, vertikal: 8.89

Unterschrift des Schützen


Ergebnis: **283** (296.5)  
 Serien: 97 95 91  
 Zähler: 17 10 2 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 7805 (23), 5571 (25), 5371 (19)  
 beste Teiler 1198.9 (9.) 1219.9 (22.) 1373.7 (14.)  
 Trefferlage 5.61 mm rechts, 7.02 mm tief  
 Streuwert 22.34, horizontal: 28.69, vertikal: 13.24



Serie 1:  
 10.0 →                      10.4 ↗                      9.8 ↘                      10.3 ←                      10.1 ↘  
 10.2 →                      10.3 ↓                      9.5 →                      10.5 \*                      9.9 ↙  
 beste Teiler 1198.9 (9.) 1556.7 (2.) 1739.6 (4.)  
 Trefferlage 10.79 mm rechts, 7.55 mm tief  
 Streuwert 15.64, horizontal: 18.56, vertikal: 12.03



Serie 2:  
 9.6 ←                      9.9 ↘                      10.2 ←                      10.5 \*                      9.3 →  
 10.3 ↓                      10.3 ←                      10.0 ↙                      8.9 ←                      10.2 ↘  
 beste Teiler 1373.7 (14.) 1680.0 (16.) 1875.2 (17.)  
 Trefferlage 7.86 mm links, 4.41 mm tief  
 Streuwert 21.68, horizontal: 27.38, vertikal: 13.81





Serie 3:  
 10.1 →                      10.5 \*                      7.9 ↘                      10.2 ↘                      8.8 ←  
 9.8 ↘                      9.8 ↘                      9.7 ↘                      9.5 ↘                      10.0 ↘  
 beste Teiler 1219.9 (22.) 2151.6 (24.) 2399.7 (21.)  
 Trefferlage 13.91 mm rechts, 9.09 mm tief  
 Streuwert 27.08, horizontal: 35.35, vertikal: 14.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285** (297.9)  
 Serien: 95 93 97  
 Zähler: 17 11 2 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 6763 (20), 5736 (5), 4633 (4)  
 beste Teiler 337.1 (12.) 1370.9 (8.) 1606.9 (9.)  
 Trefferlage 1.21 mm links, 0.40 mm tief  
 Streuwert 22.12, horizontal: 25.00, vertikal: 18.80



Serie 1:  
 9.9 ←                      9.7 ↗                      10.0 ↓                      9.2 ↖                      8.8 ↗  
 10.1 ↑                      10.1 ↑                      10.5 \*                      10.4 ↘                      10.3 ←  
 beste Teiler 1370.9 (8.) 1606.9 (9.) 1833.0 (10.)  
 Trefferlage 5.02 mm links, 10.36 mm hoch  
 Streuwert 21.97, horizontal: 24.63, vertikal: 18.93





Serie 2:  
 10.0 →                      10.8 \*                      10.2 ←                      9.5 ↓                      9.7 ↘  
 10.0 ↑                      9.4 ↘                      9.9 ←                      9.9 ↗                      8.4 ←  
 beste Teiler 337.1 (12.) 2219.3 (13.) 2526.0 (16.)  
 Trefferlage 0.36 mm links, 6.47 mm tief  
 Streuwert 25.86, horizontal: 30.79, vertikal: 19.75




Serie 3:  
 10.2 ↘                      10.3 ↘                      10.3 ↑                      10.3 ↘                      10.0 →  
 10.4 ↙                      10.3 ←                      9.8 ↓                      9.9 →                      9.6 ←  
 beste Teiler 1612.1 (26.) 1742.0 (24.) 1769.7 (27.)  
 Trefferlage 1.75 mm rechts, 5.09 mm tief  
 Streuwert 17.75, horizontal: 20.81, vertikal: 14.02

Unterschrift des Schützen


Ergebnis: **281** (292.9)  
 Serien: 93 92 96  
 Zähler: 14 13 3 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 6791 (7), 5846 (18), 5500 (13)  
 beste Teiler 606.1 (27.) 1276.3 (11.) 1438.6 (1.)  
 Trefferlage 3.82 mm rechts, 5.47 mm tief  
 Streuwert 25.10, horizontal: 30.03, vertikal: 18.93



Serie 1:  
 10.4 \*                      9.4 →                      9.9 ↘                      9.9 ↖                      9.6 →  
 10.2 ↖                      8.3 →                      9.2 ↘                      10.0 ↗                      10.2 ↖  
 beste Teiler 1438.6 (1.) 2054.8 (10.) 2138.2 (6.)  
 Trefferlage 12.60 mm rechts, 3.80 mm tief  
 Streuwert 25.40, horizontal: 31.61, vertikal: 17.05





Serie 2:  
 10.5 \*                      9.0 ↖                      8.9 ↘                      10.4 \*                      10.0 →  
 9.4 ←                      10.4 \*                      8.7 →                      9.1 ↘                      9.5 ←  
 beste Teiler 1276.3 (11.) 1469.3 (14.) 1493.3 (17.)  
 Trefferlage 0.55 mm links, 12.45 mm tief  
 Streuwert 28.56, horizontal: 33.95, vertikal: 21.88




Serie 3:  
 9.5 ←                      9.8 ↗                      9.4 →                      10.3 ↙                      10.4 ↖  
 10.0 ↘                      10.7 \*                      9.5 ↙                      10.1 →                      10.2 →  
 beste Teiler 606.1 (27.) 1547.0 (25.) 1841.0 (24.)  
 Trefferlage 0.58 mm links, 0.15 mm tief  
 Streuwert 21.48, horizontal: 25.02, vertikal: 17.22

Unterschrift des Schützen


Ergebnis: **287** (299.1)  
 Serien: 96 96 95  
 Zähler: 18 11 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 6295 (27), 5236 (7), 4558 (18)  
 beste Teiler 742.2 (15.) 851.4 (6.) 919.0 (29.)  
 Trefferlage 5.16 mm links, 1.59 mm tief  
 Streuwert 21.01, horizontal: 21.66, vertikal: 20.35



Serie 1:  
 9.9 ↗ 9.7 ← 10.4 \* 9.9 → 10.1 ←  
 10.6 \* 9.0 ↘ 10.3 ↖ 10.2 ↘ 10.0 ←  
 beste Teiler 851.4 (6.) 1500.9 (3.) 1740.0 (8.)  
 Trefferlage 4.34 mm links, 7.65 mm hoch  
 Streuwert 19.98, horizontal: 23.58, vertikal: 15.57





Serie 2:  
 10.6 \* 10.5 \* 10.1 ← 10.2 → 10.7 \*  
 9.3 ↓ 9.6 ↓ 9.2 ← 10.2 ↓ 9.2 ←  
 beste Teiler 742.2 (15.) 978.6 (11.) 1138.8 (12.)  
 Trefferlage 6.77 mm links, 11.09 mm tief  
 Streuwert 20.21, horizontal: 23.04, vertikal: 16.90




Serie 3:  
 10.0 ↓ 9.5 ↗ 10.1 ↓ 10.4 ↗ 9.9 ↓  
 9.8 ← 8.5 ↖ 10.1 ↓ 10.6 \* 10.5 \*  
 beste Teiler 919.0 (29.) 1296.0 (30.) 1539.0 (24.)  
 Trefferlage 4.36 mm links, 1.32 mm tief  
 Streuwert 22.71, horizontal: 20.51, vertikal: 24.71

\_\_\_\_\_  
 Unterschrift des Schützen


Ergebnis: **287** (299.2)  
 Serien: 95 95 97  
 Zähler: 18 11 1 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 5477 (1), 5094 (25), 4943 (2)  
 beste Teiler 457.6 (23.) 655.3 (24.) 1159.9 (20.)  
 Trefferlage 1.69 mm links, 0.14 mm hoch  
 Streuwert 21.47, horizontal: 22.68, vertikal: 20.18



Serie 1:  
 8.9 ←                      9.1 ↓                      10.5 \*                      10.5 \*                      10.1 ↘  
 9.2 ↗                      9.9 ↑                      10.2 ←                      10.0 ↑                      10.0 ↓  
 beste Teiler 1307.4 (4.) 1341.2 (3.) 2121.4 (8.)  
 Trefferlage 10.00 mm links, 6.48 mm tief  
 Streuwert 23.22, horizontal: 19.98, vertikal: 26.07



Serie 2:  
 10.3 →                      10.4 \*                      9.5 →                      9.5 ←                      9.5 ↓  
 10.4 \*                      9.9 ↘                      10.0 ↖                      9.7 ↑                      10.5 \*  
 beste Teiler 1159.9 (20.) 1470.4 (12.) 1476.0 (16.)  
 Trefferlage 3.46 mm rechts, 2.61 mm hoch  
 Streuwert 21.31, horizontal: 23.37, vertikal: 19.02





Serie 3:  
 9.6 ↘                      10.2 ↑                      10.8 \*                      10.7 \*                      9.0 ←  
 10.5 \*                      9.4 →                      10.3 ↖                      10.1 ↑                      10.5 \*  
 beste Teiler 457.6 (23.) 655.3 (24.) 1193.1 (30.)  
 Trefferlage 1.47 mm rechts, 4.31 mm hoch  
 Streuwert 19.89, horizontal: 24.38, vertikal: 14.01


Unterschrift des Schützen




Ergebnis: **288** (299.8)  
 Serien: 98 97 93  
 Zähler: 21 6 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 6720 (21), 5653 (29), 5459 (27)  
 beste Teiler 588.8 (19.) 662.6 (5.) 795.4 (3.)  
 Trefferlage 4.42 mm rechts, 0.44 mm hoch  
 Streuwert 21.92, horizontal: 24.21, vertikal: 19.37



Serie 1:  
 10.0 ↓                      9.7 ↖                      10.7 \*                      10.6 \*                      10.7 \*  
 10.0 ↙                      9.0 ↘                      10.3 ↖                      10.6 \*                      10.2 ↑  
 beste Teiler 662.6 (5.) 795.4 (3.) 867.7 (4.)  
 Trefferlage 1.03 mm links, 2.00 mm tief  
 Streuwert 18.73, horizontal: 15.75, vertikal: 21.29





Serie 2:  
 10.2 ↓                      10.0 ↖                      9.7 ↗                      9.1 ↖                      10.0 ↗  
 10.0 ↖                      10.4 ↓                      9.9 ↑                      10.7 \*                      10.3 →  
 beste Teiler 588.8 (19.) 1587.7 (17.) 1785.1 (20.)  
 Trefferlage 0.61 mm rechts, 9.92 mm hoch  
 Streuwert 19.26, horizontal: 21.65, vertikal: 16.54




Serie 3:  
 8.4 ↘                      10.4 \*                      10.2 →                      9.2 →                      10.6 \*  
 10.3 ↗                      8.9 ←                      10.4 ←                      8.8 ↘                      10.5 \*  
 beste Teiler 1028.2 (25.) 1226.3 (30.) 1456.8 (22.)  
 Trefferlage 13.69 mm rechts, 6.58 mm tief  
 Streuwert 25.96, horizontal: 32.04, vertikal: 17.91

Unterschrift des Schützen


Ergebnis: **279** (293.0)  
 Serien: 93 92 94  
 Zähler: 10 19 1 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 5497 (12), 5051 (1), 4926 (17)  
 beste Teiler 390.2 (25.) 877.2 (13.) 1739.4 (20.)  
 Trefferlage 1.24 mm links, 5.99 mm hoch  
 Streuwert 24.26, horizontal: 25.32, vertikal: 23.15



Serie 1:  
 9.0 ↙                      9.1 ↑                      9.4 ←                      9.4 ←                      9.7 ↘  
 10.3 ↗                      10.3 →                      10.0 →                      9.8 ↗                      9.5 ↘  
 beste Teiler 1776.8 (6.) 1786.7 (7.) 2557.8 (8.)  
 Trefferlage 12.91 mm links, 4.67 mm hoch  
 Streuwert 25.21, horizontal: 26.31, vertikal: 24.07





Serie 2:  
 9.1 ↗                      8.9 ↘                      10.6 \*                      9.9 ←                      9.7 →  
 9.6 ↑                      9.1 →                      9.7 ↘                      10.2 ↓                      10.3 ↑  
 beste Teiler 877.2 (13.) 1739.4 (20.) 2125.7 (19.)  
 Trefferlage 15.78 mm rechts, 1.34 mm tief  
 Streuwert 24.56, horizontal: 22.02, vertikal: 26.87




Serie 3:  
 10.3 ↓                      9.7 →                      10.0 ↘                      10.1 ↘                      10.8 \*  
 9.4 ↙                      9.9 ←                      9.7 ↑                      9.9 ↑                      9.6 ↘  
 beste Teiler 390.2 (25.) 1782.8 (21.) 2345.5 (24.)  
 Trefferlage 6.59 mm links, 14.65 mm hoch  
 Streuwert 18.23, horizontal: 19.59, vertikal: 16.76

Unterschrift des Schützen


Ergebnis: **273** (284.8)  
 Serien: 90 95 88  
 Zähler: 9 16 4 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 9370 (2), 7646 (22), 7113 (24)  
 beste Teiler 568.5 (5.) 1235.9 (18.) 1404.5 (9.)  
 Trefferlage 15.51 mm links, 22.03 mm hoch  
 Streuwert 24.52, horizontal: 29.51, vertikal: 18.21



Serie 1:  
 10.3 ↘                      7.3 ↗                      9.2 ↖                      8.7 ↖                      10.7 \*  
 9.4 ↗                      8.2 ↖                      9.2 ↖                      10.4 \*                      10.0 ↗  
 beste Teiler 568.5 (5.) 1404.5 (9.) 1757.7 (1.)  
 Trefferlage 9.35 mm links, 25.25 mm hoch  
 Streuwert 30.99, horizontal: 36.25, vertikal: 24.63





Serie 2:  
 9.6 ↖                      10.4 ↗                      9.6 ↑                      10.0 ↑                      10.0 ↗  
 9.3 ↖                      10.2 ↘                      10.5 \*                      9.3 ↖                      9.9 ↗  
 beste Teiler 1235.9 (18.) 1640.7 (12.) 2122.9 (17.)  
 Trefferlage 8.13 mm links, 19.48 mm hoch  
 Streuwert 16.67, horizontal: 17.95, vertikal: 15.28




Serie 3:  
 9.9 ↗                      8.0 ↖                      9.3 ↖                      8.2 ↖                      9.3 ↖  
 9.1 ↖                      9.6 ↖                      9.7 ↗                      9.6 ↖                      9.9 ↖  
 beste Teiler 2828.3 (30.) 2861.8 (21.) 3384.5 (28.)  
 Trefferlage 29.06 mm links, 21.37 mm hoch  
 Streuwert 23.15, horizontal: 29.37, vertikal: 14.46

Unterschrift des Schützen


Ergebnis: **276** (290.5)  
 Serien: 91 92 93  
 Zähler: 13 11 5 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 8934 (15), 7374 (10), 6317 (2)  
 beste Teiler 253.7 (27.) 647.7 (22.) 1021.0 (6.)  
 Trefferlage 5.06 mm rechts, 1.94 mm tief  
 Streuwert 28.06, horizontal: 34.71, vertikal: 19.22



Serie 1:  
 10.0 → 8.5 → 9.9 ↘ 10.6 \* 8.6 →  
 10.6 \* 9.8 ↙ 9.9 → 10.1 ↘ 8.1 ↗  
 beste Teiler 1021.0 (6.) 1042.1 (4.) 2276.2 (9.)  
 Trefferlage 26.15 mm rechts, 8.05 mm tief  
 Streuwert 23.24, horizontal: 23.90, vertikal: 22.56





Serie 2:  
 9.3 → 10.2 ← 10.0 ← 10.1 ↘ 7.5 ↖  
 10.3 ← 9.6 → 9.5 → 9.8 ↘ 9.8 ←  
 beste Teiler 1752.9 (16.) 1948.8 (12.) 2370.9 (14.)  
 Trefferlage 5.25 mm links, 2.64 mm hoch  
 Streuwert 30.01, horizontal: 38.99, vertikal: 16.76




Serie 3:  
 8.6 → 10.7 \* 10.3 ← 9.4 ↖ 8.9 ↖  
 9.8 ↘ 10.9 \* 10.0 ↘ 10.4 ↙ 9.3 ↙  
 beste Teiler 253.7 (27.) 647.7 (22.) 1550.9 (29.)  
 Trefferlage 5.70 mm links, 0.41 mm tief  
 Streuwert 26.29, horizontal: 32.38, vertikal: 18.26

Unterschrift des Schützen


Ergebnis: **280** (290.0)  
 Serien: 96 91 93  
 Zähler: 15 11 3 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 9602 (12), 7493 (11), 6752 (19)  
 beste Teiler 575.6 (10.) 833.8 (3.) 1025.4 (29.)  
 Trefferlage 3.87 mm links, 4.55 mm tief  
 Streuwert 28.59, horizontal: 31.49, vertikal: 25.35



Serie 1:  
 9.0 ↘ 10.2 ↘ 10.7 \* 9.0 ↘ 9.7 ↗  
 10.2 ↓ 10.3 ↖ 9.3 ← 10.2 ↘ 10.7 \*  
 beste Teiler 575.6 (10.) 833.8 (3.) 1912.0 (7.)  
 Trefferlage 1.47 mm rechts, 9.66 mm tief  
 Streuwert 22.66, horizontal: 19.84, vertikal: 25.17





Serie 2:  
 8.1 ↖ 7.2 ↖ 9.5 ↙ 10.0 ← 10.4 →  
 10.0 → 10.2 ↑ 9.2 → 8.4 ← 10.3 ↖  
 beste Teiler 1666.0 (15.) 1758.0 (20.) 2107.4 (17.)  
 Trefferlage 17.57 mm links, 6.88 mm hoch  
 Streuwert 34.89, horizontal: 42.30, vertikal: 25.40




Serie 3:  
 10.2 ↗ 8.8 → 10.5 \* 9.1 ↓ 10.1 →  
 9.2 ↙ 9.8 ↖ 9.4 ↙ 10.6 \* 9.7 ↘  
 beste Teiler 1025.4 (29.) 1239.9 (23.) 1961.7 (21.)  
 Trefferlage 4.46 mm rechts, 10.88 mm tief  
 Streuwert 25.18, horizontal: 26.35, vertikal: 23.96

Unterschrift des Schützen


Ergebnis: **277** (291.3)  
 Serien: 96 88 93  
 Zähler: 15 9 4 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 8684 (16), 8365 (14), 6322 (29)  
 beste Teiler 472.0 (8.) 675.3 (22.) 902.3 (3.)  
 Trefferlage 13.73 mm links, 5.84 mm hoch  
 Streuwert 26.56, horizontal: 32.44, vertikal: 18.93



Serie 1:  
 9.3 ↘                      10.4 ↗                      10.6 \*                      10.1 →                      10.2 ↖  
 8.7 ←                      9.1 ↖                      10.8 \*                      10.6 \*                      10.3 ↖  
 beste Teiler 472.0 (8.) 902.3 (3.) 1060.1 (9.)  
 Trefferlage 14.57 mm links, 7.64 mm hoch  
 Streuwert 19.96, horizontal: 25.35, vertikal: 12.40





Serie 2:  
 9.0 ←                      9.8 ↗                      10.2 ←                      7.7 →                      9.0 ↖  
 7.6 ↖                      8.7 ↖                      9.8 ↘                      10.3 ←                      10.5 \*  
 beste Teiler 1301.0 (20.) 1925.1 (19.) 1981.0 (13.)  
 Trefferlage 14.29 mm links, 4.77 mm hoch  
 Streuwert 36.48, horizontal: 47.87, vertikal: 19.22




Serie 3:  
 8.8 ←                      10.7 \*                      10.3 ↖                      9.8 ↖                      9.9 ↗  
 10.5 \*                      10.2 ↗                      9.9 ↖                      8.5 ↓                      10.0 ↖  
 beste Teiler 675.3 (22.) 1242.4 (26.) 1671.2 (23.)  
 Trefferlage 12.33 mm links, 5.12 mm hoch  
 Streuwert 23.22, horizontal: 21.29, vertikal: 25.01

Unterschrift des Schützen


Ergebnis: **282** (294.4)  
 Serien: 96 94 92  
 Zähler: 15 12 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 6969 (30), 6838 (14), 5625 (13)  
 beste Teiler 229.9 (26.) 789.2 (16.) 1264.7 (2.)  
 Trefferlage 11.44 mm links, 11.46 mm tief  
 Streuwert 22.24, horizontal: 27.50, vertikal: 15.26



Serie 1:  
 9.7 ←                      10.5 \*                      10.3 ↓                      10.4 ↘                      10.2 ←  
 10.0 →                      10.1 ↘                      9.4 ↓                      9.5 ↗                      9.1 →  
 beste Teiler 1264.7 (2.) 1592.4 (4.) 1742.3 (3.)  
 Trefferlage 0.61 mm links, 13.48 mm tief  
 Streuwert 20.45, horizontal: 26.16, vertikal: 12.31





Serie 2:  
 10.2 ←                      10.3 ↓                      8.8 ↘                      8.3 ↗                      9.8 ←  
 10.7 \*                      10.4 \*                      10.1 ↗                      10.3 →                      9.5 ↓  
 beste Teiler 789.2 (16.) 1485.2 (17.) 1784.9 (19.)  
 Trefferlage 5.60 mm links, 14.67 mm tief  
 Streuwert 23.31, horizontal: 27.04, vertikal: 18.86




Serie 3:  
 9.7 ←                      10.2 ↗                      9.5 ←                      9.9 ↓                      9.3 ↗  
 10.9 \*                      9.0 ←                      10.3 ←                      9.7 ↘                      8.3 ←  
 beste Teiler 229.9 (26.) 1718.7 (28.) 2034.6 (22.)  
 Trefferlage 28.10 mm links, 6.22 mm tief  
 Streuwert 19.24, horizontal: 23.33, vertikal: 14.01

Unterschrift des Schützen


Ergebnis: **282** (296.6)  
 Serien: 94 93 95  
 Zähler: 13 16 1 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 5319 (10), 5248 (29), 5239 (20)  
 beste Teiler 333.9 (22.) 406.7 (12.) 479.1 (8.)  
 Trefferlage 1.26 mm links, 5.73 mm hoch  
 Streuwert 23.59, horizontal: 28.53, vertikal: 17.30



Serie 1:  
 9.0 ↘                      9.4 ←                      9.0 ←                      10.6 \*                      9.1 ←  
 10.7 \*                      10.5 \*                      10.8 \*                      10.3 →                      8.9 ↘  
 beste Teiler 479.1 (8.) 601.5 (6.) 959.0 (4.)  
 Trefferlage 2.47 mm links, 4.13 mm tief  
 Streuwert 26.76, horizontal: 35.91, vertikal: 11.95



Serie 2:  
 9.9 ↘                      10.8 \*                      9.9 ←                      10.6 \*                      10.2 ↑  
 9.8 →                      9.7 ←                      9.4 ↘                      9.6 →                      9.0 ↑  
 beste Teiler 406.7 (12.) 1104.2 (14.) 2098.8 (15.)  
 Trefferlage 2.13 mm links, 8.52 mm hoch  
 Streuwert 22.99, horizontal: 25.83, vertikal: 19.74





Serie 3:  
 9.4 ↗                      10.8 \*                      9.5 ←                      10.3 ↗                      10.2 ↖  
 9.9 →                      10.2 ↖                      10.7 \*                      9.0 ↗                      9.4 ↘  
 beste Teiler 333.9 (22.) 691.6 (28.) 1855.8 (24.)  
 Trefferlage 0.80 mm rechts, 12.80 mm hoch  
 Streuwert 21.41, horizontal: 25.66, vertikal: 16.09


Unterschrift des Schützen




Ergebnis: **294** (305.2)  
 Serien: 97 98 99  
 Zähler: 25 4 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 7096 (3), 4909 (22), 4907 (14)  
 beste Teiler 323.3 (25.) 354.1 (11.) 524.2 (28.)  
 Trefferlage 4.13 mm links, 2.75 mm hoch  
 Streuwert 18.02, horizontal: 17.40, vertikal: 18.61



Serie 1:  
 9.7 ↘                      10.0 ←                      8.2 ↘                      10.0 ↘                      10.6 \*  
 10.4 ↗                      10.2 ↘                      10.0 ↗                      10.1 ↗                      10.3 ←  
 beste Teiler 1020.0 (5.) 1565.3 (6.) 1691.6 (10.)  
 Trefferlage 5.36 mm links, 5.38 mm hoch  
 Streuwert 22.78, horizontal: 24.33, vertikal: 21.12





Serie 2:  
 10.8 \*                      10.4 \*                      9.9 ↑                      9.1 ↓                      10.3 ↗  
 10.3 ↓                      10.3 ↖                      10.3 ↘                      10.6 \*                      10.3 ↖  
 beste Teiler 354.1 (11.) 858.9 (19.) 1454.2 (12.)  
 Trefferlage 1.42 mm rechts, 1.57 mm tief  
 Streuwert 17.01, horizontal: 6.46, vertikal: 23.17




Serie 3:  
 10.4 ↑                      9.1 ←                      10.6 \*                      10.4 ↘                      10.8 \*  
 10.5 \*                      10.2 ←                      10.8 \*                      10.5 \*                      10.1 ↑  
 beste Teiler 323.3 (25.) 524.2 (28.) 1053.6 (23.)  
 Trefferlage 8.47 mm links, 4.44 mm hoch  
 Streuwert 13.90, horizontal: 16.87, vertikal: 10.08

Unterschrift des Schützen


Ergebnis: **257** (270.4)  
 Serien: 88 83 86  
 Zähler: 5 13 8 2 2 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 11273 (16), 10721 (30), 8448 (6)  
 beste Teiler 1967.9 (5.) 2002.9 (27.) 2335.6 (9.)  
 Trefferlage 23.28 mm links, 7.55 mm hoch  
 Streuwert 36.33, horizontal: 42.81, vertikal: 28.40



Serie 1:  
 9.2 ↖ 8.6 ← 9.9 → 9.2 ↓ 10.2 ↓  
 7.7 ↖ 9.4 ↓ 9.5 ← 10.1 ↓ 8.4 ←  
 beste Teiler 1967.9 (5.) 2335.6 (9.) 3009.6 (3.)  
 Trefferlage 27.85 mm links, 5.30 mm tief  
 Streuwert 30.40, horizontal: 35.75, vertikal: 23.89





Serie 2:  
 9.6 ↑ 8.7 ↘ 10.1 ↗ 10.1 → 8.4 ←  
 6.6 ↖ 8.8 ← 7.8 ↘ 8.8 ← 9.8 ↓  
 beste Teiler 2410.7 (13.) 2466.3 (14.) 3233.7 (20.)  
 Trefferlage 22.82 mm links, 14.11 mm hoch  
 Streuwert 40.66, horizontal: 46.02, vertikal: 34.48




Serie 3:  
 8.8 ← 9.4 ↘ 9.1 ↑ 9.0 ← 9.1 ←  
 9.5 ↗ 10.2 ← 9.6 ← 8.0 → 6.8 ↖  
 beste Teiler 2002.9 (27.) 3655.9 (28.) 3817.6 (26.)  
 Trefferlage 19.17 mm links, 13.84 mm hoch  
 Streuwert 38.93, horizontal: 49.68, vertikal: 23.73

\_\_\_\_\_  
 Unterschrift des Schützen


Ergebnis: **264** (277.0)  
 Serien: 89 88 87  
 Zähler: 6 15 6 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 9271 (22), 8039 (6), 7852 (20)  
 beste Teiler 350.7 (12.) 1125.2 (26.) 1518.8 (5.)  
 Trefferlage 8.06 mm links, 3.40 mm tief  
 Streuwert 35.45, horizontal: 38.37, vertikal: 32.26



Serie 1:  
 8.3 ↘                      8.8 ←                      9.1 ↙                      9.8 ↑                      10.4 \*  
 7.8 ↘                      10.0 ↓                      9.2 ↙                      10.0 ↖                      9.2 →  
 beste Teiler 1518.8 (5.) 2581.4 (7.) 2707.1 (9.)  
 Trefferlage 4.19 mm rechts, 14.04 mm tief  
 Streuwert 34.86, horizontal: 40.76, vertikal: 27.73



Serie 2:  
 9.2 ↓                      10.8 \*                      9.0 ↙                      9.5 ↘                      9.6 →  
 8.1 ↖                      9.3 ↙                      9.0 ←                      9.9 ←                      7.9 ↓  
 beste Teiler 350.7 (12.) 2888.5 (19.) 3690.4 (15.)  
 Trefferlage 9.99 mm links, 15.49 mm tief  
 Streuwert 34.67, horizontal: 35.15, vertikal: 34.19





Serie 3:  
 8.9 ↖                      7.4 ←                      10.3 →                      8.8 ↖                      9.0 →  
 10.5 \*                      9.6 ↖                      9.7 ↖                      9.2 ↑                      8.7 ←  
 beste Teiler 1125.2 (26.) 1707.1 (23.) 3530.8 (28.)  
 Trefferlage 18.40 mm links, 19.31 mm hoch  
 Streuwert 32.49, horizontal: 39.46, vertikal: 23.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **262** (276.4)  
 Serien: 85 88 89  
 Zähler: 4 15 10 1 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 9071 (7), 7380 (26), 7327 (5)  
 beste Teiler 460.3 (25.) 1014.1 (19.) 1947.8 (9.)  
 Trefferlage 6.58 mm rechts, 21.99 mm hoch  
 Streuwert 31.60, horizontal: 37.31, vertikal: 24.60



Serie 1:  
 8.9 → 9.4 ← 9.7 ↙ 8.5 → 8.1 →  
 9.5 ↗ 7.4 ↗ 8.7 → 10.2 ↘ 9.2 ↗  
 beste Teiler 1947.8 (9.) 3435.5 (3.) 3873.9 (6.)  
 Trefferlage 30.96 mm rechts, 12.80 mm hoch  
 Streuwert 33.27, horizontal: 40.93, vertikal: 23.21





Serie 2:  
 9.5 ↙ 8.8 ↑ 9.5 ↖ 9.6 ↗ 8.9 ↗  
 9.3 ↑ 9.6 ↓ 8.7 ↑ 10.6 \* 9.2 ↘  
 beste Teiler 1014.1 (19.) 3748.2 (14.) 3767.0 (17.)  
 Trefferlage 10.00 mm links, 28.33 mm hoch  
 Streuwert 24.54, horizontal: 25.85, vertikal: 23.14




Serie 3:  
 8.3 ↘ 9.5 ↗ 9.4 → 9.5 → 10.8 \*  
 8.1 ↘ 9.2 ↘ 8.7 ↑ 9.6 → 10.0 ←  
 beste Teiler 460.3 (25.) 2546.0 (30.) 3747.5 (29.)  
 Trefferlage 1.20 mm links, 24.84 mm hoch  
 Streuwert 30.30, horizontal: 33.29, vertikal: 26.99

Unterschrift des Schützen


Ergebnis: **268** (282.9)  
 Serien: 90 94 84  
 Zähler: 10 12 4 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 9159 (28), 8235 (2), 8028 (1)  
 beste Teiler 436.9 (19.) 756.1 (10.) 937.3 (13.)  
 Trefferlage 1.83 mm rechts, 13.91 mm tief  
 Streuwert 32.47, horizontal: 28.74, vertikal: 35.81



Serie 1:  
 7.9 ↙                      7.8 ↓                      9.9 ↘                      10.1 →                      10.4 ↑  
 9.8 →                      10.2 ↖                      9.5 ↑                      9.9 ↓                      10.7 \*  
 beste Teiler 756.1 (10.) 1656.3 (5.) 1954.3 (7.)  
 Trefferlage 5.83 mm links, 9.46 mm tief  
 Streuwert 31.14, horizontal: 26.63, vertikal: 35.08



Serie 2:  
 10.2 ↖                      9.1 ↘                      10.6 \*                      10.4 →                      9.0 ↘  
 10.5 \*                      10.5 \*                      7.9 ↓                      10.8 \*                      9.8 ↘  
 beste Teiler 436.9 (19.) 937.3 (13.) 1129.5 (17.)  
 Trefferlage 4.98 mm rechts, 16.69 mm tief  
 Streuwert 23.85, horizontal: 19.08, vertikal: 27.82





Serie 3:  
 9.3 ↓                      8.4 →                      9.4 ↓                      9.3 ↘                      9.0 ↖  
 8.5 →                      8.4 ↘                      7.4 ↘                      8.6 ↑                      9.6 ↗  
 beste Teiler 3631.5 (30.) 4131.3 (23.) 4377.2 (24.)  
 Trefferlage 6.36 mm rechts, 15.57 mm tief  
 Streuwert 42.33, horizontal: 38.59, vertikal: 45.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **282** (296.2)  
 Serien: 92 94 96  
 Zähler: 14 14 2 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 6500 (1), 5483 (20), 5245 (14)  
 beste Teiler 717.0 (21.) 782.6 (2.) 968.2 (15.)  
 Trefferlage 12.13 mm links, 4.04 mm hoch  
 Streuwert 21.36, horizontal: 25.33, vertikal: 16.45



Serie 1:  
 8.5 ↙ 10.7 \* 10.4 \* 9.6 ← 9.9 ↗  
 9.8 ↘ 9.6 ← 9.5 ↗ 10.2 ↘ 9.9 ↘  
 beste Teiler 782.6 (2.) 1400.1 (3.) 2195.1 (9.)  
 Trefferlage 14.50 mm links, 6.37 mm hoch  
 Streuwert 22.62, horizontal: 26.15, vertikal: 18.42





Serie 2:  
 9.9 ↙ 10.0 → 10.1 ← 9.0 → 10.6 \*  
 10.2 ↗ 9.7 ← 9.7 ← 10.3 ↗ 8.9 ←  
 beste Teiler 968.2 (15.) 1760.3 (19.) 2114.3 (16.)  
 Trefferlage 7.08 mm links, 0.14 mm hoch  
 Streuwert 24.17, horizontal: 32.49, vertikal: 10.59




Serie 3:  
 10.7 \* 10.1 ↙ 9.9 ↑ 10.4 \* 9.2 ←  
 10.2 ↓ 10.1 ↘ 10.2 ↓ 9.5 ↘ 9.4 ↘  
 beste Teiler 717.0 (21.) 1529.5 (24.) 2167.6 (28.)  
 Trefferlage 14.82 mm links, 5.61 mm hoch  
 Streuwert 18.44, horizontal: 16.88, vertikal: 19.87

Unterschrift des Schützen


Ergebnis: **276** (290.6)  
 Serien: 92 93 91  
 Zähler: 10 16 4 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 7326 (3), 6152 (14), 5522 (5)  
 beste Teiler 326.4 (11.) 484.3 (18.) 498.9 (27.)  
 Trefferlage 6.50 mm links, 0.31 mm hoch  
 Streuwert 27.22, horizontal: 30.92, vertikal: 22.94



Serie 1:  
 9.8 ←                      10.3 ↗                      8.1 →                      9.0 ↓                      8.9 ←  
 10.0 ↙                      9.5 ←                      10.0 ↓                      10.6 \*                      9.7 ↘  
 beste Teiler 955.9 (9.) 1897.9 (2.) 2588.9 (6.)  
 Trefferlage 8.67 mm links, 2.95 mm tief  
 Streuwert 29.54, horizontal: 35.08, vertikal: 22.68





Serie 2:  
 10.8 \*                      9.4 ↘                      9.6 ←                      8.6 →                      10.5 \*  
 9.5 ↘                      9.2 ↘                      10.8 \*                      9.6 ↓                      10.2 ↓  
 beste Teiler 326.4 (11.) 484.3 (18.) 1186.3 (15.)  
 Trefferlage 5.80 mm rechts, 11.21 mm tief  
 Streuwert 24.89, horizontal: 29.86, vertikal: 18.63




Serie 3:  
 9.8 ←                      9.7 ←                      9.9 ←                      10.7 \*                      9.0 ↘  
 9.5 ↗                      10.8 \*                      9.0 ↘                      9.2 ↑                      8.9 ↘  
 beste Teiler 498.9 (27.) 779.9 (24.) 2815.4 (23.)  
 Trefferlage 16.64 mm links, 15.11 mm hoch  
 Streuwert 23.47, horizontal: 25.91, vertikal: 20.75

Unterschrift des Schützen


Ergebnis: **279** (293.0)  
 Serien: 94 93 92  
 Zähler: 13 13 4 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 6643 (24), 5916 (29), 5509 (14)  
 beste Teiler 635.5 (18.) 688.3 (12.) 872.9 (25.)  
 Trefferlage 2.26 mm links, 2.86 mm tief  
 Streuwert 25.34, horizontal: 29.48, vertikal: 20.37



Serie 1:  
 9.7 ↙                      9.5 ↖                      9.5 ↗                      9.5 ←                      10.1 ↘  
 9.3 ←                      10.4 ↓                      9.8 ↘                      10.1 ↓                      10.1 ↘  
 beste Teiler 1625.9 (7.) 2259.6 (5.) 2327.5 (9.)  
 Trefferlage 13.23 mm links, 0.57 mm tief  
 Streuwert 22.27, horizontal: 23.67, vertikal: 20.78



Serie 2:  
 9.6 ↘                      10.7 \*                      8.9 ↗                      8.9 ←                      9.5 ↓  
 10.1 ↖                      9.6 ↘                      10.7 \*                      10.3 →                      10.1 ←  
 beste Teiler 635.5 (18.) 688.3 (12.) 1739.9 (19.)  
 Trefferlage 2.04 mm rechts, 7.38 mm tief  
 Streuwert 24.91, horizontal: 29.82, vertikal: 18.75





Serie 3:  
 9.9 ↑                      9.7 ↑                      10.1 ↖                      8.4 ↖                      10.6 \*  
 9.2 →                      10.5 \*                      9.3 ↘                      8.7 →                      10.2 ↙  
 beste Teiler 872.9 (25.) 1285.0 (27.) 2016.4 (30.)  
 Trefferlage 4.39 mm rechts, 0.63 mm tief  
 Streuwert 28.86, horizontal: 33.87, vertikal: 22.78


Unterschrift des Schützen




Ergebnis: **285** (301.6)  
 Serien: 95 95 95  
 Zähler: 17 11 2 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 6135 (25), 5336 (15), 4486 (19)  
 beste Teiler 44.2 (3.) 388.6 (11.) 644.1 (21.)  
 Trefferlage 5.66 mm links, 4.23 mm tief  
 Streuwert 19.78, horizontal: 23.99, vertikal: 14.40



Serie 1:  
 9.5 ↙                      10.3 →                      10.9 \*                      10.6 \*                      10.3 ↖  
 10.0 ↘                      9.9 ←                      9.9 ↓                      9.8 ↗                      9.9 ↘  
 beste Teiler 44.2 (3.) 1027.3 (4.) 1838.8 (5.)  
 Trefferlage 5.46 mm links, 12.31 mm tief  
 Streuwert 16.32, horizontal: 19.84, vertikal: 11.79



Serie 2:  
 10.8 \*                      10.0 →                      9.9 ↑                      10.6 \*                      8.9 ←  
 10.2 →                      10.5 \*                      9.5 →                      9.3 ↖                      10.2 ↗  
 beste Teiler 388.6 (11.) 974.3 (14.) 1384.4 (17.)  
 Trefferlage 0.90 mm links, 6.46 mm hoch  
 Streuwert 21.86, horizontal: 28.51, vertikal: 11.97





Serie 3:  
 10.7 \*                      9.8 ←                      9.7 ↙                      10.6 \*                      8.6 ↖  
 10.6 \*                      10.7 \*                      10.0 ↓                      10.3 ←                      9.6 →  
 beste Teiler 644.1 (21.) 830.6 (27.) 1011.6 (26.)  
 Trefferlage 10.61 mm links, 6.86 mm tief  
 Streuwert 19.67, horizontal: 24.41, vertikal: 13.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284** (298.2)  
 Serien: 93 92 99  
 Zähler: 16 12 2 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 7313 (16), 7038 (7), 4868 (1)  
 beste Teiler 107.0 (8.) 469.1 (4.) 1043.0 (23.)  
 Trefferlage 7.51 mm links, 3.76 mm tief  
 Streuwert 22.38, horizontal: 25.03, vertikal: 19.37



Serie 1:  
 9.1 ↙ 10.5 \* 9.6 ↘ 10.8 \* 10.5 \*  
 9.2 ↓ 8.2 ← 10.9 \* 9.7 → 9.7 ↙  
 beste Teiler 107.0 (8.) 469.1 (4.) 1229.8 (2.)  
 Trefferlage 8.87 mm links, 14.49 mm tief  
 Streuwert 23.99, horizontal: 29.51, vertikal: 16.76





Serie 2:  
 9.8 ↖ 9.4 ↖ 9.9 ↗ 10.4 ↗ 9.2 ↙  
 8.1 ← 10.0 ← 9.7 ↙ 10.5 \* 9.8 ↘  
 beste Teiler 1155.0 (19.) 1573.6 (14.) 2506.9 (17.)  
 Trefferlage 15.20 mm links, 0.36 mm tief  
 Streuwert 25.82, horizontal: 27.98, vertikal: 23.45




Serie 3:  
 10.3 ↘ 10.5 \* 10.6 \* 10.1 ↓ 9.8 ←  
 10.2 ↗ 10.2 ↖ 10.6 \* 10.4 → 10.5 \*  
 beste Teiler 1043.0 (23.) 1088.8 (28.) 1196.9 (30.)  
 Trefferlage 1.52 mm rechts, 3.55 mm hoch  
 Streuwert 13.85, horizontal: 14.36, vertikal: 13.33

Unterschrift des Schützen


Ergebnis: **279** (293.9)  
 Serien: 90 93 96  
 Zähler: 12 15 3 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 6390 (3), 6113 (9), 5980 (20)  
 beste Teiler 511.9 (8.) 532.3 (17.) 712.8 (13.)  
 Trefferlage 2.28 mm rechts, 6.89 mm tief  
 Streuwert 24.73, horizontal: 27.31, vertikal: 21.85



Serie 1:  
 9.6 ↘                      9.4 ↓                      8.5 ↘                      9.2 ↘                      9.0 ←  
 9.5 ↓                      9.3 ↘                      10.8 \*                      8.6 ↘                      10.4 \*  
 beste Teiler 511.9 (8.) 1473.5 (10.) 3713.1 (1.)  
 Trefferlage 9.65 mm rechts, 19.77 mm tief  
 Streuwert 28.45, horizontal: 33.41, vertikal: 22.42





Serie 2:  
 9.5 ↙                      9.9 ↓                      10.7 \*                      10.6 \*                      9.9 ←  
 9.2 →                      10.8 \*                      9.6 ↘                      10.2 →                      8.7 ←  
 beste Teiler 532.3 (17.) 712.8 (13.) 850.0 (14.)  
 Trefferlage 1.70 mm links, 6.45 mm tief  
 Streuwert 24.10, horizontal: 31.35, vertikal: 13.36




Serie 3:  
 9.7 ↙                      10.2 ↑                      9.5 ↖                      9.8 ↑                      10.3 ↑  
 10.3 →                      10.5 \*                      10.3 ↖                      10.2 ↓                      9.7 ↓  
 beste Teiler 1209.1 (27.) 1688.3 (25.) 1827.4 (28.)  
 Trefferlage 1.08 mm links, 5.54 mm hoch  
 Streuwert 18.91, horizontal: 14.62, vertikal: 22.38

Unterschrift des Schützen


Ergebnis: **284** (296.2)  
 Serien: 95 95 94  
 Zähler: 16 12 2 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 6972 (7), 5921 (26), 4606 (1)  
 beste Teiler 603.5 (8.) 1100.5 (3.) 1253.8 (9.)  
 Trefferlage 8.94 mm rechts, 4.38 mm tief  
 Streuwert 22.32, horizontal: 24.55, vertikal: 19.85



Serie 1:  
 9.2 →                      9.5 →                      10.6 \*                      10.1 →                      9.9 ↙  
 10.3 ↓                      8.3 →                      10.7 \*                      10.5 \*                      10.2 ←  
 beste Teiler 603.5 (8.) 1100.5 (3.) 1253.8 (9.)  
 Trefferlage 13.01 mm rechts, 4.78 mm tief  
 Streuwert 22.64, horizontal: 29.66, vertikal: 12.05





Serie 2:  
 9.8 ↓                      9.6 ↗                      10.3 ↗                      9.3 ↑                      9.6 →  
 10.1 ↘                      10.3 ↖                      10.0 ←                      9.8 ↗                      10.1 ←  
 beste Teiler 1794.0 (17.) 1859.1 (13.) 2320.1 (20.)  
 Trefferlage 2.93 mm rechts, 3.32 mm hoch  
 Streuwert 22.35, horizontal: 21.60, vertikal: 23.07




Serie 3:  
 9.4 →                      10.2 ←                      10.1 ↘                      10.2 ↘                      9.7 ↘  
 8.7 ↙                      9.5 ↘                      10.2 ↗                      9.6 →                      10.4 ↑  
 beste Teiler 1654.9 (30.) 2149.2 (24.) 2150.6 (28.)  
 Trefferlage 10.87 mm rechts, 11.71 mm tief  
 Streuwert 22.35, horizontal: 23.08, vertikal: 21.60

Unterschrift des Schützen


Ergebnis: **285** (298.6)  
 Serien: 96 93 96  
 Zähler: 18 9 3 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 5892 (28), 5545 (11), 5295 (15)  
 beste Teiler 57.9 (14.) 260.0 (22.) 557.3 (21.)  
 Trefferlage 0.89 mm links, 4.22 mm hoch  
 Streuwert 21.89, horizontal: 26.22, vertikal: 16.45



Serie 1:  
 9.6 ←                      10.3 ↙                      10.2 ↗                      9.2 ↖                      9.4 ←  
 10.5 \*                      10.1 ↘                      10.0 ↗                      9.9 ↙                      10.1 ↓  
 beste Teiler 1165.4 (6.) 1885.1 (2.) 1950.2 (3.)  
 Trefferlage 15.52 mm links, 0.97 mm tief  
 Streuwert 18.66, horizontal: 21.51, vertikal: 15.29





Serie 2:  
 8.8 →                      9.8 →                      10.3 ↘                      10.9 \*                      8.9 ←  
 9.8 ←                      9.2 →                      10.4 →                      10.1 →                      10.1 →  
 beste Teiler 57.9 (14.) 1629.3 (18.) 1902.2 (13.)  
 Trefferlage 9.75 mm rechts, 0.22 mm hoch  
 Streuwert 24.50, horizontal: 31.98, vertikal: 13.32




Serie 3:  
 10.7 \*                      10.9 \*                      10.5 \*                      10.0 ↗                      9.7 →  
 10.5 \*                      10.0 ←                      8.7 ↘                      10.2 →                      9.8 ↗  
 beste Teiler 260.0 (22.) 557.3 (21.) 1157.1 (26.)  
 Trefferlage 3.07 mm rechts, 13.41 mm hoch  
 Streuwert 18.26, horizontal: 18.66, vertikal: 17.86

Unterschrift des Schützen


Ergebnis: **275** (286.6)  
 Serien: 94 88 93  
 Zähler: 12 12 5 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 7885 (18), 7442 (14), 7283 (24)  
 beste Teiler 482.6 (28.) 660.9 (2.) 1058.0 (19.)  
 Trefferlage 4.37 mm rechts, 1.63 mm tief  
 Streuwert 30.43, horizontal: 32.47, vertikal: 28.25



Serie 1:  
 10.4 ↘ 10.7 \* 10.0 ↓ 9.6 ↓ 9.6 ↑  
 9.2 ← 10.3 ↙ 9.0 ↖ 10.4 \* 8.3 ↘  
 beste Teiler 660.9 (2.) 1424.6 (9.) 1581.3 (1.)  
 Trefferlage 4.80 mm links, 4.81 mm tief  
 Streuwert 26.99, horizontal: 26.74, vertikal: 27.25



Serie 2:  
 9.4 ← 10.1 ← 9.3 ↑ 8.1 → 9.1 ↓  
 8.7 ↘ 8.6 ↘ 7.9 ↘ 10.6 \* 10.1 ↓  
 beste Teiler 1058.0 (19.) 2228.9 (12.) 2417.6 (20.)  
 Trefferlage 17.79 mm rechts, 11.72 mm tief  
 Streuwert 34.83, horizontal: 36.77, vertikal: 32.78





Serie 3:  
 10.4 \* 9.9 ↙ 9.5 ↗ 8.1 ↖ 10.3 ↘  
 9.3 ↑ 9.6 → 10.8 \* 10.1 ↑ 9.2 ↗  
 beste Teiler 482.6 (28.) 1507.3 (21.) 1752.1 (25.)  
 Trefferlage 0.12 mm rechts, 11.64 mm hoch  
 Streuwert 26.94, horizontal: 31.88, vertikal: 20.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **269** (282.7)  
 Serien: 95 90 84  
 Zähler: 13 8 6 2 0 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 12920 (29), 8078 (12), 8011 (30)  
 beste Teiler 872.6 (10.) 1264.6 (23.) 1431.2 (6.)  
 Trefferlage 0.90 mm rechts, 0.77 mm tief  
 Streuwert 34.79, horizontal: 32.74, vertikal: 36.72



Serie 1:  
 9.3 ↓                      10.3 ↑                      10.2 →                      10.1 ↑                      10.0 →  
 10.4 \*                      8.3 ↙                      10.2 ↗                      8.7 ↑                      10.6 \*  
 beste Teiler 872.6 (10.) 1431.2 (6.) 1709.6 (2.)  
 Trefferlage 0.34 mm rechts, 3.64 mm hoch  
 Streuwert 26.66, horizontal: 20.41, vertikal: 31.70





Serie 2:  
 9.6 ↓                      7.8 →                      9.5 ↓                      9.6 ↓                      9.4 ↗  
 10.4 ↑                      10.4 →                      9.7 ↙                      10.2 ↘                      8.8 →  
 beste Teiler 1593.5 (17.) 1661.7 (16.) 2027.7 (19.)  
 Trefferlage 15.71 mm rechts, 9.60 mm tief  
 Streuwert 28.40, horizontal: 30.31, vertikal: 26.34




Serie 3:  
 8.2 ↑                      10.1 ↖                      10.5 \*                      9.6 ↘                      8.6 ↗  
 9.1 ←                      10.4 ↘                      8.9 ↖                      5.9 ↓                      7.9 ←  
 beste Teiler 1264.6 (23.) 1623.4 (27.) 2280.7 (22.)  
 Trefferlage 13.34 mm links, 3.62 mm hoch  
 Streuwert 45.63, horizontal: 40.62, vertikal: 50.15

Unterschrift des Schützen


Ergebnis: **274** (288.5)  
 Serien: 89 91 94  
 Zähler: 12 11 6 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 8131 (4), 7023 (20), 6965 (2)  
 beste Teiler 414.6 (24.) 716.2 (9.) 944.4 (5.)  
 Trefferlage 2.87 mm rechts, 2.06 mm hoch  
 Streuwert 29.45, horizontal: 37.05, vertikal: 19.03



Serie 1:  
 9.7 ←                      8.3 ↗                      9.9 →                      7.8 ←                      10.6 \*  
 10.4 ↑                      10.1 ←                      8.7 →                      10.7 \*                      8.3 ←  
 beste Teiler 716.2 (9.) 944.4 (5.) 1624.4 (6.)  
 Trefferlage 4.34 mm links, 1.77 mm hoch  
 Streuwert 35.20, horizontal: 47.31, vertikal: 15.50



Serie 2:  
 9.3 ↘                      9.8 ←                      9.6 ↑                      10.0 →                      8.8 ↘  
 9.6 ↑                      10.4 \*                      9.9 ←                      10.0 ↘                      8.3 →  
 beste Teiler 1488.6 (17.) 2519.4 (19.) 2643.9 (14.)  
 Trefferlage 9.03 mm rechts, 2.63 mm hoch  
 Streuwert 29.13, horizontal: 32.21, vertikal: 25.68





Serie 3:  
 9.4 →                      9.0 ↘                      10.3 ↙                      10.8 \*                      9.5 →  
 10.5 \*                      10.3 ←                      8.7 →                      10.3 ↘                      9.5 ↖  
 beste Teiler 414.6 (24.) 1332.0 (26.) 1688.4 (23.)  
 Trefferlage 3.91 mm rechts, 1.79 mm hoch  
 Streuwert 25.61, horizontal: 32.33, vertikal: 16.35


Unterschrift des Schützen




Ergebnis: **280** (291.8)  
 Serien: 96 89 95  
 Zähler: 14 14 0 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 9287 (17), 9130 (13), 5262 (11)  
 beste Teiler 632.0 (21.) 970.0 (29.) 1011.2 (26.)  
 Trefferlage 3.61 mm links, 1.89 mm hoch  
 Streuwert 27.45, horizontal: 31.36, vertikal: 22.88



Serie 1:  
 10.0 ↓                      9.5 →                      9.6 →                      9.8 ↗                      10.2 ←  
 10.1 ↙                      10.0 ←                      10.4 ↙                      10.3 ↑                      9.9 ↓  
 beste Teiler 1542.0 (8.) 1744.0 (9.) 2119.4 (5.)  
 Trefferlage 2.81 mm rechts, 3.67 mm tief  
 Streuwert 20.32, horizontal: 23.75, vertikal: 16.17





Serie 2:  
 9.0 ↖                      10.0 ↗                      7.4 ↙                      10.3 ↖                      9.9 ↗  
 10.1 ↓                      7.3 ↘                      9.9 ↑                      9.8 ↗                      9.1 ↖  
 beste Teiler 1869.2 (14.) 2380.1 (16.) 2769.7 (12.)  
 Trefferlage 5.15 mm links, 2.14 mm hoch  
 Streuwert 38.24, horizontal: 42.35, vertikal: 33.62




Serie 3:  
 10.7 \*                      9.6 ←                      9.3 ↗                      9.7 ↖                      9.4 ↑  
 10.6 \*                      10.1 ←                      9.1 ←                      10.6 \*                      10.1 →  
 beste Teiler 632.0 (21.) 970.0 (29.) 1011.2 (26.)  
 Trefferlage 8.49 mm links, 7.20 mm hoch  
 Streuwert 21.97, horizontal: 27.13, vertikal: 15.13

Unterschrift des Schützen


Ergebnis: **258** (271.0)  
 Serien: 82 91 85  
 Zähler: 8 8 9 4 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 10381 (10), 10105 (22), 10088 (29)  
 beste Teiler 780.2 (15.) 1053.3 (24.) 1273.5 (19.)  
 Trefferlage 11.20 mm rechts, 5.97 mm hoch  
 Streuwert 40.24, horizontal: 48.96, vertikal: 29.01



Serie 1:  
 8.0 ↙                      8.6 ↙                      9.5 ↓                      9.4 ↓                      8.5 ←  
 7.9 ←                      9.4 ↓                      8.9 →                      10.1 ↘                      6.9 →  
 beste Teiler 2313.6 (9.) 3876.9 (3.) 4094.8 (4.)  
 Trefferlage 12.88 mm links, 14.36 mm tief  
 Streuwert 44.63, horizontal: 57.81, vertikal: 25.33



Serie 2:  
 10.0 →                      9.4 ↑                      8.3 ↗                      8.2 ↘                      10.7 \*  
 10.4 →                      9.7 →                      10.0 ↘                      10.5 \*                      7.5 ↘  
 beste Teiler 780.2 (15.) 1273.5 (19.) 1591.0 (16.)  
 Trefferlage 9.93 mm rechts, 19.22 mm hoch  
 Streuwert 31.73, horizontal: 32.51, vertikal: 30.93





Serie 3:  
 8.5 →                      7.0 →                      8.9 ↗                      10.6 \*                      10.1 ↗  
 8.8 →                      9.2 ↗                      9.6 ↑                      7.0 →                      9.4 ↘  
 beste Teiler 1053.3 (24.) 2312.1 (25.) 3635.1 (28.)  
 Trefferlage 36.57 mm rechts, 13.06 mm hoch  
 Streuwert 34.40, horizontal: 44.30, vertikal: 20.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **250** (262.9)  
 Serien: 82 78 90  
 Zähler: 4 10 10 4 2 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 12705 (4), 11012 (13), 9169 (1)  
 beste Teiler 710.2 (29.) 1124.2 (23.) 2478.0 (25.)  
 Trefferlage 10.76 mm links, 0.64 mm tief  
 Streuwert 45.25, horizontal: 50.79, vertikal: 38.94



Serie 1:  
 7.4 ↘                      8.0 ↑                      7.4 ↘                      6.0 ←                      10.0 ↓  
 9.9 →                      9.4 →                      9.0 →                      9.4 ↓                      8.4 ←  
 beste Teiler 2768.9 (5.) 2960.5 (6.) 4095.1 (7.)  
 Trefferlage 27.99 mm links, 11.76 mm hoch  
 Streuwert 48.05, horizontal: 56.49, vertikal: 37.77





Serie 2:  
 7.9 ←                      8.7 ↓                      6.7 →                      8.4 ↙                      9.5 ↑  
 8.3 ↓                      8.4 ←                      9.6 ↗                      7.6 ↓                      8.6 ←  
 beste Teiler 3769.6 (18.) 3879.8 (15.) 5908.2 (12.)  
 Trefferlage 1.96 mm links, 13.60 mm tief  
 Streuwert 51.64, horizontal: 60.45, vertikal: 40.98




Serie 3:  
 9.7 ↑                      8.4 ↓                      10.5 \*                      8.2 ↓                      10.1 ↗  
 9.8 ↗                      9.6 →                      9.2 ↘                      10.7 \*                      8.1 ←  
 beste Teiler 710.2 (29.) 1124.2 (23.) 2478.0 (25.)  
 Trefferlage 2.33 mm links, 0.08 mm tief  
 Streuwert 34.59, horizontal: 31.15, vertikal: 37.71

Unterschrift des Schützen


Ergebnis: **289** (300.7)  
 Serien: 95 97 97  
 Zähler: 19 11 0 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 5004 (2), 4601 (17), 4103 (30)  
 beste Teiler 350.9 (6.) 936.3 (4.) 1552.1 (9.)  
 Trefferlage 4.63 mm rechts, 6.80 mm hoch  
 Streuwert 18.75, horizontal: 20.44, vertikal: 16.90



Serie 1:  
 9.8 ↖                      9.1 →                      9.7 ↗                      10.6 \*                      10.3 →  
 10.8 \*                      9.8 ↖                      10.1 ↖                      10.4 ↗                      9.7 →  
 beste Teiler 350.9 (6.) 936.3 (4.) 1552.1 (9.)  
 Trefferlage 11.67 mm rechts, 11.72 mm hoch  
 Streuwert 16.89, horizontal: 20.59, vertikal: 12.09





Serie 2:  
 9.8 ↗                      9.8 ↖                      10.0 →                      10.2 ↗                      10.4 ↓  
 10.2 ↘                      9.2 ↓                      10.2 ↘                      10.0 ↘                      10.4 ↘  
 beste Teiler 1627.5 (15.) 1646.1 (20.) 2069.7 (14.)  
 Trefferlage 9.98 mm rechts, 5.12 mm tief  
 Streuwert 18.44, horizontal: 16.07, vertikal: 20.53




Serie 3:  
 9.9 ↗                      10.2 ←                      9.8 ↗                      10.0 ↖                      10.1 ↖  
 10.1 ←                      10.4 ↖                      10.3 ↖                      10.0 ↗                      9.4 ↖  
 beste Teiler 1616.4 (27.) 1704.4 (28.) 2195.9 (22.)  
 Trefferlage 7.74 mm links, 13.82 mm hoch  
 Streuwert 16.11, horizontal: 20.15, vertikal: 10.63

Unterschrift des Schützen


Ergebnis: **275** (289.9)  
 Serien: 92 92 91  
 Zähler: 13 9 8 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 6635 (19), 6629 (16), 6534 (22)  
 beste Teiler 616.6 (15.) 939.3 (12.) 962.7 (6.)  
 Trefferlage 7.24 mm rechts, 6.03 mm hoch  
 Streuwert 27.58, horizontal: 33.54, vertikal: 19.91



Serie 1:  
 9.9 ↘                      8.7 →                      10.3 ↘                      10.6 \*                      9.8 ↗  
 10.6 \*                      10.2 →                      9.9 ↑                      8.8 ←                      9.7 ↘  
 beste Teiler 962.7 (6.) 976.1 (4.) 1704.6 (3.)  
 Trefferlage 0.58 mm rechts, 9.59 mm hoch  
 Streuwert 24.10, horizontal: 29.24, vertikal: 17.51





Serie 2:  
 9.5 ↗                      10.6 \*                      10.0 ↓                      10.3 ↖                      10.7 \*  
 8.4 ←                      8.6 →                      10.2 ↘                      8.4 →                      9.1 →  
 beste Teiler 616.6 (15.) 939.3 (12.) 1902.1 (14.)  
 Trefferlage 13.58 mm rechts, 3.20 mm hoch  
 Streuwert 29.95, horizontal: 37.27, vertikal: 20.11




Serie 3:  
 9.2 →                      8.4 ↑                      10.6 \*                      10.5 \*                      9.9 →  
 10.0 →                      8.7 ←                      10.0 ↖                      9.8 ←                      8.5 →  
 beste Teiler 1097.4 (23.) 1374.5 (24.) 2669.9 (28.)  
 Trefferlage 7.57 mm rechts, 5.31 mm hoch  
 Streuwert 30.24, horizontal: 35.87, vertikal: 23.29

Unterschrift des Schützen


Ergebnis: **268** (282.0)  
 Serien: 87 92 89  
 Zähler: 11 9 7 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 9567 (28), 7949 (2), 7832 (1)  
 beste Teiler 746.0 (14.) 1120.8 (19.) 1220.2 (30.)  
 Trefferlage 0.83 mm rechts, 1.37 mm tief  
 Streuwert 33.96, horizontal: 38.94, vertikal: 28.13



Serie 1:  
 7.9 ←                      7.9 ↓                      10.0 ↗                      9.9 ↘                      10.4 ↖  
 10.0 ↓                      9.9 ←                      9.9 ↖                      8.5 ←                      8.6 ↘  
 beste Teiler 1532.0 (5.) 2593.8 (3.) 2671.5 (6.)  
 Trefferlage 14.99 mm links, 14.45 mm tief  
 Streuwert 33.38, horizontal: 35.42, vertikal: 31.21





Serie 2:  
 9.5 ↗                      9.2 ↘                      8.3 ↖                      10.7 \*                      8.7 →  
 10.2 →                      10.0 →                      9.5 →                      10.5 \*                      9.8 ↘  
 beste Teiler 746.0 (14.) 1120.8 (19.) 2108.5 (16.)  
 Trefferlage 5.41 mm rechts, 6.99 mm tief  
 Streuwert 29.10, horizontal: 33.59, vertikal: 23.77




Serie 3:  
 8.6 ↗                      10.2 →                      9.0 ↗                      10.2 ↖                      8.8 ↖  
 10.0 ↑                      9.8 ↗                      7.2 →                      8.3 ↖                      10.5 \*  
 beste Teiler 1220.2 (30.) 2046.1 (24.) 2160.1 (22.)  
 Trefferlage 12.10 mm rechts, 17.32 mm hoch  
 Streuwert 35.05, horizontal: 45.39, vertikal: 19.91

Unterschrift des Schützen


Ergebnis: **257** (269.5)  
 Serien: 85 87 85  
 Zähler: 7 11 7 4 0 0 1 0 0 0  
 Innenzehner: 1  
 weiteste: 15609 (22), 9483 (2), 9162 (9)  
 beste Teiler 1393.2 (7.) 1652.2 (24.) 1849.4 (16.)  
 Trefferlage 7.43 mm links, 2.35 mm tief  
 Streuwert 42.86, horizontal: 48.50, vertikal: 36.37



Serie 1:  
 9.5 ↗ 7.3 ← 10.3 ↙ 8.2 → 8.3 ↘  
 10.2 ↖ 10.4 \* 8.7 ← 7.4 ↘ 8.3 ↑  
 beste Teiler 1393.2 (7.) 1929.5 (3.) 2012.6 (6.)  
 Trefferlage 9.57 mm links, 14.82 mm hoch  
 Streuwert 44.12, horizontal: 51.46, vertikal: 35.28





Serie 2:  
 7.7 ← 8.7 ↑ 9.2 ↙ 9.8 ← 9.3 ↘  
 10.3 ↘ 9.1 ↘ 8.3 ↘ 9.2 → 9.4 →  
 beste Teiler 1849.4 (16.) 3260.4 (14.) 4126.4 (20.)  
 Trefferlage 5.96 mm links, 2.40 mm hoch  
 Streuwert 38.52, horizontal: 41.35, vertikal: 35.46




Serie 3:  
 9.8 ← 4.8 ↙ 7.6 → 10.4 ↘ 9.2 ↓  
 9.7 ← 8.6 ↘ 10.2 ↓ 10.2 ↙ 9.4 ↘  
 beste Teiler 1652.2 (24.) 2044.5 (29.) 2165.5 (28.)  
 Trefferlage 6.77 mm links, 24.30 mm tief  
 Streuwert 45.19, horizontal: 56.68, vertikal: 29.52

Unterschrift des Schützen


Ergebnis: **247** (260.2)  
 Serien: 85 80 82  
 Zähler: 1 12 11 5 1 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 11069 (28), 9045 (10), 8993 (15)  
 beste Teiler 1660.8 (7.) 2932.7 (6.) 3412.8 (29.)  
 Trefferlage 45.12 mm links, 11.87 mm tief  
 Streuwert 30.47, horizontal: 25.78, vertikal: 34.54



Serie 1:  
 8.8 ↘                      8.0 ↙                      8.4 ↓                      9.4 ←                      9.3 ←  
 9.9 ↓                      10.4 ↖                      8.4 ↓                      9.3 ↓                      7.4 ←  
 beste Teiler 1660.8 (7.) 2932.7 (6.) 4058.8 (4.)  
 Trefferlage 32.40 mm links, 22.47 mm tief  
 Streuwert 31.03, horizontal: 26.98, vertikal: 34.61



Serie 2:  
 9.1 ↓                      7.6 ↗                      8.2 ←                      8.2 ↖                      7.5 ←  
 9.0 ↗                      8.7 ↖                      7.8 ←                      8.4 ←                      9.2 ←  
 beste Teiler 4642.5 (20.) 4955.4 (11.) 5110.4 (16.)  
 Trefferlage 57.38 mm links, 9.40 mm tief  
 Streuwert 27.35, horizontal: 21.79, vertikal: 31.96





Serie 3:  
 9.0 ↖                      9.4 ↓                      8.4 ←                      8.9 ↘                      9.4 ←  
 7.9 ←                      8.7 ↗                      6.6 ↗                      9.7 ↖                      9.2 ←  
 beste Teiler 3412.8 (29.) 4224.1 (22.) 4270.3 (25.)  
 Trefferlage 45.59 mm links, 3.74 mm tief  
 Streuwert 31.71, horizontal: 24.31, vertikal: 37.67


Unterschrift des Schützen




Ergebnis: **261** (273.0)  
 Serien: 90 88 83  
 Zähler: 8 11 8 0 3 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 12477 (8), 11647 (21), 10837 (29)  
 beste Teiler 653.9 (2.) 1099.0 (1.) 1610.6 (16.)  
 Trefferlage 13.72 mm rechts, 8.03 mm tief  
 Streuwert 39.50, horizontal: 43.40, vertikal: 35.17



Serie 1:  
 10.6 \*                      10.7 \*                      10.3 ←                      8.5 →                      10.2 ↗  
 9.9 ←                      9.0 ↑                      6.1 →                      10.3 ↗                      8.0 ↓  
 beste Teiler 653.9 (2.) 1099.0 (1.) 1684.4 (9.)  
 Trefferlage 18.47 mm rechts, 0.07 mm hoch  
 Streuwert 38.60, horizontal: 44.62, vertikal: 31.46



Serie 2:  
 9.3 ↓                      9.6 ↘                      8.5 ↘                      9.0 ↗                      9.2 ↘  
 10.4 ↘                      8.0 ↘                      9.6 ←                      8.7 ↗                      9.9 ↘  
 beste Teiler 1610.6 (16.) 2875.5 (20.) 3587.2 (18.)  
 Trefferlage 19.54 mm rechts, 8.36 mm tief  
 Streuwert 32.85, horizontal: 28.34, vertikal: 36.81





Serie 3:  
 6.4 →                      9.6 ↓                      8.4 ↘                      10.0 ↓                      9.9 ↗  
 9.2 ↓                      10.1 ↘                      8.7 ↓                      6.7 ↗                      8.2 ↖  
 beste Teiler 2298.1 (27.) 2756.6 (24.) 2881.1 (25.)  
 Trefferlage 3.15 mm rechts, 15.83 mm tief  
 Streuwert 47.90, horizontal: 55.57, vertikal: 38.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **279** (293.1)  
 Serien: 93 95 91  
 Zähler: 15 10 4 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 9485 (23), 7212 (14), 5785 (3)  
 beste Teiler 578.3 (7.) 600.4 (22.) 891.2 (27.)  
 Trefferlage 3.55 mm links, 9.92 mm hoch  
 Streuwert 25.92, horizontal: 29.98, vertikal: 21.09



Serie 1:  
 9.7 ↘                      9.7 ←                      8.7 ↑                      10.0 →                      9.8 ↑  
 10.1 ↙                      10.7 \*                      10.2 ↘                      9.4 ↑                      9.6 →  
 beste Teiler 578.3 (7.) 2215.1 (8.) 2448.0 (6.)  
 Trefferlage 2.88 mm rechts, 14.68 mm hoch  
 Streuwert 22.78, horizontal: 22.42, vertikal: 23.14





Serie 2:  
 10.6 \*                      10.1 ↓                      9.9 ↑                      8.2 ←                      10.4 →  
 9.2 ↘                      9.9 ↗                      10.1 ↑                      10.1 →                      10.1 →  
 beste Teiler 958.0 (11.) 1655.2 (15.) 2295.3 (18.)  
 Trefferlage 1.87 mm links, 10.48 mm hoch  
 Streuwert 24.32, horizontal: 28.88, vertikal: 18.69




Serie 3:  
 10.4 \*                      10.7 \*                      7.3 ↘                      9.9 ↘                      10.5 \*  
 10.2 ↗                      10.6 \*                      8.9 ↙                      8.8 ←                      9.3 →  
 beste Teiler 600.4 (22.) 891.2 (27.) 1353.4 (25.)  
 Trefferlage 11.66 mm links, 4.59 mm hoch  
 Streuwert 31.05, horizontal: 37.90, vertikal: 22.16

Unterschrift des Schützen


Ergebnis: **263** (276.9)  
 Serien: 91 83 89  
 Zähler: 12 8 3 5 2 0 0 0 0  
 Innenzehner: 7  
 weiteste: 10858 (16), 10438 (24), 9935 (13)  
 beste Teiler 627.1 (3.) 777.7 (28.) 920.2 (15.)  
 Trefferlage 7.70 mm links, 3.34 mm hoch  
 Streuwert 39.33, horizontal: 43.42, vertikal: 34.77



Serie 1:  
 10.6 \*                      10.4 \*                      10.7 \*                      10.6 \*                      7.9 ↗  
 9.1 →                      9.0 ↗                      10.4 →                      9.0 ↘                      7.8 →  
 beste Teiler 627.1 (3.) 936.8 (1.) 1052.8 (4.)  
 Trefferlage 16.17 mm rechts, 7.70 mm hoch  
 Streuwert 31.58, horizontal: 30.22, vertikal: 32.89





Serie 2:  
 9.7 →                      9.9 ↘                      7.1 ↖                      8.2 ↑                      10.6 \*  
 6.7 ↖                      9.3 ↖                      8.6 ↖                      10.0 ↗                      7.5 ←  
 beste Teiler 920.2 (15.) 2763.3 (19.) 2917.1 (12.)  
 Trefferlage 31.57 mm links, 11.70 mm hoch  
 Streuwert 42.16, horizontal: 50.86, vertikal: 31.10




Serie 3:  
 8.2 ←                      9.8 ↖                      9.4 ↖                      6.9 ↘                      10.1 ↖  
 10.5 \*                      10.3 ↑                      10.7 \*                      7.8 ↓                      10.1 ←  
 beste Teiler 777.7 (28.) 1312.6 (26.) 1761.1 (27.)  
 Trefferlage 7.70 mm links, 9.37 mm tief  
 Streuwert 37.92, horizontal: 36.18, vertikal: 39.59

\_\_\_\_\_  
 Unterschrift des Schützen


Ergebnis: **270** (285.6)  
 Serien: 91 87 92  
 Zähler: 10 12 6 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 9670 (9), 8330 (19), 7425 (20)  
 beste Teiler 221.8 (2.) 402.3 (28.) 588.7 (18.)  
 Trefferlage 3.09 mm rechts, 0.53 mm hoch  
 Streuwert 32.33, horizontal: 37.33, vertikal: 26.39



Serie 1:  
 9.9 ↙                      10.9 \*                      10.5 \*                      10.4 ↘                      8.3 ↘  
 9.8 →                      8.1 ↖                      10.2 ↑                      7.2 →                      10.0 ↗  
 beste Teiler 221.8 (2.) 1313.4 (3.) 1588.8 (4.)  
 Trefferlage 1.08 mm links, 2.36 mm hoch  
 Streuwert 35.63, horizontal: 42.07, vertikal: 27.74





Serie 2:  
 9.4 →                      8.7 ↖                      10.2 ↙                      8.9 ↘                      9.6 →  
 9.8 ↗                      9.5 ↑                      10.7 \*                      7.7 ↘                      8.1 ↖  
 beste Teiler 588.7 (18.) 2057.1 (13.) 3221.5 (16.)  
 Trefferlage 4.84 mm links, 9.71 mm tief  
 Streuwert 36.32, horizontal: 41.34, vertikal: 30.47




Serie 3:  
 8.5 ↗                      9.9 ↖                      9.6 ↗                      9.7 ↗                      10.1 →  
 9.5 →                      9.1 →                      10.8 \*                      9.9 ↑                      10.6 \*  
 beste Teiler 402.3 (28.) 864.3 (30.) 2420.7 (25.)  
 Trefferlage 15.22 mm rechts, 8.93 mm hoch  
 Streuwert 23.52, horizontal: 27.55, vertikal: 18.64

Unterschrift des Schützen


Ergebnis: **263** (275.4)  
 Serien: 88 86 89  
 Zähler: 9 8 10 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 10205 (28), 8649 (3), 8628 (13)  
 beste Teiler 161.4 (18.) 803.3 (5.) 864.1 (2.)  
 Trefferlage 2.08 mm links, 1.82 mm tief  
 Streuwert 38.47, horizontal: 40.42, vertikal: 36.41



Serie 1:  
 9.0 ↖ 10.6 \* 7.6 ↘ 8.5 ↗ 10.7 \*  
 9.2 ↓ 8.2 ← 10.4 \* 9.7 ↘ 8.3 ↗  
 beste Teiler 803.3 (5.) 864.1 (2.) 1517.9 (8.)  
 Trefferlage 9.58 mm links, 3.21 mm tief  
 Streuwert 38.93, horizontal: 38.43, vertikal: 39.43





Serie 2:  
 8.5 ↘ 8.7 ↖ 7.6 ↗ 8.8 ↘ 8.4 ←  
 8.8 ↖ 10.3 → 10.9 \* 9.9 ↗ 10.3 ←  
 beste Teiler 161.4 (18.) 1707.8 (20.) 1758.2 (17.)  
 Trefferlage 0.86 mm rechts, 8.67 mm hoch  
 Streuwert 38.48, horizontal: 44.24, vertikal: 31.70




Serie 3:  
 9.5 ↑ 8.3 ↘ 9.0 → 10.1 ↓ 9.1 ↖  
 9.0 ↖ 10.0 ↓ 7.0 ↓ 10.5 \* 8.5 ↘  
 beste Teiler 1164.4 (29.) 2475.9 (24.) 2724.7 (27.)  
 Trefferlage 2.47 mm rechts, 10.92 mm tief  
 Streuwert 40.19, horizontal: 41.66, vertikal: 38.67

Unterschrift des Schützen


Ergebnis: **273** (283.8)  
 Serien: 93 88 92  
 Zähler: 13 9 6 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 9399 (12), 8442 (5), 6963 (19)  
 beste Teiler 917.2 (9.) 1349.8 (14.) 1490.1 (28.)  
 Trefferlage 2.37 mm links, 6.15 mm hoch  
 Streuwert 32.40, horizontal: 36.90, vertikal: 27.17



Serie 1:  
 10.0 ↖ 9.5 ← 10.3 → 10.2 ↙ 7.7 ↗  
 9.0 ↗ 8.5 ↓ 10.0 ↘ 10.6 \* 10.1 ↓  
 beste Teiler 917.2 (9.) 1923.8 (3.) 2223.0 (4.)  
 Trefferlage 2.78 mm links, 10.20 mm tief  
 Streuwert 30.96, horizontal: 29.93, vertikal: 31.96





Serie 2:  
 9.4 ↘ 7.3 ↖ 10.4 \* 10.5 \* 10.4 ←  
 8.3 ← 9.5 ↑ 9.0 ↖ 8.3 ↖ 8.7 ↗  
 beste Teiler 1349.8 (14.) 1525.2 (13.) 1630.1 (15.)  
 Trefferlage 16.93 mm links, 17.96 mm hoch  
 Streuwert 35.28, horizontal: 43.50, vertikal: 24.42




Serie 3:  
 9.2 ↑ 9.6 ← 9.6 → 10.1 ↖ 10.2 →  
 8.9 ↗ 10.0 ↘ 10.4 \* 9.8 ↖ 8.3 →  
 beste Teiler 1490.1 (28.) 2221.1 (25.) 2502.2 (24.)  
 Trefferlage 12.59 mm rechts, 10.71 mm hoch  
 Streuwert 26.46, horizontal: 33.39, vertikal: 16.89

Unterschrift des Schützen


Ergebnis: **286** (300.0)  
 Serien: 94 94 98  
 Zähler: 17 12 1 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 6591 (18), 4852 (2), 4482 (13)  
 beste Teiler 350.5 (19.) 529.4 (27.) 639.5 (11.)  
 Trefferlage 0.06 mm links, 3.91 mm hoch  
 Streuwert 20.80, horizontal: 25.55, vertikal: 14.58



Serie 1:  
 10.4 →                      9.1 ↘                      9.5 ↗                      10.0 ↗                      9.9 ↖  
 9.9 ↗                      9.5 ←                      10.3 ←                      10.1 ←                      9.8 ↘  
 beste Teiler 1574.6 (1.) 1817.8 (8.) 2269.6 (9.)  
 Trefferlage 1.26 mm links, 9.60 mm hoch  
 Streuwert 22.39, horizontal: 27.20, vertikal: 16.21





Serie 2:  
 10.7 \*                      9.8 ↘                      9.3 →                      9.7 ←                      10.4 \*  
 9.6 ←                      10.5 \*                      8.4 ←                      10.8 \*                      10.0 →  
 beste Teiler 350.5 (19.) 639.5 (11.) 1371.5 (17.)  
 Trefferlage 5.70 mm links, 3.33 mm tief  
 Streuwert 24.14, horizontal: 31.84, vertikal: 12.32




Serie 3:  
 10.1 ↓                      10.3 ↑                      10.4 \*                      10.2 ↑                      10.4 ↗  
 10.3 ↑                      10.8 \*                      10.4 ↘                      9.9 →                      9.5 →  
 beste Teiler 529.4 (27.) 1433.6 (23.) 1585.4 (25.)  
 Trefferlage 6.77 mm rechts, 5.47 mm hoch  
 Streuwert 14.72, horizontal: 16.13, vertikal: 13.17

Unterschrift des Schützen


Ergebnis: **263** (277.1)  
 Serien: 90 81 92  
 Zähler: 10 10 5 4 0 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 13582 (17), 9488 (13), 9433 (10)  
 beste Teiler 460.4 (1.) 1101.7 (14.) 1303.0 (19.)  
 Trefferlage 4.61 mm links, 11.71 mm tief  
 Streuwert 37.60, horizontal: 45.81, vertikal: 26.99



Serie 1:  
 10.8 \*                      10.0 →                      9.6 ←                      9.8 →                      9.8 ↘  
 10.2 ↓                      8.7 ←                      9.8 ↓                      9.6 ↓                      7.3 ←  
 beste Teiler 460.4 (1.) 2056.6 (6.) 2571.6 (2.)  
 Trefferlage 7.20 mm links, 13.08 mm tief  
 Streuwert 30.77, horizontal: 41.13, vertikal: 14.21



Serie 2:  
 9.5 ←                      8.7 ↘                      7.3 ←                      10.6 \*                      7.8 →  
 8.6 ←                      5.6 ↖                      10.4 →                      10.5 \*                      7.9 ↓  
 beste Teiler 1101.7 (14.) 1303.0 (19.) 1594.5 (18.)  
 Trefferlage 13.57 mm links, 6.71 mm tief  
 Streuwert 51.38, horizontal: 62.49, vertikal: 37.08





Serie 3:  
 9.2 ↓                      10.1 ↓                      9.1 ↓                      10.0 ↓                      8.7 ←  
 8.5 ↓                      9.6 ↘                      10.0 ↓                      10.1 ←                      9.3 →  
 beste Teiler 2327.6 (22.) 2338.5 (29.) 2511.3 (28.)  
 Trefferlage 6.93 mm rechts, 15.35 mm tief  
 Streuwert 28.69, horizontal: 30.35, vertikal: 26.94


Unterschrift des Schützen




Ergebnis: **297** (309.1)  
 Serien: 99 99 99  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 3346 (27), 3202 (16), 3186 (5)  
 beste Teiler 365.0 (20.) 567.8 (24.) 676.9 (18.)  
 Trefferlage 3.79 mm rechts, 4.89 mm hoch  
 Streuwert 13.14, horizontal: 14.51, vertikal: 11.60



Serie 1:  
 10.1 ↗ 10.2 ↑ 10.5 \* 10.1 ↑ 9.8 →  
 10.3 ↗ 10.1 ↑ 10.3 ↘ 10.4 \* 10.2 ↘  
 beste Teiler 1378.5 (3.) 1509.7 (9.) 1715.2 (6.)  
 Trefferlage 9.83 mm rechts, 11.92 mm hoch  
 Streuwert 10.73, horizontal: 9.99, vertikal: 11.42





Serie 2:  
 10.2 ↗ 10.4 \* 10.4 \* 10.5 \* 10.7 \*  
 9.8 ↗ 10.7 \* 10.7 \* 10.0 ← 10.8 \*  
 beste Teiler 365.0 (20.) 676.9 (18.) 698.5 (17.)  
 Trefferlage 2.40 mm rechts, 4.05 mm hoch  
 Streuwert 12.27, horizontal: 14.65, vertikal: 9.30




Serie 3:  
 10.6 \* 10.1 ← 10.4 \* 10.7 \* 10.3 →  
 10.5 \* 9.7 → 10.1 ← 10.0 ↓ 10.5 \*  
 beste Teiler 567.8 (24.) 952.7 (21.) 1191.9 (26.)  
 Trefferlage 0.86 mm links, 1.30 mm tief  
 Streuwert 14.42, horizontal: 17.25, vertikal: 10.87

Unterschrift des Schützen


Ergebnis: **269** (279.9)  
 Serien: 90 90 89  
 Zähler: 8 13 9 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 7692 (27), 7479 (9), 6617 (30)  
 beste Teiler 926.2 (18.) 1337.2 (5.) 1878.6 (25.)  
 Trefferlage 6.41 mm rechts, 17.21 mm hoch  
 Streuwert 30.86, horizontal: 33.88, vertikal: 27.51



Serie 1:  
 8.8 ↗ 10.2 ↘ 8.6 ↖ 9.2 ↗ 10.5 \*  
 9.5 ↖ 9.1 ← 10.2 ↑ 8.1 ↑ 9.7 ↖  
 beste Teiler 1337.2 (5.) 2013.8 (8.) 2077.7 (2.)  
 Trefferlage 5.36 mm links, 22.62 mm hoch  
 Streuwert 29.27, horizontal: 30.57, vertikal: 27.91





Serie 2:  
 9.5 ↘ 8.6 ↖ 10.1 ↗ 9.5 ↗ 8.5 ↘  
 8.8 → 9.0 ↑ 10.6 \* 9.7 ↑ 10.0 ↘  
 beste Teiler 926.2 (18.) 2387.6 (13.) 2533.9 (20.)  
 Trefferlage 6.52 mm rechts, 7.33 mm hoch  
 Streuwert 31.72, horizontal: 32.56, vertikal: 30.85




Serie 3:  
 9.0 ↗ 9.8 ↑ 9.0 ↑ 9.1 ↗ 10.3 ↑  
 9.6 ↓ 8.0 ↖ 10.0 → 8.5 ↗ 8.4 →  
 beste Teiler 1878.6 (25.) 2694.3 (28.) 3103.0 (22.)  
 Trefferlage 18.08 mm rechts, 21.69 mm hoch  
 Streuwert 31.16, horizontal: 37.39, vertikal: 23.33

Unterschrift des Schützen


Ergebnis: **275** (286.7)  
 Serien: 89 93 93  
 Zähler: 10 16 3 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 10100 (3), 6959 (26), 6299 (11)  
 beste Teiler 702.8 (17.) 894.8 (24.) 955.0 (28.)  
 Trefferlage 1.24 mm rechts, 9.32 mm tief  
 Streuwert 29.58, horizontal: 28.72, vertikal: 30.41



Serie 1:  
 9.0 ↘                      9.1 ←                      7.0 ↓                      9.6 ↗                      8.9 ↓  
 9.3 ↗                      9.4 ↗                      10.5 \*                      9.4 ↗                      10.4 ↘  
 beste Teiler 1136.5 (8.) 1665.3 (10.) 3629.3 (4.)  
 Trefferlage 14.92 mm rechts, 10.10 mm tief  
 Streuwert 34.92, horizontal: 27.67, vertikal: 40.90





Serie 2:  
 8.5 ↓                      9.3 ↘                      9.2 →                      9.2 ↖                      9.1 ↓  
 10.1 ↖                      10.7 \*                      9.5 ←                      10.2 ↓                      10.5 \*  
 beste Teiler 702.8 (17.) 1293.7 (20.) 2036.4 (19.)  
 Trefferlage 2.63 mm links, 11.94 mm tief  
 Streuwert 27.82, horizontal: 26.57, vertikal: 29.02




Serie 3:  
 10.5 \*                      10.0 ↓                      9.9 ↖                      10.6 \*                      9.4 ↖  
 8.3 ←                      9.8 →                      10.6 \*                      9.3 ↓                      9.4 ↗  
 beste Teiler 894.8 (24.) 955.0 (28.) 1345.2 (21.)  
 Trefferlage 8.56 mm links, 5.91 mm tief  
 Streuwert 25.49, horizontal: 29.23, vertikal: 21.09

Unterschrift des Schützen


Ergebnis: **274** (288.4)  
 Serien: 94 88 92  
 Zähler: 11 15 2 1 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 10679 (16), 9486 (15), 6422 (28)  
 beste Teiler 502.0 (19.) 1099.4 (20.) 1264.1 (21.)  
 Trefferlage 4.78 mm rechts, 6.77 mm hoch  
 Streuwert 29.46, horizontal: 30.42, vertikal: 28.46



Serie 1:  
 9.6 ↖                      10.1 ↑                      10.0 →                      10.1 ↗                      9.9 ↖  
 9.7 ↙                      8.9 →                      10.0 ↘                      10.4 ←                      9.0 →  
 beste Teiler 1572.1 (9.) 2281.3 (4.) 2405.6 (2.)  
 Trefferlage 8.05 mm rechts, 5.34 mm hoch  
 Streuwert 24.08, horizontal: 27.84, vertikal: 19.61





Serie 2:  
 9.0 →                      10.4 \*                      9.9 ←                      9.6 ↙                      7.3 →  
 6.8 ↑                      9.6 ↙                      9.8 ↖                      10.8 \*                      10.6 \*  
 beste Teiler 502.0 (19.) 1099.4 (20.) 1464.7 (12.)  
 Trefferlage 7.19 mm rechts, 6.07 mm hoch  
 Streuwert 38.70, horizontal: 38.45, vertikal: 38.96




Serie 3:  
 10.5 \*                      10.3 ↘                      9.7 ↗                      9.5 ↑                      9.6 ↖  
 10.1 ↑                      9.6 ↓                      8.5 ←                      9.5 ↗                      9.6 ↑  
 beste Teiler 1264.1 (21.) 1671.2 (22.) 2248.5 (26.)  
 Trefferlage 0.88 mm links, 8.91 mm hoch  
 Streuwert 26.22, horizontal: 25.97, vertikal: 26.46

Unterschrift des Schützen


Ergebnis: **282** (297.5)  
 Serien: 94 92 96  
 Zähler: 14 14 2 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 6431 (16), 5704 (13), 5115 (28)  
 beste Teiler 74.5 (29.) 402.0 (7.) 450.0 (21.)  
 Trefferlage 2.76 mm links, 2.61 mm hoch  
 Streuwert 22.90, horizontal: 26.78, vertikal: 18.21



Serie 1:  
 9.6 →                      9.7 ↘                      10.1 ↙                      10.0 →                      9.7 ↖  
 9.3 ↖                      10.8 \*                      9.7 ↓                      10.1 ↖                      9.2 ↖  
 beste Teiler 402.0 (7.) 2359.7 (9.) 2496.8 (3.)  
 Trefferlage 8.18 mm links, 8.02 mm hoch  
 Streuwert 23.14, horizontal: 25.99, vertikal: 19.88





Serie 2:  
 9.8 ↘                      10.2 →                      8.8 ←                      10.4 ↙                      10.5 \*  
 8.5 →                      9.9 ↑                      9.9 ↑                      9.9 →                      10.8 \*  
 beste Teiler 492.8 (20.) 1278.7 (15.) 1599.3 (14.)  
 Trefferlage 7.05 mm rechts, 0.32 mm tief  
 Streuwert 25.12, horizontal: 29.94, vertikal: 19.12




Serie 3:  
 10.8 \*                      9.4 ↖                      10.0 ↖                      10.3 ↗                      9.9 ↓  
 10.1 ←                      10.4 \*                      9.0 ←                      10.9 \*                      9.8 ↘  
 beste Teiler 74.5 (29.) 450.0 (21.) 1466.2 (27.)  
 Trefferlage 7.18 mm links, 0.13 mm hoch  
 Streuwert 20.44, horizontal: 24.03, vertikal: 16.06

Unterschrift des Schützen


Ergebnis: **274** (287.2)  
 Serien: 89 95 90  
 Zähler: 10 16 2 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 7987 (24), 7798 (1), 5880 (25)  
 beste Teiler 1212.3 (16.) 1308.5 (29.) 1336.1 (19.)  
 Trefferlage 1.23 mm links, 13.77 mm hoch  
 Streuwert 27.37, horizontal: 29.90, vertikal: 24.58



Serie 1:  
 7.9 ↘                      9.8 →                      9.4 ↘                      9.2 ↗                      9.7 ↗  
 9.4 ↑                      10.2 →                      9.4 ↑                      9.6 →                      9.1 ↖  
 beste Teiler 1955.8 (7.) 3234.8 (2.) 3380.6 (5.)  
 Trefferlage 4.19 mm rechts, 24.91 mm hoch  
 Streuwert 27.12, horizontal: 32.10, vertikal: 20.99





Serie 2:  
 10.3 ↑                      10.0 →                      9.1 ↖                      10.1 ↖                      10.1 ↑  
 10.5 \*                      8.8 ↙                      9.8 ↑                      10.5 \*                      9.9 ↘  
 beste Teiler 1212.3 (16.) 1336.1 (19.) 1809.0 (11.)  
 Trefferlage 8.19 mm links, 2.75 mm hoch  
 Streuwert 22.41, horizontal: 22.13, vertikal: 22.70




Serie 3:  
 10.1 ↘                      9.4 ↓                      9.2 →                      7.9 ↖                      8.7 ↗  
 9.6 ↑                      9.2 ↘                      9.4 ↘                      10.5 \*                      10.4 \*  
 beste Teiler 1308.5 (29.) 1479.4 (30.) 2482.0 (21.)  
 Trefferlage 0.29 mm rechts, 13.65 mm hoch  
 Streuwert 31.55, horizontal: 35.66, vertikal: 26.81

Unterschrift des Schützen


Ergebnis: **266** (281.3)  
 Serien: 92 84 90  
 Zähler: 8 11 10 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 8851 (30), 7240 (7), 7212 (15)  
 beste Teiler 469.3 (23.) 611.7 (10.) 644.8 (26.)  
 Trefferlage 0.52 mm links, 3.58 mm hoch  
 Streuwert 33.87, horizontal: 38.12, vertikal: 29.02



Serie 1:  
 9.2 ↘                      10.0 ↘                      10.0 →                      8.3 →                      10.3 ↘  
 9.8 ↙                      8.2 ↘                      9.6 ←                      9.5 ↙                      10.7 \*  
 beste Teiler 611.7 (10.) 1777.4 (5.) 2616.6 (3.)  
 Trefferlage 4.51 mm links, 0.49 mm hoch  
 Streuwert 31.37, horizontal: 37.27, vertikal: 24.07



Serie 2:  
 8.7 ↘                      8.5 ↘                      8.7 ←                      8.3 ↗                      8.2 →  
 8.9 ↘                      9.0 ↗                      9.6 ←                      8.9 →                      10.4 ↘  
 beste Teiler 1619.1 (20.) 3553.9 (18.) 5070.3 (17.)  
 Trefferlage 14.16 mm rechts, 7.76 mm hoch  
 Streuwert 39.92, horizontal: 43.60, vertikal: 35.87



Serie 3:  
 9.3 ↗                      9.6 ↙                      10.8 \*                      9.6 ↙                      10.5 \*  
 10.7 \*                      9.9 ↙                      8.7 ↘                      9.9 ↘                      7.5 ←  
 beste Teiler 469.3 (23.) 644.8 (26.) 1224.8 (25.)  
 Trefferlage 11.23 mm links, 2.47 mm hoch  
 Streuwert 30.19, horizontal: 31.73, vertikal: 28.56

Unterschrift des Schützen