





Ergebnis: **307.3** (291)
 Serien: 103.9 100.1 103.3
 Zähler: 22 7 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 5554 (13), 3711 (28), 3390 (12)
 beste Teiler 155.3 (7.) 408.7 (29.) 592.7 (2.)
 Trefferlage 3.60 mm links, 7.92 mm tief
 Streuwert 14.92, horizontal: 10.73, vertikal: 18.16



Serie 1:
 9.8 ↓ 10.7 * 10.6 * 10.3 ↗ 10.2 ↑
 10.1 ↖ 10.9 * 10.3 → 10.5 * 10.5 *
 beste Teiler 155.3 (7.) 592.7 (2.) 857.9 (3.)
 Trefferlage 1.64 mm links, 0.68 mm tief
 Streuwert 12.81, horizontal: 10.71, vertikal: 14.60



Serie 2:
 10.5 * 9.7 ↓ 8.8 ↓ 10.7 * 10.4 *
 10.5 * 9.9 ↙ 9.9 ↓ 10.0 ↙ 9.7 ↓
 beste Teiler 609.6 (14.) 1124.9 (11.) 1216.2 (16.)
 Trefferlage 5.97 mm links, 18.37 mm tief
 Streuwert 15.85, horizontal: 11.56, vertikal: 19.21





Serie 3:
 10.3 ↘ 10.6 * 10.5 * 10.3 ↙ 10.5 *
 10.3 ← 9.8 ↑ 9.6 ↓ 10.8 * 10.6 *
 beste Teiler 408.7 (29.) 847.9 (22.) 911.0 (30.)
 Trefferlage 3.18 mm links, 4.72 mm tief
 Streuwert 14.18, horizontal: 10.60, vertikal: 17.03


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311.3** (296)
 Serien: 104.1 104.6 102.6
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 4260 (29), 2987 (9), 2807 (6)
 beste Teiler 519.8 (8.) 525.0 (20.) 576.6 (21.)
 Trefferlage 0.51 mm rechts, 2.03 mm tief
 Streuwert 12.99, horizontal: 13.46, vertikal: 12.51



Serie 1:
 10.6 * 10.7 * 10.6 * 10.6 * 10.6 *
 9.9 ↗ 10.4 * 10.8 * 9.9 ↘ 10.0 →
 beste Teiler 519.8 (8.) 734.6 (2.) 959.5 (5.)
 Trefferlage 1.88 mm links, 1.01 mm hoch
 Streuwert 13.02, horizontal: 11.50, vertikal: 14.38





Serie 2:
 10.6 * 10.2 ↙ 10.6 * 10.6 * 10.6 *
 10.2 ↓ 9.9 ↓ 10.6 * 10.5 * 10.8 *
 beste Teiler 525.0 (20.) 866.1 (14.) 974.9 (11.)
 Trefferlage 0.16 mm links, 4.63 mm tief
 Streuwert 11.00, horizontal: 11.13, vertikal: 10.87




Serie 3:
 10.7 * 10.5 * 10.3 ↓ 10.4 ↘ 10.0 ↘
 10.1 ↗ 10.4 * 10.3 ← 9.4 → 10.5 *
 beste Teiler 576.6 (21.) 1205.5 (22.) 1348.5 (30.)
 Trefferlage 3.58 mm rechts, 2.47 mm tief
 Streuwert 15.36, horizontal: 17.63, vertikal: 12.70

Unterschrift des Schützen


Ergebnis: **311.7** (300)
 Serien: 103.4 104.0 104.3
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 2761 (9), 2749 (11), 2634 (5)
 beste Teiler 470.5 (1.) 620.6 (4.) 667.8 (19.)
 Trefferlage 3.14 mm rechts, 2.94 mm hoch
 Streuwert 11.80, horizontal: 12.31, vertikal: 11.26



Serie 1:
 10.8 * 10.5 * 10.3 → 10.7 * 10.0 ↘
 10.6 * 10.1 → 10.3 → 10.0 ↑ 10.1 →
 beste Teiler 470.5 (1.) 620.6 (4.) 942.1 (6.)
 Trefferlage 9.53 mm rechts, 5.01 mm hoch
 Streuwert 11.64, horizontal: 11.65, vertikal: 11.64



Serie 2:
 10.0 ↘ 10.5 * 10.2 ↑ 10.4 * 10.2 ←
 10.7 * 10.5 * 10.3 → 10.7 * 10.5 *
 beste Teiler 667.8 (19.) 703.9 (16.) 1211.9 (20.)
 Trefferlage 0.49 mm links, 3.72 mm hoch
 Streuwert 12.01, horizontal: 13.39, vertikal: 10.44





Serie 3:
 10.5 * 10.3 ↙ 10.2 ↙ 10.2 ↘ 10.5 *
 10.6 * 10.4 * 10.4 ↘ 10.6 * 10.6 *
 beste Teiler 876.1 (26.) 963.5 (30.) 1073.4 (29.)
 Trefferlage 0.40 mm rechts, 0.11 mm hoch
 Streuwert 11.28, horizontal: 10.24, vertikal: 12.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302.4** (286)
 Serien: 103.4 100.2 98.8
 Zähler: 16 14 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 4937 (26), 4443 (25), 3864 (11)
 beste Teiler 279.2 (29.) 510.4 (7.) 642.1 (27.)
 Trefferlage 5.40 mm rechts, 0.95 mm tief
 Streuwert 18.84, horizontal: 13.02, vertikal: 23.25



Serie 1:
 10.2 ↗ 9.9 ↗ 10.4 * 10.3 ↗ 10.6 *
 10.5 * 10.8 * 10.5 * 9.6 ↘ 10.6 *
 beste Teiler 510.4 (7.) 955.9 (5.) 1071.5 (10.)
 Trefferlage 3.67 mm rechts, 1.06 mm tief
 Streuwert 13.93, horizontal: 12.45, vertikal: 15.28





Serie 2:
 9.5 ↗ 10.1 ↘ 9.9 ↘ 10.0 ↘ 9.7 ↘
 9.7 ↘ 10.5 * 10.7 * 10.2 → 9.9 ↘
 beste Teiler 793.5 (18.) 1242.2 (17.) 2010.9 (19.)
 Trefferlage 8.74 mm rechts, 7.70 mm tief
 Streuwert 18.15, horizontal: 10.77, vertikal: 23.30




Serie 3:
 9.6 ↗ 9.7 ↗ 9.8 ↘ 9.6 ↗ 9.3 ↓
 9.1 ↗ 10.7 * 9.9 ↗ 10.8 * 10.3 ↗
 beste Teiler 279.2 (29.) 642.1 (27.) 1835.0 (30.)
 Trefferlage 3.79 mm rechts, 5.91 mm hoch
 Streuwert 23.64, horizontal: 16.02, vertikal: 29.35

Unterschrift des Schützen


Ergebnis: **304.5** (290)
 Serien: 97.8 103.1 103.6
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 5277 (9), 4519 (1), 3869 (16)
 beste Teiler 471.8 (15.) 679.5 (24.) 756.8 (18.)
 Trefferlage 5.22 mm rechts, 3.23 mm hoch
 Streuwert 17.40, horizontal: 13.43, vertikal: 20.62



Serie 1:
 9.3 ↖ 9.8 ↘ 9.7 ↘ 9.7 ↘ 9.8 ↑
 10.1 ↗ 10.1 → 9.8 ↑ 9.0 ↑ 10.5 *
 beste Teiler 1387.3 (10.) 2342.1 (7.) 2372.8 (6.)
 Trefferlage 5.64 mm rechts, 15.74 mm hoch
 Streuwert 21.93, horizontal: 16.78, vertikal: 26.08





Serie 2:
 10.6 * 10.1 ↙ 10.4 → 10.4 * 10.8 *
 9.5 ↓ 9.9 ↘ 10.7 * 10.1 ↘ 10.6 *
 beste Teiler 471.8 (15.) 756.8 (18.) 841.2 (11.)
 Trefferlage 3.46 mm rechts, 5.72 mm tief
 Streuwert 14.42, horizontal: 12.48, vertikal: 16.12




Serie 3:
 10.3 ↑ 10.4 ↗ 10.3 ↙ 10.7 * 10.4 *
 10.5 * 10.3 ↘ 9.9 ↘ 10.5 * 10.3 →
 beste Teiler 679.5 (24.) 1203.7 (26.) 1286.6 (29.)
 Trefferlage 6.58 mm rechts, 0.30 mm tief
 Streuwert 12.07, horizontal: 11.75, vertikal: 12.38

 Unterschrift des Schützen


Ergebnis: **312.2** (299)
 Serien: 105.6 103.3 103.3
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3267 (29), 2366 (19), 2330 (28)
 beste Teiler 146.1 (8.) 344.5 (3.) 483.0 (1.)
 Trefferlage 1.96 mm rechts, 3.14 mm tief
 Streuwert 11.58, horizontal: 13.22, vertikal: 9.66



Serie 1:
 10.8 * 10.4 * 10.8 * 10.7 * 10.4 *
 10.5 * 10.4 ↗ 10.9 * 10.6 * 10.1 ↘
 beste Teiler 146.1 (8.) 344.5 (3.) 483.0 (1.)
 Trefferlage 0.97 mm rechts, 5.01 mm hoch
 Streuwert 8.53, horizontal: 9.30, vertikal: 7.68





Serie 2:
 10.4 ↘ 10.6 * 10.3 ↙ 10.4 ↘ 10.3 ↙
 10.2 ↘ 10.4 * 10.3 ↘ 10.1 ← 10.3 ↘
 beste Teiler 890.5 (12.) 1407.5 (17.) 1603.5 (11.)
 Trefferlage 3.79 mm links, 5.12 mm tief
 Streuwert 12.07, horizontal: 14.19, vertikal: 9.49




Serie 3:
 10.7 * 10.2 ↘ 10.4 ↘ 10.3 ↘ 10.5 *
 10.5 * 10.6 * 10.1 ← 9.8 ↘ 10.2 →
 beste Teiler 648.5 (21.) 952.1 (27.) 1251.0 (25.)
 Trefferlage 8.71 mm rechts, 9.33 mm tief
 Streuwert 10.44, horizontal: 13.68, vertikal: 5.56

 Unterschrift des Schützen


Ergebnis: **303.2** (289)
 Serien: 101.1 100.8 101.3
 Zähler: 19 11 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 5074 (15), 4587 (27), 4485 (13)
 beste Teiler 318.4 (7.) 747.2 (20.) 785.3 (19.)
 Trefferlage 8.67 mm links, 2.72 mm tief
 Streuwert 17.79, horizontal: 19.17, vertikal: 16.29



Serie 1:
 9.7 ↘ 10.1 ↗ 10.5 * 9.9 ↓ 10.4 *
 10.6 * 10.8 * 9.6 ↓ 9.3 ← 10.2 ↙
 beste Teiler 318.4 (7.) 838.0 (6.) 1114.3 (3.)
 Trefferlage 12.43 mm links, 4.26 mm tief
 Streuwert 16.79, horizontal: 13.83, vertikal: 19.30





Serie 2:
 10.4 ↓ 10.3 ↖ 9.3 ← 10.1 ↙ 9.0 ↖
 9.9 ← 10.5 * 9.9 ← 10.7 * 10.7 *
 beste Teiler 747.2 (20.) 785.3 (19.) 1238.1 (17.)
 Trefferlage 17.43 mm links, 4.98 mm tief
 Streuwert 15.53, horizontal: 19.54, vertikal: 10.05




Serie 3:
 10.4 * 9.7 ↑ 10.0 ← 10.4 * 10.5 *
 10.3 ↑ 9.2 ↘ 10.6 * 9.7 → 10.5 *
 beste Teiler 1094.8 (28.) 1127.9 (25.) 1247.3 (30.)
 Trefferlage 3.83 mm rechts, 1.06 mm hoch
 Streuwert 18.63, horizontal: 18.34, vertikal: 18.92

Unterschrift des Schützen


Ergebnis: **315.7** (300)
 Serien: 105.3 104.5 105.9
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 2685 (19), 2109 (8), 2074 (30)
 beste Teiler 53.1 (21.) 81.0 (6.) 283.7 (15.)
 Trefferlage 2.25 mm links, 3.36 mm hoch
 Streuwert 9.31, horizontal: 8.08, vertikal: 10.39



Serie 1:
 10.5 * 10.6 * 10.5 * 10.4 ↑ 10.6 *
 10.9 * 10.6 * 10.2 ↑ 10.7 * 10.3 ↑
 beste Teiler 81.0 (6.) 808.8 (9.) 956.3 (5.)
 Trefferlage 1.51 mm links, 7.92 mm hoch
 Streuwert 7.75, horizontal: 6.04, vertikal: 9.14





Serie 2:
 10.8 * 10.3 → 10.3 ↑ 10.4 ↖ 10.8 *
 10.4 ↙ 10.4 ↙ 10.5 * 10.0 ↓ 10.6 *
 beste Teiler 283.7 (15.) 387.5 (11.) 908.8 (20.)
 Trefferlage 1.34 mm links, 0.34 mm hoch
 Streuwert 11.76, horizontal: 10.56, vertikal: 12.84




Serie 3:
 10.9 * 10.4 * 10.8 * 10.8 * 10.6 *
 10.6 * 10.4 * 10.5 * 10.7 * 10.2 ↖
 beste Teiler 53.1 (21.) 448.1 (24.) 458.3 (23.)
 Trefferlage 3.89 mm links, 1.83 mm hoch
 Streuwert 7.79, horizontal: 7.59, vertikal: 7.99

Unterschrift des Schützen


Ergebnis: **314.0** (300)
 Serien: 103.9 104.5 105.6
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 2247 (19), 2103 (7), 2091 (12)
 beste Teiler 151.6 (22.) 161.1 (27.) 568.0 (6.)
 Trefferlage 2.06 mm links, 0.42 mm hoch
 Streuwert 10.44, horizontal: 10.25, vertikal: 10.62



Serie 1:
 10.3 ← 10.6 * 10.3 ↑ 10.3 ↘ 10.4 ↓
 10.7 * 10.2 ← 10.3 ↑ 10.6 * 10.2 ↘
 beste Teiler 568.0 (6.) 1022.0 (2.) 1080.5 (9.)
 Trefferlage 2.94 mm links, 1.72 mm hoch
 Streuwert 11.82, horizontal: 11.30, vertikal: 12.31





Serie 2:
 10.7 * 10.2 ↓ 10.7 * 10.4 ↙ 10.7 *
 10.5 * 10.6 * 10.2 ↘ 10.1 ↘ 10.4 ↗
 beste Teiler 571.6 (15.) 747.5 (11.) 755.9 (13.)
 Trefferlage 4.36 mm links, 2.15 mm tief
 Streuwert 10.71, horizontal: 9.03, vertikal: 12.17




Serie 3:
 10.3 ← 10.9 * 10.4 * 10.6 * 10.4 *
 10.7 * 10.9 * 10.3 ↑ 10.7 * 10.4 →
 beste Teiler 151.6 (22.) 161.1 (27.) 655.1 (29.)
 Trefferlage 1.11 mm rechts, 1.70 mm hoch
 Streuwert 9.05, horizontal: 10.55, vertikal: 7.24

Unterschrift des Schützen


Ergebnis: **314.4** (300)
 Serien: 103.9 106.0 104.5
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 2615 (2), 2508 (3), 2223 (24)
 beste Teiler 107.7 (18.) 361.6 (28.) 384.4 (17.)
 Trefferlage 2.04 mm rechts, 2.37 mm hoch
 Streuwert 10.27, horizontal: 11.40, vertikal: 8.99



Serie 1:
 10.5 * 10.0 → 10.0 ← 10.7 * 10.4 *
 10.3 ↙ 10.4 * 10.7 * 10.5 * 10.4 *
 beste Teiler 584.7 (4.) 742.4 (8.) 1150.7 (9.)
 Trefferlage 0.61 mm links, 2.14 mm tief
 Streuwert 11.96, horizontal: 12.80, vertikal: 11.05





Serie 2:
 10.4 ↘ 10.2 ↗ 10.6 * 10.5 * 10.6 *
 10.6 * 10.8 * 10.9 * 10.6 * 10.8 *
 beste Teiler 107.7 (18.) 384.4 (17.) 398.1 (20.)
 Trefferlage 0.03 mm links, 4.13 mm hoch
 Streuwert 7.85, horizontal: 7.99, vertikal: 7.72




Serie 3:
 10.8 * 10.2 ↗ 10.4 * 10.2 ↗ 10.8 *
 10.3 ↘ 10.5 * 10.8 * 10.2 ↗ 10.3 →
 beste Teiler 361.6 (28.) 439.3 (25.) 549.0 (21.)
 Trefferlage 6.78 mm rechts, 5.15 mm hoch
 Streuwert 9.94, horizontal: 12.39, vertikal: 6.64

Unterschrift des Schützen


Ergebnis: **314.9** (299)
 Serien: 105.7 105.2 104.0
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 2854 (21), 2556 (14), 2207 (30)
 beste Teiler 182.1 (2.) 235.9 (5.) 368.9 (16.)
 Trefferlage 3.47 mm links, 3.07 mm hoch
 Streuwert 9.53, horizontal: 9.80, vertikal: 9.25



Serie 1:
 10.5 * 10.9 * 10.8 * 10.5 * 10.9 *
 10.2 ↑ 10.6 * 10.3 ↘ 10.3 ↗ 10.7 *
 beste Teiler 182.1 (2.) 235.9 (5.) 476.0 (3.)
 Trefferlage 0.34 mm rechts, 6.21 mm hoch
 Streuwert 7.73, horizontal: 7.94, vertikal: 7.51





Serie 2:
 10.5 * 10.7 * 10.3 ← 10.0 ↑ 10.5 *
 10.8 * 10.6 * 10.7 * 10.7 * 10.4 ↘
 beste Teiler 368.9 (16.) 577.7 (12.) 664.8 (19.)
 Trefferlage 4.22 mm links, 4.36 mm hoch
 Streuwert 8.65, horizontal: 7.78, vertikal: 9.44




Serie 3:
 9.9 ↘ 10.5 * 10.6 * 10.4 * 10.2 ←
 10.5 * 10.7 * 10.5 * 10.5 * 10.2 ↘
 beste Teiler 572.9 (27.) 858.4 (23.) 1237.9 (22.)
 Trefferlage 6.53 mm links, 1.34 mm tief
 Streuwert 11.27, horizontal: 12.59, vertikal: 9.77

Unterschrift des Schützen


Ergebnis: **313.6** (299)
 Serien: 104.7 103.7 105.2
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 3118 (5), 2628 (15), 2591 (16)
 beste Teiler 299.1 (24.) 335.3 (1.) 497.0 (26.)
 Trefferlage 5.31 mm links, 1.84 mm hoch
 Streuwert 10.35, horizontal: 12.02, vertikal: 8.37



Serie 1:
 10.8 * 10.3 → 10.8 * 10.6 * 9.8 ↖
 10.3 ↘ 10.8 * 10.4 ← 10.6 * 10.3 ←
 beste Teiler 335.3 (1.) 521.4 (7.) 532.9 (3.)
 Trefferlage 5.40 mm links, 2.30 mm hoch
 Streuwert 10.57, horizontal: 12.74, vertikal: 7.82





Serie 2:
 10.4 ↙ 10.7 * 10.2 ↖ 10.6 * 10.0 ↘
 10.0 ← 10.4 * 10.3 ↖ 10.5 * 10.6 *
 beste Teiler 696.3 (12.) 1015.6 (20.) 1057.8 (14.)
 Trefferlage 11.48 mm links, 1.32 mm hoch
 Streuwert 9.43, horizontal: 9.88, vertikal: 8.95




Serie 3:
 10.7 * 10.5 * 10.1 ↖ 10.8 * 10.7 *
 10.8 * 10.3 ↗ 10.7 * 10.5 * 10.1 ↘
 beste Teiler 299.1 (24.) 497.0 (26.) 620.6 (28.)
 Trefferlage 0.93 mm rechts, 1.91 mm hoch
 Streuwert 10.08, horizontal: 10.93, vertikal: 9.15

Unterschrift des Schützen


Ergebnis: **312.0** (298)
 Serien: 104.4 105.8 101.8
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 3818 (27), 2899 (25), 2602 (22)
 beste Teiler 158.0 (12.) 189.6 (11.) 403.4 (13.)
 Trefferlage 2.86 mm links, 0.65 mm tief
 Streuwert 12.17, horizontal: 14.30, vertikal: 9.57



Serie 1:
 10.3 ↗ 10.4 * 10.3 ↗ 10.3 ← 10.5 *
 10.7 * 10.2 ↘ 10.4 * 10.7 * 10.6 *
 beste Teiler 718.3 (6.) 815.5 (9.) 1014.7 (10.)
 Trefferlage 1.57 mm rechts, 3.04 mm hoch
 Streuwert 10.56, horizontal: 11.33, vertikal: 9.72





Serie 2:
 10.9 * 10.9 * 10.8 * 10.4 * 10.1 ↘
 10.6 * 10.6 * 10.5 * 10.7 * 10.3 ↘
 beste Teiler 158.0 (12.) 189.6 (11.) 403.4 (13.)
 Trefferlage 1.35 mm links, 3.26 mm tief
 Streuwert 9.09, horizontal: 9.34, vertikal: 8.84




Serie 3:
 10.4 * 10.0 ← 10.1 ← 10.2 ← 9.9 ↘
 10.7 * 9.5 ← 10.6 * 10.2 ↙ 10.2 ↘
 beste Teiler 617.9 (26.) 996.4 (28.) 1400.1 (21.)
 Trefferlage 8.80 mm links, 1.75 mm tief
 Streuwert 15.46, horizontal: 19.49, vertikal: 9.92

 Unterschrift des Schützen


Ergebnis: **294** (306.9)
 Serien: 96 99 99
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 4710 (4), 4588 (6), 3701 (5)
 beste Teiler 226.0 (22.) 268.0 (23.) 468.2 (15.)
 Trefferlage 9.80 mm rechts, 8.01 mm tief
 Streuwert 14.13, horizontal: 16.89, vertikal: 10.67



Serie 1:
 10.6 * 10.1 ↘ 10.1 ↘ 9.2 → 9.6 ↘
 9.2 → 10.3 → 10.7 * 10.7 * 9.8 ↙
 beste Teiler 711.8 (8.) 798.1 (9.) 1100.4 (1.)
 Trefferlage 14.70 mm rechts, 11.65 mm tief
 Streuwert 16.53, horizontal: 21.33, vertikal: 9.55





Serie 2:
 10.6 * 10.0 ↘ 10.7 * 10.2 ↘ 10.8 *
 10.4 * 10.2 ↘ 10.0 ← 10.3 → 9.7 ↘
 beste Teiler 468.2 (15.) 736.4 (13.) 902.6 (11.)
 Trefferlage 5.02 mm rechts, 5.82 mm tief
 Streuwert 14.17, horizontal: 15.39, vertikal: 12.84




Serie 3:
 10.5 * 10.9 * 10.9 * 10.6 * 10.1 ↓
 9.6 → 10.4 * 10.0 ↘ 10.2 ↘ 10.5 *
 beste Teiler 226.0 (22.) 268.0 (23.) 943.4 (24.)
 Trefferlage 9.67 mm rechts, 6.55 mm tief
 Streuwert 11.48, horizontal: 13.24, vertikal: 9.40

Unterschrift des Schützen


Ergebnis: **298** (311.7)
 Serien: 99 100 99
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3019 (4), 2821 (25), 2515 (20)
 beste Teiler 183.8 (17.) 321.0 (26.) 654.4 (22.)
 Trefferlage 3.34 mm links, 3.52 mm hoch
 Streuwert 11.65, horizontal: 14.16, vertikal: 8.42



Serie 1:
 10.6 * 10.2 ↘ 10.5 * 9.9 ↗ 10.4 *
 10.2 ← 10.5 * 10.3 ↑ 10.6 * 10.5 *
 beste Teiler 839.0 (1.) 978.6 (9.) 1233.3 (3.)
 Trefferlage 0.87 mm links, 4.13 mm hoch
 Streuwert 12.34, horizontal: 14.62, vertikal: 9.54





Serie 2:
 10.5 * 10.2 ↗ 10.7 * 10.5 * 10.4 ↗
 10.4 ↑ 10.9 * 10.5 * 10.6 * 10.0 ↗
 beste Teiler 183.8 (17.) 758.8 (13.) 1009.0 (19.)
 Trefferlage 2.87 mm rechts, 1.19 mm hoch
 Streuwert 10.84, horizontal: 12.24, vertikal: 9.23




Serie 3:
 10.1 ↘ 10.7 * 10.4 * 10.1 ↘ 9.9 ←
 10.8 * 10.2 ↗ 10.6 * 10.4 ← 10.1 ←
 beste Teiler 321.0 (26.) 654.4 (22.) 1002.6 (28.)
 Trefferlage 12.02 mm links, 5.23 mm hoch
 Streuwert 9.80, horizontal: 12.22, vertikal: 6.53

Unterschrift des Schützen


Ergebnis: **311.1** (297)
 Serien: 103.3 104.4 103.4
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 3850 (3), 3663 (15), 3448 (9)
 beste Teiler 333.6 (8.) 402.6 (2.) 501.0 (14.)
 Trefferlage 1.39 mm rechts, 2.09 mm tief
 Streuwert 13.11, horizontal: 11.43, vertikal: 14.60



Serie 1:
 10.3 ↖ 10.8 * 9.5 ↓ 10.3 ↙ 10.3 ↓
 10.4 * 10.7 * 10.8 * 9.7 ↗ 10.5 *
 beste Teiler 333.6 (8.) 402.6 (2.) 756.2 (7.)
 Trefferlage 0.51 mm rechts, 3.93 mm tief
 Streuwert 14.80, horizontal: 12.31, vertikal: 16.92





Serie 2:
 10.6 * 10.7 * 10.2 ↘ 10.8 * 9.6 ↑
 10.5 * 10.7 * 10.4 ↙ 10.6 * 10.3 ↓
 beste Teiler 501.0 (14.) 702.6 (17.) 832.9 (12.)
 Trefferlage 0.23 mm rechts, 1.84 mm tief
 Streuwert 12.60, horizontal: 10.31, vertikal: 14.54




Serie 3:
 10.6 * 10.6 * 10.4 * 10.4 ↘ 10.1 ↙
 10.5 * 10.3 → 10.1 → 10.0 ↑ 10.4 ↗
 beste Teiler 849.5 (21.) 968.5 (22.) 1216.3 (26.)
 Trefferlage 3.44 mm rechts, 0.52 mm tief
 Streuwert 13.03, horizontal: 12.51, vertikal: 13.52

 Unterschrift des Schützen


Ergebnis: **310.8** (297)
 Serien: 103.9 102.9 104.0
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3363 (13), 2905 (3), 2871 (23)
 beste Teiler 208.5 (10.) 370.0 (24.) 523.6 (1.)
 Trefferlage 13.26 mm links, 4.92 mm tief
 Streuwert 8.45, horizontal: 9.32, vertikal: 7.49



Serie 1:
 10.8 * 10.2 ↙ 9.9 ↙ 10.0 ↘ 10.7 *
 10.6 * 10.2 ← 10.3 ↓ 10.3 ↙ 10.9 *
 beste Teiler 208.5 (10.) 523.6 (1.) 721.7 (5.)
 Trefferlage 11.58 mm links, 7.92 mm tief
 Streuwert 8.56, horizontal: 8.82, vertikal: 8.30





Serie 2:
 10.4 * 10.2 ↙ 9.7 ← 10.0 ↙ 10.3 ↙
 10.5 * 10.4 ↘ 10.6 * 10.6 * 10.2 ←
 beste Teiler 862.2 (19.) 925.5 (18.) 1117.0 (16.)
 Trefferlage 14.65 mm links, 6.45 mm tief
 Streuwert 8.65, horizontal: 10.66, vertikal: 6.00




Serie 3:
 10.5 * 10.0 ← 9.9 ← 10.8 * 10.7 *
 10.7 * 10.1 ↙ 10.5 * 10.3 ← 10.5 *
 beste Teiler 370.0 (24.) 626.2 (26.) 635.6 (25.)
 Trefferlage 13.54 mm links, 0.40 mm tief
 Streuwert 7.86, horizontal: 9.12, vertikal: 6.36

Unterschrift des Schützen


Ergebnis: **309.8** (294)
 Serien: 101.6 102.9 105.3
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 4157 (8), 3701 (10), 3142 (29)
 beste Teiler 156.5 (24.) 301.2 (23.) 521.1 (28.)
 Trefferlage 3.22 mm rechts, 1.62 mm hoch
 Streuwert 14.40, horizontal: 12.86, vertikal: 15.79



Serie 1:
 10.0 → 10.3 ↑ 10.4 ↗ 10.1 ↘ 10.6 *
 9.9 ↓ 10.6 * 9.4 ↘ 10.7 * 9.6 ↘
 beste Teiler 710.2 (9.) 948.0 (7.) 1052.5 (5.)
 Trefferlage 9.96 mm rechts, 6.74 mm tief
 Streuwert 16.30, horizontal: 11.85, vertikal: 19.77





Serie 2:
 10.7 * 10.3 ↗ 10.3 ↑ 10.1 ↘ 10.7 *
 10.7 * 10.1 ↑ 9.9 → 10.2 → 9.9 ←
 beste Teiler 652.6 (16.) 750.9 (15.) 831.7 (11.)
 Trefferlage 1.31 mm rechts, 5.16 mm hoch
 Streuwert 14.48, horizontal: 16.05, vertikal: 12.72




Serie 3:
 10.7 * 10.3 ← 10.8 * 10.9 * 10.4 ↑
 10.4 * 10.7 * 10.8 * 9.8 ↑ 10.5 *
 beste Teiler 156.5 (24.) 301.2 (23.) 521.1 (28.)
 Trefferlage 1.59 mm links, 6.45 mm hoch
 Streuwert 9.68, horizontal: 7.40, vertikal: 11.52

Unterschrift des Schützen


Ergebnis: **309.5** (297)
 Serien: 103.8 102.8 102.9
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 4418 (24), 3231 (16), 2847 (28)
 beste Teiler 522.5 (23.) 682.0 (1.) 752.3 (3.)
 Trefferlage 0.62 mm rechts, 1.70 mm hoch
 Streuwert 13.97, horizontal: 15.74, vertikal: 11.94



Serie 1:
 10.7 * 10.0 ↖ 10.7 * 10.7 * 10.4 *
 10.0 ↗ 10.2 ↑ 10.3 ↓ 10.3 ↘ 10.5 *
 beste Teiler 682.0 (1.) 752.3 (3.) 817.9 (4.)
 Trefferlage 0.30 mm links, 3.98 mm hoch
 Streuwert 12.56, horizontal: 14.12, vertikal: 10.77





Serie 2:
 10.4 ↘ 10.5 * 10.4 * 10.3 ↖ 10.6 *
 9.8 ↘ 10.3 ↓ 10.3 → 10.1 ↖ 10.1 ←
 beste Teiler 975.4 (15.) 1169.4 (12.) 1504.3 (13.)
 Trefferlage 1.48 mm rechts, 1.02 mm hoch
 Streuwert 14.86, horizontal: 16.33, vertikal: 13.22




Serie 3:
 10.5 * 10.6 * 10.8 * 9.3 → 10.5 *
 10.3 ↖ 10.5 * 9.9 ↖ 10.4 * 10.1 ↓
 beste Teiler 522.5 (23.) 1014.9 (22.) 1246.6 (21.)
 Trefferlage 0.68 mm rechts, 0.11 mm hoch
 Streuwert 15.65, horizontal: 18.18, vertikal: 12.62

Unterschrift des Schützen


Ergebnis: **310.3** (296)
 Serien: 104.6 104.1 101.6
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 4639 (25), 3672 (21), 3444 (30)
 beste Teiler 355.8 (15.) 379.5 (29.) 506.5 (6.)
 Trefferlage 3.33 mm rechts, 2.36 mm tief
 Streuwert 13.71, horizontal: 14.79, vertikal: 12.52



Serie 1:
 10.1 ↖ 10.4 * 10.7 * 10.4 * 10.2 ↗
 10.8 * 10.7 * 10.4 ↙ 10.5 * 10.4 ↘
 beste Teiler 506.5 (6.) 659.3 (7.) 694.0 (3.)
 Trefferlage 1.98 mm links, 1.21 mm hoch
 Streuwert 10.96, horizontal: 10.09, vertikal: 11.76





Serie 2:
 10.6 * 9.9 ↖ 10.2 ↖ 10.1 ↓ 10.8 *
 10.3 ↗ 10.5 * 10.8 * 10.4 ↓ 10.5 *
 beste Teiler 355.8 (15.) 548.8 (18.) 1080.6 (11.)
 Trefferlage 0.03 mm rechts, 1.74 mm tief
 Streuwert 12.52, horizontal: 13.16, vertikal: 11.85




Serie 3:
 9.6 ↘ 10.2 ↘ 10.4 * 10.6 * 9.2 ↘
 10.1 ↓ 10.5 * 10.5 * 10.8 * 9.7 ↘
 beste Teiler 379.5 (29.) 978.0 (24.) 1301.2 (27.)
 Trefferlage 11.94 mm rechts, 6.56 mm tief
 Streuwert 15.76, horizontal: 17.45, vertikal: 13.87

Unterschrift des Schützen


Ergebnis: **313.2** (298)
 Serien: 106.2 103.5 103.5
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3508 (22), 2840 (12), 2414 (20)
 beste Teiler 316.8 (18.) 352.2 (30.) 406.5 (10.)
 Trefferlage 3.63 mm rechts, 0.93 mm tief
 Streuwert 11.36, horizontal: 13.05, vertikal: 9.37



Serie 1:
 10.5 * 10.7 * 10.8 * 10.4 ↓ 10.8 *
 10.4 * 10.7 * 10.7 * 10.4 * 10.8 *
 beste Teiler 406.5 (10.) 410.1 (5.) 422.0 (3.)
 Trefferlage 2.60 mm rechts, 1.27 mm tief
 Streuwert 7.24, horizontal: 5.76, vertikal: 8.46





Serie 2:
 10.3 ↗ 9.9 → 10.3 ↘ 10.7 * 10.3 ↘
 10.7 * 10.2 → 10.8 * 10.2 ↗ 10.1 ↖
 beste Teiler 316.8 (18.) 690.3 (16.) 827.7 (14.)
 Trefferlage 5.21 mm rechts, 0.06 mm hoch
 Streuwert 13.42, horizontal: 15.63, vertikal: 10.75




Serie 3:
 10.3 ← 9.7 ↗ 10.6 * 10.6 * 10.3 ↘
 10.2 ↘ 10.5 * 10.3 ← 10.2 ↘ 10.8 *
 beste Teiler 352.2 (30.) 855.7 (23.) 936.3 (24.)
 Trefferlage 3.09 mm rechts, 1.60 mm tief
 Streuwert 13.43, horizontal: 16.34, vertikal: 9.69

Unterschrift des Schützen


Ergebnis: **313.1** (297)
 Serien: 103.5 105.0 104.6
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 3486 (4), 2902 (8), 2862 (12)
 beste Teiler 260.7 (18.) 280.0 (27.) 335.8 (29.)
 Trefferlage 2.01 mm rechts, 7.50 mm tief
 Streuwert 10.49, horizontal: 10.35, vertikal: 10.63



Serie 1:
 10.7 * 10.5 * 10.2 ↘ 9.7 ↘ 10.4 ←
 10.2 → 10.8 * 9.9 ↘ 10.5 * 10.6 *
 beste Teiler 431.8 (7.) 593.3 (1.) 1081.8 (10.)
 Trefferlage 4.37 mm rechts, 7.27 mm tief
 Streuwert 12.76, horizontal: 12.80, vertikal: 12.73





Serie 2:
 10.6 * 9.9 ↘ 10.4 ↓ 10.3 ↘ 10.4 *
 10.6 * 10.8 * 10.9 * 10.6 * 10.5 *
 beste Teiler 260.7 (18.) 535.2 (17.) 886.1 (19.)
 Trefferlage 2.97 mm rechts, 6.17 mm tief
 Streuwert 9.43, horizontal: 8.79, vertikal: 10.04




Serie 3:
 10.7 * 10.6 * 10.6 * 10.6 * 10.0 ↘
 10.3 ← 10.8 * 10.0 ↓ 10.8 * 10.2 ↓
 beste Teiler 280.0 (27.) 335.8 (29.) 825.9 (21.)
 Trefferlage 1.29 mm links, 9.05 mm tief
 Streuwert 9.52, horizontal: 9.19, vertikal: 9.84

 Unterschrift des Schützen


Ergebnis: **312.4** (297)
 Serien: 103.6 103.8 105.0
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2970 (8), 2852 (9), 2836 (20)
 beste Teiler 183.6 (17.) 428.5 (27.) 495.8 (14.)
 Trefferlage 4.14 mm rechts, 2.07 mm hoch
 Streuwert 11.56, horizontal: 12.25, vertikal: 10.83



Serie 1:
 10.2 ↘ 10.7 * 10.4 * 10.4 → 10.2 ↘
 10.6 * 10.6 * 9.9 ↗ 9.9 ↑ 10.7 *
 beste Teiler 752.2 (2.) 804.0 (10.) 983.0 (6.)
 Trefferlage 3.03 mm rechts, 8.33 mm hoch
 Streuwert 11.92, horizontal: 12.50, vertikal: 11.32



Serie 2:
 10.0 → 10.2 → 10.1 → 10.8 * 10.4 *
 10.4 ↗ 10.9 * 10.8 * 10.3 ↘ 9.9 ↙
 beste Teiler 183.6 (17.) 495.8 (14.) 511.3 (18.)
 Trefferlage 7.81 mm rechts, 1.03 mm tief
 Streuwert 12.13, horizontal: 14.25, vertikal: 9.54





Serie 3:
 10.6 * 10.7 * 10.5 * 10.4 * 10.1 ←
 10.4 * 10.8 * 10.5 * 10.7 * 10.3 ↓
 beste Teiler 428.5 (27.) 651.0 (22.) 826.4 (29.)
 Trefferlage 1.58 mm rechts, 1.07 mm tief
 Streuwert 9.86, horizontal: 10.02, vertikal: 9.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313.4** (299)
 Serien: 104.2 105.0 104.2
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 2842 (24), 2588 (5), 2560 (22)
 beste Teiler 221.0 (12.) 288.4 (23.) 477.6 (2.)
 Trefferlage 0.84 mm links, 1.14 mm tief
 Streuwert 11.07, horizontal: 11.81, vertikal: 10.28



Serie 1:
 10.4 * 10.8 * 10.1 ↖ 10.2 ← 10.0 ↗
 10.5 * 10.2 → 10.6 * 10.8 * 10.6 *
 beste Teiler 477.6 (2.) 552.3 (9.) 884.2 (8.)
 Trefferlage 1.70 mm links, 4.90 mm hoch
 Streuwert 11.65, horizontal: 14.28, vertikal: 8.21





Serie 2:
 10.4 * 10.9 * 10.5 * 10.3 ↓ 10.5 *
 10.3 ← 10.5 * 10.4 ↓ 10.7 * 10.5 *
 beste Teiler 221.0 (12.) 709.5 (19.) 1166.6 (17.)
 Trefferlage 0.38 mm links, 2.93 mm tief
 Streuwert 9.65, horizontal: 8.53, vertikal: 10.66




Serie 3:
 10.6 * 10.0 ← 10.8 * 9.9 ↓ 10.6 *
 10.3 → 10.6 * 10.7 * 10.4 * 10.3 ↘
 beste Teiler 288.4 (23.) 797.4 (28.) 909.3 (27.)
 Trefferlage 0.43 mm links, 5.41 mm tief
 Streuwert 11.55, horizontal: 13.09, vertikal: 9.76

Unterschrift des Schützen


Ergebnis: **313.4** (299)
 Serien: 105.3 102.9 105.2
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 3726 (15), 2529 (13), 2445 (16)
 beste Teiler 299.9 (24.) 487.6 (29.) 527.7 (22.)
 Trefferlage 1.71 mm links, 2.41 mm tief
 Streuwert 10.98, horizontal: 11.38, vertikal: 10.58



Serie 1:
 10.6 * 10.5 * 10.6 * 10.7 * 10.5 *
 10.6 * 10.4 * 10.4 ↘ 10.3 ↘ 10.7 *
 beste Teiler 607.6 (10.) 808.6 (4.) 903.5 (6.)
 Trefferlage 4.48 mm rechts, 0.11 mm hoch
 Streuwert 8.35, horizontal: 8.10, vertikal: 8.60





Serie 2:
 10.4 * 10.4 ↓ 10.0 ↘ 10.4 ↑ 9.6 ↖
 10.1 ↓ 10.2 ↖ 10.6 * 10.7 * 10.5 *
 beste Teiler 830.4 (19.) 892.3 (18.) 1208.3 (20.)
 Trefferlage 4.90 mm links, 1.91 mm tief
 Streuwert 14.48, horizontal: 14.74, vertikal: 14.22




Serie 3:
 10.2 ↙ 10.8 * 10.5 * 10.8 * 10.4 *
 10.1 ↓ 10.4 * 10.5 * 10.8 * 10.7 *
 beste Teiler 299.9 (24.) 487.6 (29.) 527.7 (22.)
 Trefferlage 4.72 mm links, 5.43 mm tief
 Streuwert 8.28, horizontal: 8.38, vertikal: 8.17

Unterschrift des Schützen


Ergebnis: **309.6** (294)
 Serien: 101.9 103.2 104.5
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3396 (14), 3295 (16), 3264 (1)
 beste Teiler 396.5 (20.) 427.7 (5.) 460.7 (24.)
 Trefferlage 4.58 mm rechts, 3.21 mm hoch
 Streuwert 13.39, horizontal: 12.55, vertikal: 14.18



Serie 1:
 9.8 → 9.8 ↑ 10.4 ↗ 10.3 ↓ 10.8 *
 10.3 ↘ 10.0 ↓ 10.4 * 10.2 ↘ 9.9 ↗
 beste Teiler 427.7 (5.) 1454.8 (8.) 1556.1 (3.)
 Trefferlage 11.32 mm rechts, 1.34 mm tief
 Streuwert 14.80, horizontal: 10.38, vertikal: 18.18



Serie 2:
 10.3 ↗ 10.5 * 10.5 * 9.7 ↘ 10.5 *
 9.7 ↘ 10.2 ↘ 10.4 ↙ 10.6 * 10.8 *
 beste Teiler 396.5 (20.) 897.8 (19.) 1168.8 (13.)
 Trefferlage 1.63 mm rechts, 4.39 mm hoch
 Streuwert 14.12, horizontal: 13.78, vertikal: 14.44





Serie 3:
 10.2 ↑ 10.5 * 10.6 * 10.8 * 10.5 *
 10.5 * 10.4 ↘ 10.4 * 9.9 → 10.7 *
 beste Teiler 460.7 (24.) 800.2 (30.) 947.1 (23.)
 Trefferlage 0.79 mm rechts, 6.59 mm hoch
 Streuwert 10.12, horizontal: 11.56, vertikal: 8.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311.0** (298)
 Serien: 104.9 103.7 102.4
 Zähler: 29 0 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 5813 (29), 2521 (15), 2517 (17)
 beste Teiler 257.7 (5.) 332.6 (3.) 586.8 (8.)
 Trefferlage 5.03 mm links, 3.58 mm hoch
 Streuwert 12.90, horizontal: 12.76, vertikal: 13.04



Serie 1:
 10.6 * 10.4 * 10.8 * 10.0 ← 10.9 *
 10.3 → 10.1 ↘ 10.7 * 10.7 * 10.4 ↘
 beste Teiler 257.7 (5.) 332.6 (3.) 586.8 (8.)
 Trefferlage 2.16 mm links, 2.46 mm hoch
 Streuwert 10.89, horizontal: 13.22, vertikal: 7.91





Serie 2:
 10.6 * 10.4 ↑ 10.6 * 10.4 ↙ 10.0 ←
 10.3 ↘ 10.0 ↘ 10.5 * 10.5 * 10.4 ↗
 beste Teiler 912.1 (13.) 981.8 (11.) 1274.7 (18.)
 Trefferlage 6.04 mm links, 2.63 mm hoch
 Streuwert 11.58, horizontal: 10.86, vertikal: 12.26




Serie 3:
 10.3 ↘ 10.3 ↘ 10.7 * 10.4 ↘ 10.2 ↘
 10.4 ← 10.3 ← 10.5 * 8.7 ↘ 10.6 *
 beste Teiler 758.2 (23.) 976.7 (30.) 1198.2 (28.)
 Trefferlage 6.91 mm links, 5.64 mm hoch
 Streuwert 16.51, horizontal: 14.76, vertikal: 18.09

Unterschrift des Schützen


Ergebnis: **296** (308.6)
 Serien: 99 98 99
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3796 (12), 3646 (30), 3575 (11)
 beste Teiler 541.1 (26.) 598.6 (17.) 649.7 (24.)
 Trefferlage 1.45 mm rechts, 1.68 mm hoch
 Streuwert 14.66, horizontal: 16.74, vertikal: 12.23



Serie 1:
 10.5 * 10.2 ↗ 10.4 ↑ 10.4 * 10.4 ↘
 10.1 ↘ 9.7 ↘ 10.4 * 10.5 * 10.1 ↙
 beste Teiler 1248.8 (9.) 1347.2 (1.) 1478.6 (8.)
 Trefferlage 8.79 mm rechts, 1.59 mm tief
 Streuwert 13.36, horizontal: 14.47, vertikal: 12.14





Serie 2:
 9.6 ↖ 9.5 ← 10.6 * 10.1 ↖ 10.7 *
 10.1 ↘ 10.7 * 10.1 ↑ 10.5 * 10.1 ←
 beste Teiler 598.6 (17.) 826.5 (15.) 971.8 (13.)
 Trefferlage 7.90 mm links, 7.69 mm hoch
 Streuwert 15.07, horizontal: 16.89, vertikal: 13.00




Serie 3:
 10.6 * 10.1 → 10.5 * 10.7 * 10.6 *
 10.8 * 10.5 * 10.3 ↖ 10.2 ↓ 9.6 →
 beste Teiler 541.1 (26.) 649.7 (24.) 1021.1 (25.)
 Trefferlage 3.47 mm rechts, 1.03 mm tief
 Streuwert 13.26, horizontal: 15.69, vertikal: 10.26

Unterschrift des Schützen


Ergebnis: **291** (304.1)
 Serien: 96 98 97
 Zähler: 21 9 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 5059 (9), 4799 (6), 4796 (17)
 beste Teiler 435.0 (12.) 584.1 (16.) 661.8 (27.)
 Trefferlage 8.27 mm rechts, 7.01 mm tief
 Streuwert 16.72, horizontal: 19.25, vertikal: 13.73



Serie 1:
 10.0 → 9.7 ↘ 10.4 ↙ 10.6 * 10.7 *
 9.1 ← 10.2 ↘ 10.5 * 9.0 ↘ 9.7 ↘
 beste Teiler 746.1 (5.) 877.7 (4.) 1266.3 (8.)
 Trefferlage 10.33 mm rechts, 12.98 mm tief
 Streuwert 18.50, horizontal: 23.10, vertikal: 12.29





Serie 2:
 10.4 ↘ 10.8 * 9.7 ↙ 10.6 * 10.5 *
 10.7 * 9.1 → 10.2 ↑ 10.6 * 10.4 *
 beste Teiler 435.0 (12.) 584.1 (16.) 862.5 (19.)
 Trefferlage 5.96 mm rechts, 2.38 mm tief
 Streuwert 15.45, horizontal: 17.33, vertikal: 13.32




Serie 3:
 10.5 * 10.2 ↘ 10.1 → 9.7 ↓ 9.6 ←
 9.6 ↗ 10.7 * 10.4 * 10.1 ↘ 10.3 →
 beste Teiler 661.8 (27.) 1373.6 (21.) 1479.8 (28.)
 Trefferlage 8.54 mm rechts, 5.66 mm tief
 Streuwert 16.78, horizontal: 18.70, vertikal: 14.61

Unterschrift des Schützen


Ergebnis: **311.3** (298)
 Serien: 103.7 103.9 103.7
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3957 (22), 3660 (13), 2527 (8)
 beste Teiler 215.3 (15.) 532.0 (29.) 691.0 (12.)
 Trefferlage 0.83 mm rechts, 1.24 mm hoch
 Streuwert 12.75, horizontal: 14.87, vertikal: 10.20



Serie 1:
 10.6 * 10.5 * 10.1 ← 10.5 * 10.3 ↖
 10.6 * 10.6 * 10.0 → 10.3 ↘ 10.2 ↗
 beste Teiler 903.6 (6.) 965.3 (7.) 1067.2 (1.)
 Trefferlage 2.57 mm links, 0.22 mm tief
 Streuwert 12.53, horizontal: 14.75, vertikal: 9.80





Serie 2:
 10.3 ↘ 10.7 * 9.6 ↘ 10.6 * 10.9 *
 10.6 * 10.1 ↑ 10.3 ↗ 10.3 ↗ 10.5 *
 beste Teiler 215.3 (15.) 691.0 (12.) 838.5 (16.)
 Trefferlage 6.43 mm rechts, 2.46 mm hoch
 Streuwert 12.25, horizontal: 13.03, vertikal: 11.41




Serie 3:
 10.7 * 9.5 ↖ 10.1 ↗ 10.6 * 10.3 ↖
 10.5 * 10.3 ↘ 10.4 * 10.8 * 10.5 *
 beste Teiler 532.0 (29.) 752.4 (21.) 935.6 (24.)
 Trefferlage 1.34 mm links, 1.49 mm hoch
 Streuwert 13.72, horizontal: 16.50, vertikal: 10.23

Unterschrift des Schützen


Ergebnis: **310.1** (297)
 Serien: 102.9 103.1 104.1
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 3707 (9), 2869 (29), 2791 (11)
 beste Teiler 386.7 (26.) 456.7 (8.) 480.9 (15.)
 Trefferlage 6.03 mm rechts, 0.27 mm hoch
 Streuwert 12.91, horizontal: 11.51, vertikal: 14.18



Serie 1:
 10.1 ↓ 10.0 ↘ 10.7 * 10.1 ↘ 10.2 ↑
 10.5 * 10.7 * 10.8 * 9.6 ↘ 10.2 ↗
 beste Teiler 456.7 (8.) 606.0 (7.) 760.1 (3.)
 Trefferlage 8.70 mm rechts, 3.05 mm tief
 Streuwert 14.00, horizontal: 13.04, vertikal: 14.89



Serie 2:
 9.9 ↓ 10.5 * 10.1 → 10.2 ↖ 10.8 *
 10.4 ↑ 10.3 ↗ 10.6 * 10.2 ↓ 10.1 ↓
 beste Teiler 480.9 (15.) 961.2 (18.) 1319.5 (12.)
 Trefferlage 4.23 mm rechts, 2.10 mm tief
 Streuwert 13.85, horizontal: 11.76, vertikal: 15.66





Serie 3:
 10.1 ↗ 10.6 * 10.4 ↗ 10.2 ↖ 10.4 *
 10.8 * 10.5 * 10.5 * 9.9 ↘ 10.7 *
 beste Teiler 386.7 (26.) 584.6 (30.) 851.9 (22.)
 Trefferlage 5.16 mm rechts, 5.98 mm hoch
 Streuwert 10.77, horizontal: 10.30, vertikal: 11.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313.0** (298)
 Serien: 105.4 105.3 102.3
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3376 (6), 3101 (21), 2703 (30)
 beste Teiler 137.9 (13.) 366.2 (5.) 535.4 (19.)
 Trefferlage 0.64 mm links, 2.53 mm hoch
 Streuwert 11.59, horizontal: 12.72, vertikal: 10.35



Serie 1:
 10.5 * 10.5 * 10.7 * 10.6 * 10.8 *
 9.7 → 10.5 * 10.7 * 10.7 * 10.7 *
 beste Teiler 366.2 (5.) 607.8 (10.) 643.6 (8.)
 Trefferlage 3.53 mm rechts, 3.80 mm hoch
 Streuwert 9.44, horizontal: 12.82, vertikal: 3.71





Serie 2:
 10.5 * 10.7 * 10.9 * 10.3 ↘ 10.7 *
 10.3 ↗ 10.3 ↓ 10.7 * 10.8 * 10.1 ↗
 beste Teiler 137.9 (13.) 535.4 (19.) 609.5 (15.)
 Trefferlage 1.33 mm rechts, 0.64 mm hoch
 Streuwert 9.96, horizontal: 10.86, vertikal: 8.97




Serie 3:
 9.8 ↑ 10.3 ← 10.6 * 10.2 ✓ 10.3 ↗
 10.1 ↓ 10.4 ↘ 10.3 → 10.3 ✓ 10.0 ←
 beste Teiler 1081.0 (23.) 1596.7 (27.) 1716.1 (25.)
 Trefferlage 6.82 mm links, 3.14 mm hoch
 Streuwert 14.45, horizontal: 13.15, vertikal: 15.63

Unterschrift des Schützen


Ergebnis: **303.7** (290)
 Serien: 99.8 102.1 101.8
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 4483 (2), 4050 (6), 3856 (9)
 beste Teiler 538.9 (22.) 566.3 (17.) 646.9 (4.)
 Trefferlage 4.33 mm links, 4.16 mm hoch
 Streuwert 17.11, horizontal: 17.67, vertikal: 16.52



Serie 1:
 10.4 * 9.3 ↘ 9.9 ↘ 10.7 * 10.3 ↑
 9.4 ↗ 9.6 ↑ 10.6 * 9.5 ← 10.1 ←
 beste Teiler 646.9 (4.) 986.4 (8.) 1395.6 (1.)
 Trefferlage 12.73 mm links, 16.50 mm hoch
 Streuwert 15.29, horizontal: 16.22, vertikal: 14.30



Serie 2:
 9.9 ↑ 10.3 ↖ 10.3 ← 10.2 ↖ 10.4 *
 10.1 ↖ 10.7 * 10.0 ← 10.0 ← 10.2 ↖
 beste Teiler 566.3 (17.) 1441.9 (15.) 1700.3 (12.)
 Trefferlage 14.32 mm links, 6.01 mm hoch
 Streuwert 10.83, horizontal: 10.85, vertikal: 10.82





Serie 3:
 9.9 ↓ 10.8 * 10.4 * 10.1 ↓ 9.8 ↓
 10.5 * 9.8 ↘ 10.3 ↘ 9.9 ↘ 10.3 →
 beste Teiler 538.9 (22.) 1166.4 (26.) 1437.3 (23.)
 Trefferlage 14.05 mm rechts, 10.01 mm tief
 Streuwert 10.54, horizontal: 7.75, vertikal: 12.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **308.2** (292)
 Serien: 100.7 104.1 103.4
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 4455 (26), 3302 (10), 3168 (2)
 beste Teiler 157.8 (17.) 588.6 (24.) 636.9 (29.)
 Trefferlage 3.38 mm rechts, 1.34 mm tief
 Streuwert 14.94, horizontal: 16.91, vertikal: 12.67



Serie 1:
 9.9 ↘ 9.8 ← 10.7 * 9.9 ↘ 9.8 →
 10.1 → 10.6 * 10.3 ↑ 9.9 ↘ 9.7 →
 beste Teiler 737.5 (3.) 911.3 (7.) 1696.1 (8.)
 Trefferlage 6.83 mm rechts, 0.50 mm tief
 Streuwert 18.38, horizontal: 20.56, vertikal: 15.90





Serie 2:
 10.5 * 10.5 * 9.9 ↑ 10.5 * 10.4 ↓
 10.6 * 10.9 * 10.1 → 10.6 * 10.1 ←
 beste Teiler 157.8 (17.) 1105.3 (19.) 1105.4 (16.)
 Trefferlage 0.47 mm rechts, 3.68 mm tief
 Streuwert 12.27, horizontal: 11.40, vertikal: 13.08




Serie 3:
 10.3 ↘ 10.5 * 10.4 * 10.7 * 10.6 *
 9.3 → 10.3 ← 10.3 → 10.7 * 10.3 ↖
 beste Teiler 588.6 (24.) 636.9 (29.) 1072.6 (25.)
 Trefferlage 2.83 mm rechts, 0.14 mm hoch
 Streuwert 14.66, horizontal: 18.60, vertikal: 9.16

Unterschrift des Schützen


Ergebnis: **317.4** (299)
 Serien: 106.8 105.1 105.5
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 2841 (22), 2140 (17), 1948 (12)
 beste Teiler 256.7 (2.) 414.5 (6.) 478.0 (23.)
 Trefferlage 1.94 mm rechts, 0.61 mm hoch
 Streuwert 8.47, horizontal: 7.48, vertikal: 9.36



Serie 1:
 10.7 * 10.9 * 10.8 * 10.8 * 10.6 *
 10.8 * 10.8 * 10.4 → 10.4 ↘ 10.6 *
 beste Teiler 256.7 (2.) 414.5 (6.) 503.2 (3.)
 Trefferlage 3.24 mm rechts, 1.65 mm tief
 Streuwert 6.24, horizontal: 6.61, vertikal: 5.84





Serie 2:
 10.4 * 10.2 ↓ 10.6 * 10.7 * 10.7 *
 10.4 ↑ 10.2 ↖ 10.5 * 10.7 * 10.7 *
 beste Teiler 612.5 (14.) 699.0 (15.) 766.6 (19.)
 Trefferlage 1.06 mm links, 1.60 mm tief
 Streuwert 9.87, horizontal: 9.24, vertikal: 10.46




Serie 3:
 10.6 * 9.9 ↑ 10.8 * 10.7 * 10.5 *
 10.8 * 10.4 * 10.7 * 10.6 * 10.5 *
 beste Teiler 478.0 (23.) 556.0 (26.) 727.9 (28.)
 Trefferlage 3.64 mm rechts, 5.09 mm hoch
 Streuwert 8.41, horizontal: 6.02, vertikal: 10.26

Unterschrift des Schützen


Ergebnis: **312.3** (298)
 Serien: 104.1 102.4 105.8
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 3239 (14), 2972 (19), 2505 (2)
 beste Teiler 433.6 (23.) 531.9 (26.) 547.0 (8.)
 Trefferlage 5.19 mm links, 2.49 mm hoch
 Streuwert 11.25, horizontal: 11.80, vertikal: 10.66



Serie 1:
 10.1 ↑ 10.0 ↗ 10.3 ↖ 10.2 ↘ 10.5 *
 10.5 * 10.5 * 10.8 * 10.6 * 10.6 *
 beste Teiler 547.0 (8.) 841.5 (9.) 928.2 (10.)
 Trefferlage 1.97 mm rechts, 4.30 mm hoch
 Streuwert 11.66, horizontal: 8.16, vertikal: 14.32





Serie 2:
 10.6 * 10.2 ↖ 10.2 ↘ 9.8 ← 10.5 *
 10.5 * 10.2 ↙ 10.1 ← 9.9 ↘ 10.4 *
 beste Teiler 880.1 (11.) 1222.6 (16.) 1252.6 (15.)
 Trefferlage 11.07 mm links, 2.99 mm hoch
 Streuwert 13.19, horizontal: 16.10, vertikal: 9.43




Serie 3:
 10.3 ↖ 10.7 * 10.8 * 10.5 * 10.5 *
 10.8 * 10.6 * 10.7 * 10.5 * 10.4 *
 beste Teiler 433.6 (23.) 531.9 (26.) 629.8 (28.)
 Trefferlage 6.46 mm links, 0.18 mm hoch
 Streuwert 6.63, horizontal: 5.09, vertikal: 7.88

Unterschrift des Schützen


Ergebnis: **293.7** (281)
 Serien: 95.7 96.8 101.2
 Zähler: 15 11 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 6072 (2), 5875 (11), 5874 (12)
 beste Teiler 750.7 (3.) 884.8 (29.) 1081.4 (21.)
 Trefferlage 26.10 mm rechts, 3.21 mm tief
 Streuwert 16.82, horizontal: 20.66, vertikal: 11.78



Serie 1:
 10.1 → 8.6 → 10.7 * 9.1 → 10.2 →
 10.1 ↓ 9.5 → 9.0 → 9.5 → 8.9 →
 beste Teiler 750.7 (3.) 2088.9 (5.) 2378.3 (6.)
 Trefferlage 33.76 mm rechts, 3.25 mm tief
 Streuwert 16.64, horizontal: 20.85, vertikal: 10.90





Serie 2:
 8.7 → 8.7 → 9.2 → 9.7 ↗ 10.0 ↘
 9.8 → 10.5 * 10.4 ↘ 9.9 → 9.9 ↘
 beste Teiler 1326.9 (17.) 1540.8 (18.) 2522.4 (15.)
 Trefferlage 31.08 mm rechts, 4.12 mm tief
 Streuwert 14.91, horizontal: 17.60, vertikal: 11.62




Serie 3:
 10.6 * 10.4 ← 9.5 ↗ 10.2 ↘ 9.1 →
 10.2 ↗ 10.5 * 10.1 → 10.6 * 10.0 ↘
 beste Teiler 884.8 (29.) 1081.4 (21.) 1338.8 (27.)
 Trefferlage 13.46 mm rechts, 2.27 mm tief
 Streuwert 16.61, horizontal: 18.99, vertikal: 13.84

Unterschrift des Schützen


Ergebnis: **312.4** (299)
 Serien: 103.2 103.7 105.5
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 3028 (1), 2585 (14), 2440 (6)
 beste Teiler 268.8 (25.) 311.9 (27.) 399.7 (8.)
 Trefferlage 0.11 mm links, 0.79 mm hoch
 Streuwert 11.72, horizontal: 12.66, vertikal: 10.71



Serie 1:
 9.9 ↘ 10.4 * 10.3 ↗ 10.3 ↑ 10.6 *
 10.1 ↑ 10.4 * 10.8 * 10.2 ↙ 10.2 →
 beste Teiler 399.7 (8.) 973.1 (5.) 1460.0 (7.)
 Trefferlage 1.58 mm rechts, 1.46 mm hoch
 Streuwert 14.08, horizontal: 13.78, vertikal: 14.38





Serie 2:
 10.5 * 10.5 * 10.5 * 10.0 ← 10.6 *
 10.1 ← 10.2 ↘ 10.2 ← 10.6 * 10.5 *
 beste Teiler 969.5 (19.) 1088.0 (15.) 1154.6 (20.)
 Trefferlage 5.28 mm links, 1.46 mm tief
 Streuwert 11.89, horizontal: 13.32, vertikal: 10.26




Serie 3:
 10.7 * 10.3 ↗ 10.2 ↘ 10.7 * 10.9 *
 10.5 * 10.8 * 10.3 ↙ 10.6 * 10.5 *
 beste Teiler 268.8 (25.) 311.9 (27.) 671.5 (24.)
 Trefferlage 3.37 mm rechts, 2.38 mm hoch
 Streuwert 8.68, horizontal: 10.14, vertikal: 6.93

Unterschrift des Schützen


Ergebnis: **307.3** (294)
 Serien: 102.0 103.7 101.6
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 4188 (8), 4040 (24), 3969 (2)
 beste Teiler 252.6 (1.) 718.7 (3.) 879.4 (29.)
 Trefferlage 2.18 mm rechts, 1.17 mm tief
 Streuwert 15.68, horizontal: 18.17, vertikal: 12.70



Serie 1:
 10.9 * 9.5 → 10.7 * 10.5 * 10.4 *
 10.4 ↑ 10.0 ↙ 9.4 → 9.9 ↘ 10.3 ↙
 beste Teiler 252.6 (1.) 718.7 (3.) 1294.7 (4.)
 Trefferlage 10.12 mm rechts, 3.91 mm tief
 Streuwert 16.12, horizontal: 19.26, vertikal: 12.19





Serie 2:
 10.4 ↖ 10.5 * 10.6 * 10.1 ↘ 10.5 *
 10.4 * 10.3 ↓ 10.3 ↓ 10.3 ↑ 10.3 ↘
 beste Teiler 1063.7 (13.) 1190.3 (12.) 1208.3 (15.)
 Trefferlage 0.76 mm rechts, 5.45 mm tief
 Streuwert 11.87, horizontal: 10.72, vertikal: 12.91




Serie 3:
 9.6 ← 10.4 → 9.8 ↖ 9.4 → 10.3 ←
 10.4 * 10.3 ↓ 10.2 ↖ 10.6 * 10.6 *
 beste Teiler 879.4 (29.) 958.3 (30.) 1518.0 (26.)
 Trefferlage 4.32 mm links, 5.82 mm hoch
 Streuwert 17.03, horizontal: 21.41, vertikal: 11.02

Unterschrift des Schützen


Ergebnis: **304.4** (288)
 Serien: 101.8 102.0 100.6
 Zähler: 18 12 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 4602 (5), 4346 (28), 4035 (23)
 beste Teiler 306.4 (7.) 491.1 (15.) 604.1 (8.)
 Trefferlage 3.26 mm rechts, 8.33 mm hoch
 Streuwert 16.73, horizontal: 17.36, vertikal: 16.09



Serie 1:
 10.3 ↓ 10.5 * 9.8 ↗ 9.9 ↘ 9.2 ↖
 9.9 ↖ 10.8 * 10.7 * 10.5 * 10.2 ↓
 beste Teiler 306.4 (7.) 604.1 (8.) 1290.5 (9.)
 Trefferlage 2.75 mm links, 4.73 mm hoch
 Streuwert 17.77, horizontal: 16.96, vertikal: 18.54





Serie 2:
 10.6 * 9.8 ↑ 10.5 * 9.9 ↘ 10.8 *
 10.6 * 9.7 ↗ 10.5 * 9.6 ↗ 10.0 ↗
 beste Teiler 491.1 (15.) 841.7 (11.) 1066.8 (16.)
 Trefferlage 12.98 mm rechts, 9.31 mm hoch
 Streuwert 12.93, horizontal: 12.54, vertikal: 13.32




Serie 3:
 10.3 → 10.2 ↗ 9.4 ↖ 10.7 * 9.8 →
 10.4 * 10.4 * 9.3 ↑ 9.9 ↖ 10.2 ↖
 beste Teiler 645.6 (24.) 1439.4 (27.) 1472.6 (26.)
 Trefferlage 0.44 mm links, 10.94 mm hoch
 Streuwert 18.10, horizontal: 19.12, vertikal: 17.03

Unterschrift des Schützen


Ergebnis: **297** (310.4)
 Serien: 99 99 99
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 3036 (3), 2883 (18), 2850 (27)
 beste Teiler 409.0 (15.) 486.0 (12.) 585.7 (14.)
 Trefferlage 2.38 mm links, 1.11 mm hoch
 Streuwert 12.84, horizontal: 10.94, vertikal: 14.49



Serie 1:
 10.6 * 10.7 * 9.8 ↗ 10.1 ↗ 10.5 *
 10.5 * 10.0 ↑ 10.1 ↓ 10.3 ← 10.2 ↙
 beste Teiler 771.4 (2.) 1036.1 (1.) 1304.4 (5.)
 Trefferlage 4.76 mm links, 4.70 mm hoch
 Streuwert 13.73, horizontal: 9.34, vertikal: 17.03





Serie 2:
 10.3 ↓ 10.8 * 10.4 ← 10.7 * 10.8 *
 10.1 ↘ 10.6 * 9.9 ↘ 10.3 ↘ 10.4 ←
 beste Teiler 409.0 (15.) 486.0 (12.) 585.7 (14.)
 Trefferlage 7.56 mm links, 1.88 mm hoch
 Streuwert 10.55, horizontal: 10.49, vertikal: 10.60




Serie 3:
 10.4 * 10.5 * 10.3 → 10.3 ↑ 10.6 *
 10.6 * 9.9 ↓ 10.6 * 10.1 → 10.0 ↓
 beste Teiler 929.8 (26.) 939.4 (28.) 1037.2 (25.)
 Trefferlage 5.17 mm rechts, 3.23 mm tief
 Streuwert 12.78, horizontal: 9.44, vertikal: 15.42

Unterschrift des Schützen


Ergebnis: **309.1** (296)
 Serien: 102.1 103.4 103.6
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 4945 (1), 4249 (8), 3054 (10)
 beste Teiler 604.1 (27.) 662.3 (30.) 740.3 (7.)
 Trefferlage 0.27 mm links, 2.70 mm tief
 Streuwert 14.59, horizontal: 14.14, vertikal: 15.02



Serie 1:
 9.1 ↙ 10.6 * 10.4 ↘ 10.6 * 10.6 *
 10.5 * 10.7 * 9.4 ↑ 10.4 → 9.8 ↘
 beste Teiler 740.3 (7.) 876.3 (4.) 910.8 (2.)
 Trefferlage 1.42 mm links, 0.91 mm tief
 Streuwert 18.42, horizontal: 13.12, vertikal: 22.51





Serie 2:
 10.2 ↓ 10.5 * 10.3 ↘ 10.7 * 10.1 ↙
 10.4 * 10.1 ↖ 10.3 → 10.6 * 10.2 ↑
 beste Teiler 746.9 (14.) 978.0 (19.) 1333.3 (12.)
 Trefferlage 0.70 mm links, 1.22 mm tief
 Streuwert 12.99, horizontal: 14.02, vertikal: 11.88




Serie 3:
 10.2 → 10.1 ← 10.5 * 10.6 * 10.2 ↘
 10.6 * 10.7 * 10.1 ↙ 9.9 ↘ 10.7 *
 beste Teiler 604.1 (27.) 662.3 (30.) 912.9 (24.)
 Trefferlage 1.31 mm rechts, 5.96 mm tief
 Streuwert 12.89, horizontal: 16.46, vertikal: 7.83

Unterschrift des Schützen


Ergebnis: **301.2** (287)
 Serien: 101.8 98.6 100.8
 Zähler: 18 11 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 6033 (18), 4153 (14), 3898 (3)
 beste Teiler 505.6 (26.) 777.7 (11.) 1013.8 (8.)
 Trefferlage 4.74 mm rechts, 3.38 mm tief
 Streuwert 19.44, horizontal: 22.84, vertikal: 15.29



Serie 1:
 9.6 ↘ 10.5 * 9.5 ↘ 10.3 ← 9.9 ↙
 10.5 * 10.3 ↙ 10.6 * 10.1 ↓ 10.5 *
 beste Teiler 1013.8 (8.) 1161.8 (6.) 1305.6 (10.)
 Trefferlage 2.72 mm links, 10.59 mm tief
 Streuwert 15.45, horizontal: 17.23, vertikal: 13.44





Serie 2:
 10.7 * 9.6 → 10.4 ↘ 9.4 → 10.1 ↙
 10.5 * 9.6 ↖ 8.6 ↘ 9.5 ↖ 10.2 →
 beste Teiler 777.7 (11.) 1201.8 (16.) 1567.8 (13.)
 Trefferlage 8.80 mm rechts, 1.07 mm tief
 Streuwert 23.74, horizontal: 30.34, vertikal: 14.37




Serie 3:
 9.9 ↑ 9.8 ↘ 10.0 ↘ 9.9 ↘ 10.2 →
 10.8 * 9.7 ↘ 10.1 ↖ 10.0 ↖ 10.4 ↑
 beste Teiler 505.6 (26.) 1543.8 (30.) 2094.4 (25.)
 Trefferlage 8.14 mm rechts, 1.50 mm hoch
 Streuwert 17.98, horizontal: 19.24, vertikal: 16.62

Unterschrift des Schützen


Ergebnis: **302.7** (290)
 Serien: 101.5 101.4 99.8
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 5040 (21), 4361 (14), 4338 (24)
 beste Teiler 513.7 (16.) 515.0 (30.) 686.9 (8.)
 Trefferlage 2.15 mm rechts, 8.90 mm hoch
 Streuwert 17.98, horizontal: 21.51, vertikal: 13.55



Serie 1:
 10.1 ↗ 10.7 * 9.9 ↘ 10.4 ← 9.4 ↗
 10.0 ← 10.0 ↘ 10.7 * 10.3 → 10.0 →
 beste Teiler 686.9 (8.) 809.2 (2.) 1611.4 (4.)
 Trefferlage 1.09 mm links, 11.25 mm hoch
 Streuwert 16.00, horizontal: 18.67, vertikal: 12.78





Serie 2:
 10.7 * 9.8 ↘ 10.0 ↙ 9.3 → 10.5 *
 10.8 * 10.7 * 9.8 ↗ 10.3 ↙ 9.5 ↖
 beste Teiler 513.7 (16.) 711.1 (11.) 816.0 (17.)
 Trefferlage 3.98 mm rechts, 0.00 mm
 Streuwert 19.04, horizontal: 23.51, vertikal: 13.14




Serie 3:
 9.0 → 10.2 ↖ 10.2 ← 9.3 ↗ 9.8 ↖
 10.1 ↗ 10.1 ↗ 10.6 * 9.7 ↗ 10.8 *
 beste Teiler 515.0 (30.) 871.2 (28.) 1968.8 (22.)
 Trefferlage 3.56 mm rechts, 15.47 mm hoch
 Streuwert 18.51, horizontal: 23.91, vertikal: 10.66

Unterschrift des Schützen


Ergebnis: **308.3** (294)
 Serien: 102.6 102.8 102.9
 Zähler: 24 6 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3898 (7), 3788 (30), 3244 (12)
 beste Teiler 237.9 (5.) 463.0 (26.) 703.2 (22.)
 Trefferlage 2.42 mm links, 2.82 mm hoch
 Streuwert 14.75, horizontal: 18.71, vertikal: 9.25



Serie 1:
 10.2 → 10.5 * 10.0 → 10.4 * 10.9 *
 10.4 * 9.5 ← 10.5 * 10.4 * 9.8 →
 beste Teiler 237.9 (5.) 1119.3 (2.) 1371.3 (8.)
 Trefferlage 5.86 mm rechts, 2.51 mm hoch
 Streuwert 15.20, horizontal: 20.74, vertikal: 5.62





Serie 2:
 10.2 ↗ 9.8 ← 10.7 * 10.7 * 10.4 →
 9.8 → 10.3 ↖ 10.3 ↑ 10.5 * 10.1 ↖
 beste Teiler 733.8 (14.) 748.7 (13.) 1328.2 (19.)
 Trefferlage 2.14 mm links, 8.02 mm hoch
 Streuwert 13.91, horizontal: 18.14, vertikal: 7.61




Serie 3:
 10.2 ↗ 10.7 * 10.5 * 10.6 * 10.0 ←
 10.8 * 10.6 * 10.2 ↘ 9.8 ← 9.5 ←
 beste Teiler 463.0 (26.) 703.2 (22.) 892.4 (27.)
 Trefferlage 10.98 mm links, 2.06 mm tief
 Streuwert 13.03, horizontal: 14.51, vertikal: 11.36

Unterschrift des Schützen


Ergebnis: **304.0** (290)
 Serien: 100.6 102.3 101.1
 Zähler: 22 7 0 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 8179 (28), 4285 (12), 4135 (1)
 beste Teiler 516.7 (22.) 703.7 (19.) 863.8 (4.)
 Trefferlage 5.79 mm rechts, 2.81 mm hoch
 Streuwert 18.63, horizontal: 19.02, vertikal: 18.23



Serie 1:
 9.4 ↘ 9.7 → 9.6 ↘ 10.6 * 9.9 ↘
 10.6 * 10.4 * 10.1 ↖ 9.9 ← 10.4 *
 beste Teiler 863.8 (4.) 891.5 (6.) 1411.8 (7.)
 Trefferlage 10.38 mm rechts, 5.80 mm tief
 Streuwert 17.51, horizontal: 20.01, vertikal: 14.58





Serie 2:
 10.5 * 9.3 → 10.1 ↗ 10.6 * 10.3 ↘
 10.3 ↖ 10.5 * 10.3 ↓ 10.7 * 9.7 ↗
 beste Teiler 703.7 (19.) 977.8 (14.) 1184.9 (11.)
 Trefferlage 10.50 mm rechts, 4.16 mm hoch
 Streuwert 14.33, horizontal: 15.56, vertikal: 13.00




Serie 3:
 10.1 ↑ 10.8 * 10.1 ↑ 10.6 * 10.1 ↗
 10.3 ↖ 10.5 * 7.8 ↖ 10.3 ↘ 10.5 *
 beste Teiler 516.7 (22.) 1010.9 (24.) 1282.8 (27.)
 Trefferlage 3.49 mm links, 10.08 mm hoch
 Streuwert 21.51, horizontal: 19.49, vertikal: 23.36

Unterschrift des Schützen


Ergebnis: **309.0** (295)
 Serien: 102.9 102.5 103.6
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3798 (10), 3358 (14), 3206 (25)
 beste Teiler 465.4 (30.) 489.0 (23.) 533.0 (17.)
 Trefferlage 1.17 mm links, 0.95 mm tief
 Streuwert 14.32, horizontal: 14.56, vertikal: 14.07



Serie 1:
 10.2 ↘ 10.3 ↗ 10.1 ↘ 10.4 * 10.6 *
 10.4 ↘ 10.5 * 10.4 * 10.5 * 9.5 ←
 beste Teiler 1068.7 (5.) 1183.0 (7.) 1363.4 (9.)
 Trefferlage 0.14 mm rechts, 0.20 mm tief
 Streuwert 14.70, horizontal: 18.02, vertikal: 10.38





Serie 2:
 10.4 * 10.0 ↘ 10.0 ↗ 9.7 ↘ 10.0 ↓
 10.4 * 10.8 * 10.5 * 10.6 * 10.1 ↘
 beste Teiler 533.0 (17.) 905.2 (19.) 1158.8 (18.)
 Trefferlage 0.78 mm links, 1.48 mm hoch
 Streuwert 15.47, horizontal: 15.46, vertikal: 15.48




Serie 3:
 10.7 * 10.4 * 10.8 * 9.9 ↓ 9.8 ↓
 10.4 ↗ 9.8 ↘ 10.5 * 10.5 * 10.8 *
 beste Teiler 465.4 (30.) 489.0 (23.) 748.6 (21.)
 Trefferlage 2.90 mm links, 4.13 mm tief
 Streuwert 13.90, horizontal: 10.70, vertikal: 16.49

Unterschrift des Schützen


Ergebnis: **313.6** (298)
 Serien: 103.7 105.6 104.3
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 3162 (8), 2979 (1), 2596 (24)
 beste Teiler 412.0 (14.) 436.1 (23.) 507.7 (6.)
 Trefferlage 0.91 mm links, 0.52 mm hoch
 Streuwert 11.30, horizontal: 12.00, vertikal: 10.55



Serie 1:
 9.9 ↙ 10.3 ↗ 10.3 ↗ 10.4 * 10.7 *
 10.8 * 10.7 * 9.8 ↙ 10.6 * 10.2 ↘
 beste Teiler 507.7 (6.) 726.9 (7.) 786.5 (5.)
 Trefferlage 4.94 mm links, 3.82 mm hoch
 Streuwert 12.85, horizontal: 14.21, vertikal: 11.33





Serie 2:
 10.0 ↙ 10.6 * 10.7 * 10.8 * 10.6 *
 10.6 * 10.7 * 10.4 * 10.7 * 10.5 *
 beste Teiler 412.0 (14.) 618.9 (17.) 714.9 (19.)
 Trefferlage 0.18 mm links, 0.01 mm tief
 Streuwert 9.09, horizontal: 10.05, vertikal: 8.01




Serie 3:
 10.7 * 10.6 * 10.8 * 10.0 ↓ 10.3 →
 10.4 * 10.3 ↓ 10.6 * 10.5 * 10.1 ↙
 beste Teiler 436.1 (23.) 634.3 (21.) 864.2 (22.)
 Trefferlage 2.37 mm rechts, 2.24 mm tief
 Streuwert 11.73, horizontal: 11.42, vertikal: 12.03

Unterschrift des Schützen


Ergebnis: **308.2** (293)
 Serien: 102.6 103.6 102.0
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 4031 (5), 3199 (28), 3194 (20)
 beste Teiler 358.5 (7.) 566.7 (19.) 613.0 (13.)
 Trefferlage 5.21 mm links, 4.77 mm hoch
 Streuwert 14.21, horizontal: 16.34, vertikal: 11.70



Serie 1:
 10.7 * 10.5 * 10.1 ↑ 10.4 ↘ 9.4 ↘
 9.9 ← 10.8 * 10.2 ↖ 9.9 ← 10.7 *
 beste Teiler 358.5 (7.) 623.3 (1.) 707.1 (10.)
 Trefferlage 11.71 mm links, 8.91 mm hoch
 Streuwert 12.20, horizontal: 12.94, vertikal: 11.42



Serie 2:
 10.5 * 10.6 * 10.7 * 10.1 ↖ 10.7 *
 9.9 ↑ 10.4 ↗ 10.2 ↖ 10.7 * 9.8 ↘
 beste Teiler 566.7 (19.) 613.0 (13.) 687.3 (15.)
 Trefferlage 3.90 mm links, 9.57 mm hoch
 Streuwert 11.67, horizontal: 13.58, vertikal: 9.39





Serie 3:
 10.0 ← 10.6 * 10.2 ↘ 10.6 * 10.4 ↓
 10.1 ← 10.2 ↘ 9.8 → 10.3 → 9.8 ←
 beste Teiler 1072.0 (22.) 1087.4 (24.) 1562.8 (25.)
 Trefferlage 0.02 mm links, 4.16 mm tief
 Streuwert 16.10, horizontal: 20.72, vertikal: 9.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **309.7** (295)
 Serien: 103.3 103.9 102.5
 Zähler: 26 3 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 5405 (22), 4378 (12), 3558 (4)
 beste Teiler 93.9 (8.) 352.4 (14.) 376.6 (18.)
 Trefferlage 6.41 mm rechts, 7.62 mm hoch
 Streuwert 12.89, horizontal: 16.48, vertikal: 7.81



Serie 1:
 10.6 * 10.4 * 9.9 ↘ 9.6 → 10.3 ↗
 10.3 ↗ 10.2 → 10.9 * 10.5 * 10.6 *
 beste Teiler 93.9 (8.) 898.1 (10.) 965.9 (1.)
 Trefferlage 8.52 mm rechts, 3.59 mm hoch
 Streuwert 12.67, horizontal: 15.87, vertikal: 8.30



Serie 2:
 10.1 ↘ 9.3 → 10.5 * 10.8 * 10.5 *
 10.5 * 10.8 * 10.8 * 10.1 → 10.5 *
 beste Teiler 352.4 (14.) 376.6 (18.) 414.9 (17.)
 Trefferlage 3.91 mm rechts, 5.96 mm hoch
 Streuwert 13.29, horizontal: 17.96, vertikal: 5.54





Serie 3:
 10.2 ↘ 8.9 ↗ 10.1 ↑ 10.2 ↗ 10.6 *
 10.5 * 10.7 * 10.5 * 10.4 * 10.4 *
 beste Teiler 627.4 (27.) 961.9 (25.) 1135.0 (28.)
 Trefferlage 6.81 mm rechts, 13.31 mm hoch
 Streuwert 12.81, horizontal: 16.98, vertikal: 6.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **307.0** (293)
 Serien: 101.4 102.6 103.0
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 4785 (10), 3329 (7), 3319 (16)
 beste Teiler 640.7 (9.) 703.4 (28.) 865.9 (22.)
 Trefferlage 3.78 mm links, 6.05 mm tief
 Streuwert 14.92, horizontal: 14.77, vertikal: 15.06



Serie 1:
 9.9 ↓ 10.0 ↘ 10.3 → 10.4 ← 10.6 *
 10.5 * 9.7 ↓ 10.2 ↓ 10.7 * 9.1 ←
 beste Teiler 640.7 (9.) 979.7 (5.) 1233.6 (6.)
 Trefferlage 7.71 mm links, 7.01 mm tief
 Streuwert 17.08, horizontal: 18.02, vertikal: 16.09





Serie 2:
 10.3 ↓ 10.3 ↓ 10.1 ↘ 10.6 * 10.3 ↓
 9.7 ↙ 9.8 ↘ 10.6 * 10.6 * 10.3 ↙
 beste Teiler 911.5 (18.) 987.4 (14.) 1002.1 (19.)
 Trefferlage 2.23 mm rechts, 12.54 mm tief
 Streuwert 12.31, horizontal: 14.99, vertikal: 8.84




Serie 3:
 10.6 * 10.6 * 10.5 * 10.4 * 9.8 ↑
 10.2 ↓ 10.1 ← 10.7 * 9.9 ↘ 10.2 ↑
 beste Teiler 703.4 (28.) 865.9 (22.) 1004.0 (21.)
 Trefferlage 5.86 mm links, 1.40 mm hoch
 Streuwert 13.70, horizontal: 9.56, vertikal: 16.85

 Unterschrift des Schützen


Ergebnis: **312.2** (300)
 Serien: 104.4 103.8 104.0
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2645 (8), 2583 (7), 2429 (29)
 beste Teiler 230.5 (3.) 316.9 (1.) 373.0 (11.)
 Trefferlage 2.20 mm links, 0.60 mm tief
 Streuwert 11.73, horizontal: 12.00, vertikal: 11.46



Serie 1:
 10.8 * 10.7 * 10.9 * 10.4 ← 10.5 *
 10.1 ↖ 10.0 ↖ 10.0 ↘ 10.3 ↑ 10.7 *
 beste Teiler 230.5 (3.) 316.9 (1.) 715.3 (10.)
 Trefferlage 4.73 mm links, 4.58 mm hoch
 Streuwert 11.40, horizontal: 11.60, vertikal: 11.19





Serie 2:
 10.8 * 10.3 ↙ 10.1 ↘ 10.4 ↖ 10.5 *
 10.3 → 10.3 ↖ 10.3 ↙ 10.2 ↖ 10.6 *
 beste Teiler 373.0 (11.) 877.5 (20.) 1157.6 (15.)
 Trefferlage 2.99 mm links, 2.88 mm tief
 Streuwert 11.92, horizontal: 12.93, vertikal: 10.82




Serie 3:
 10.2 ↓ 10.4 ← 10.7 * 10.4 ↗ 10.4 ↘
 10.5 * 10.5 * 10.7 * 10.1 ↗ 10.1 ↓
 beste Teiler 615.6 (28.) 784.2 (23.) 1195.3 (27.)
 Trefferlage 1.11 mm rechts, 3.50 mm tief
 Streuwert 11.80, horizontal: 11.94, vertikal: 11.65

Unterschrift des Schützen


Ergebnis: **310.0** (299)
 Serien: 103.9 103.3 102.8
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 4921 (28), 2550 (26), 2421 (16)
 beste Teiler 504.1 (21.) 720.1 (30.) 775.0 (7.)
 Trefferlage 2.03 mm links, 0.75 mm tief
 Streuwert 13.53, horizontal: 14.80, vertikal: 12.13



Serie 1:
 10.3 ↘ 10.2 ↓ 10.5 * 10.5 * 10.3 ↗
 10.6 * 10.7 * 10.4 * 10.2 ← 10.2 ↑
 beste Teiler 775.0 (7.) 1054.2 (6.) 1214.1 (4.)
 Trefferlage 1.76 mm links, 1.11 mm hoch
 Streuwert 12.14, horizontal: 11.45, vertikal: 12.79





Serie 2:
 10.1 ← 10.5 * 10.4 ↓ 10.4 ↗ 10.2 ↘
 10.1 → 10.3 ← 10.6 * 10.6 * 10.1 ↗
 beste Teiler 1034.1 (19.) 1078.4 (18.) 1125.7 (12.)
 Trefferlage 2.15 mm links, 0.75 mm hoch
 Streuwert 13.42, horizontal: 15.27, vertikal: 11.26




Serie 3:
 10.8 * 10.4 ↘ 10.2 ↖ 10.2 ← 10.4 →
 10.0 ↖ 10.4 * 9.1 ↘ 10.6 * 10.7 *
 beste Teiler 504.1 (21.) 720.1 (30.) 908.2 (29.)
 Trefferlage 2.16 mm links, 4.15 mm tief
 Streuwert 15.91, horizontal: 18.49, vertikal: 12.83

Unterschrift des Schützen


Ergebnis: **308.3** (292)
 Serien: 102.7 103.1 102.5
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 3536 (2), 3419 (27), 3115 (22)
 beste Teiler 97.2 (25.) 487.1 (10.) 562.4 (21.)
 Trefferlage 0.88 mm links, 8.52 mm hoch
 Streuwert 13.49, horizontal: 12.45, vertikal: 14.46



Serie 1:
 9.9 ↘ 9.6 ↖ 10.7 * 10.3 ← 10.6 *
 10.3 → 9.8 ↗ 10.1 ↙ 10.6 * 10.8 *
 beste Teiler 487.1 (10.) 788.2 (3.) 969.0 (5.)
 Trefferlage 1.44 mm rechts, 5.73 mm hoch
 Streuwert 15.11, horizontal: 15.42, vertikal: 14.79



Serie 2:
 9.8 ↖ 10.4 * 10.2 ↖ 10.4 * 10.3 ↖
 10.6 * 10.3 ↗ 10.5 * 10.3 ← 10.3 ↘
 beste Teiler 972.0 (16.) 1209.6 (18.) 1458.3 (12.)
 Trefferlage 3.61 mm links, 10.55 mm hoch
 Streuwert 10.89, horizontal: 11.28, vertikal: 10.49





Serie 3:
 10.7 * 9.8 ↓ 10.3 ↑ 10.2 ↖ 10.9 *
 9.9 ↖ 9.7 ↖ 9.9 ↗ 10.4 * 10.7 *
 beste Teiler 97.2 (25.) 562.4 (21.) 629.3 (30.)
 Trefferlage 0.48 mm links, 9.26 mm hoch
 Streuwert 15.02, horizontal: 10.96, vertikal: 18.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **309.0** (293)
 Serien: 100.7 104.4 103.9
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 3552 (4), 3490 (9), 3400 (1)
 beste Teiler 270.1 (8.) 346.7 (16.) 497.1 (11.)
 Trefferlage 3.67 mm links, 11.21 mm tief
 Streuwert 11.90, horizontal: 14.19, vertikal: 9.03



Serie 1:
 9.7 ↙ 9.8 ← 10.2 ↙ 9.6 ↘ 9.8 ←
 10.1 ↙ 10.4 ← 10.9 * 9.7 ↘ 10.5 *
 beste Teiler 270.1 (8.) 1374.0 (10.) 1581.7 (7.)
 Trefferlage 9.15 mm links, 14.58 mm tief
 Streuwert 15.11, horizontal: 19.56, vertikal: 8.59



Serie 2:
 10.8 * 9.9 ← 10.4 * 10.4 ↙ 10.3 ↓
 10.8 * 10.5 * 10.1 ↓ 10.7 * 10.5 *
 beste Teiler 346.7 (16.) 497.1 (11.) 650.8 (19.)
 Trefferlage 3.93 mm links, 9.59 mm tief
 Streuwert 9.31, horizontal: 10.95, vertikal: 7.31





Serie 3:
 10.6 * 10.5 * 10.6 * 9.9 ↓ 10.2 ↓
 10.7 * 10.2 ↘ 10.3 ↙ 10.3 → 10.6 *
 beste Teiler 630.0 (26.) 845.7 (23.) 966.3 (30.)
 Trefferlage 2.06 mm rechts, 9.45 mm tief
 Streuwert 9.83, horizontal: 8.74, vertikal: 10.81


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **308.2** (295)
 Serien: 101.3 103.3 103.6
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 4782 (1), 3964 (4), 3058 (23)
 beste Teiler 446.4 (30.) 695.0 (17.) 723.2 (5.)
 Trefferlage 2.68 mm rechts, 5.25 mm tief
 Streuwert 14.55, horizontal: 10.98, vertikal: 17.40



Serie 1:
 9.1 ↘ 9.9 ↘ 10.6 * 9.5 ↓ 10.7 *
 10.4 ↑ 10.2 ↓ 10.3 → 10.3 ↖ 10.3 ↘
 beste Teiler 723.2 (5.) 1104.2 (3.) 1666.2 (6.)
 Trefferlage 5.59 mm rechts, 11.65 mm tief
 Streuwert 16.68, horizontal: 10.05, vertikal: 21.33





Serie 2:
 10.4 * 10.6 * 10.0 ↖ 10.5 * 9.9 ↙
 10.2 ← 10.7 * 10.4 * 10.1 ↑ 10.5 *
 beste Teiler 695.0 (17.) 1029.2 (12.) 1149.2 (20.)
 Trefferlage 5.27 mm links, 1.14 mm tief
 Streuwert 13.22, horizontal: 11.43, vertikal: 14.80




Serie 3:
 10.6 * 10.3 ↘ 9.8 ↗ 10.1 ↘ 10.7 *
 10.3 ↑ 10.6 * 10.1 ↓ 10.3 ↓ 10.8 *
 beste Teiler 446.4 (30.) 771.6 (25.) 861.0 (27.)
 Trefferlage 7.72 mm rechts, 2.96 mm tief
 Streuwert 11.85, horizontal: 6.99, vertikal: 15.23

Unterschrift des Schützen


Ergebnis: **309.6** (298)
 Serien: 103.3 102.1 104.2
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 4827 (1), 3323 (18), 2698 (5)
 beste Teiler 165.3 (2.) 550.2 (9.) 875.3 (25.)
 Trefferlage 4.05 mm rechts, 2.78 mm tief
 Streuwert 13.57, horizontal: 14.96, vertikal: 12.02



Serie 1:
 9.1 ↘ 10.9 * 10.1 ↘ 10.4 * 10.0 ↘
 10.4 * 10.4 ↘ 10.6 * 10.8 * 10.6 *
 beste Teiler 165.3 (2.) 550.2 (9.) 993.1 (8.)
 Trefferlage 7.64 mm rechts, 1.33 mm tief
 Streuwert 14.75, horizontal: 17.18, vertikal: 11.83



Serie 2:
 10.2 ↗ 10.1 ↖ 10.5 * 10.0 ↘ 10.5 *
 10.3 ↘ 10.2 ↗ 9.7 ↘ 10.2 ↘ 10.4 ↖
 beste Teiler 1126.7 (13.) 1156.7 (15.) 1557.6 (20.)
 Trefferlage 2.53 mm rechts, 0.24 mm hoch
 Streuwert 15.68, horizontal: 17.44, vertikal: 13.69





Serie 3:
 10.1 ↘ 10.4 ↙ 10.6 * 10.2 ↘ 10.6 *
 10.3 ↘ 10.4 * 10.6 * 10.6 * 10.4 *
 beste Teiler 875.3 (25.) 971.7 (23.) 998.0 (28.)
 Trefferlage 1.98 mm rechts, 7.27 mm tief
 Streuwert 10.08, horizontal: 9.99, vertikal: 10.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **300** (313.4)
 Serien: 100 100 100
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 2689 (2), 2616 (3), 2570 (4)
 beste Teiler 286.8 (29.) 377.0 (18.) 592.6 (5.)
 Trefferlage 3.30 mm rechts, 0.20 mm hoch
 Streuwert 10.57, horizontal: 11.49, vertikal: 9.55



Serie 1:
 10.6 * 10.0 ↘ 10.0 ↗ 10.0 ↘ 10.7 *
 10.6 * 10.2 ↖ 10.6 * 10.5 * 10.3 ↘
 beste Teiler 592.6 (5.) 904.3 (8.) 917.4 (1.)
 Trefferlage 4.09 mm rechts, 1.00 mm tief
 Streuwert 13.00, horizontal: 15.88, vertikal: 9.27





Serie 2:
 10.5 * 10.6 * 10.6 * 10.5 * 10.4 *
 10.6 * 10.4 ↑ 10.8 * 10.4 → 10.5 *
 beste Teiler 377.0 (18.) 885.4 (16.) 1047.9 (12.)
 Trefferlage 2.13 mm rechts, 1.94 mm hoch
 Streuwert 8.83, horizontal: 7.75, vertikal: 9.79




Serie 3:
 10.3 ↑ 10.3 ↘ 10.3 ↘ 10.6 * 10.6 *
 10.1 → 10.5 * 10.4 * 10.8 * 10.7 *
 beste Teiler 286.8 (29.) 688.2 (30.) 838.8 (25.)
 Trefferlage 3.68 mm rechts, 0.33 mm tief
 Streuwert 10.44, horizontal: 10.55, vertikal: 10.33

Unterschrift des Schützen


Ergebnis: **299** (313.2)
 Serien: 100 100 99
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 3911 (22), 2657 (28), 2593 (25)
 beste Teiler 207.7 (20.) 226.0 (26.) 474.3 (30.)
 Trefferlage 0.34 mm links, 1.66 mm hoch
 Streuwert 11.80, horizontal: 10.55, vertikal: 12.92



Serie 1:
 10.2 ← 10.6 * 10.6 * 10.6 * 10.8 *
 10.6 * 10.5 * 10.6 * 10.3 ↖ 10.5 *
 beste Teiler 491.1 (5.) 952.9 (8.) 957.5 (3.)
 Trefferlage 3.64 mm links, 0.26 mm hoch
 Streuwert 9.02, horizontal: 8.98, vertikal: 9.05



Serie 2:
 10.4 * 10.4 * 10.0 ↑ 10.7 * 10.2 ↗
 10.3 ↘ 10.5 * 10.4 → 10.7 * 10.9 *
 beste Teiler 207.7 (20.) 577.6 (19.) 814.2 (14.)
 Trefferlage 1.78 mm rechts, 2.23 mm hoch
 Streuwert 11.15, horizontal: 8.96, vertikal: 12.98





Serie 3:
 10.8 * 9.5 ↘ 10.1 ↘ 10.5 * 10.0 ↘
 10.9 * 10.1 → 10.0 ↑ 10.7 * 10.8 *
 beste Teiler 226.0 (26.) 474.3 (30.) 496.0 (21.)
 Trefferlage 0.83 mm rechts, 2.49 mm hoch
 Streuwert 15.22, horizontal: 13.38, vertikal: 16.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311.8** (298)
 Serien: 102.9 104.4 104.5
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3077 (4), 2830 (5), 2472 (6)
 beste Teiler 150.3 (1.) 620.0 (11.) 644.8 (24.)
 Trefferlage 3.05 mm links, 1.62 mm tief
 Streuwert 11.77, horizontal: 11.43, vertikal: 12.10



Serie 1:
 10.9 * 10.1 ↖ 10.5 * 9.8 ← 9.9 ↗
 10.1 ↘ 10.6 * 10.2 ↗ 10.3 ↑ 10.5 *
 beste Teiler 150.3 (1.) 1070.2 (7.) 1249.7 (3.)
 Trefferlage 3.68 mm links, 3.60 mm hoch
 Streuwert 14.50, horizontal: 15.15, vertikal: 13.82





Serie 2:
 10.7 * 10.4 ↙ 10.2 ↖ 10.7 * 10.2 ↓
 10.5 * 10.4 * 10.4 * 10.3 ↗ 10.6 *
 beste Teiler 620.0 (11.) 704.9 (14.) 878.2 (20.)
 Trefferlage 0.82 mm links, 2.85 mm tief
 Streuwert 10.72, horizontal: 9.40, vertikal: 11.90




Serie 3:
 10.7 * 10.2 ↓ 10.2 ↖ 10.7 * 10.2 ↗
 10.3 ↓ 10.5 * 10.5 * 10.5 * 10.7 *
 beste Teiler 644.8 (24.) 765.6 (21.) 804.7 (30.)
 Trefferlage 4.65 mm links, 5.61 mm tief
 Streuwert 9.58, horizontal: 9.69, vertikal: 9.47

 Unterschrift des Schützen


Ergebnis: **303.2** (290)
 Serien: 99.4 103.7 100.1
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 4417 (1), 4372 (22), 4301 (23)
 beste Teiler 167.4 (18.) 601.1 (14.) 834.3 (11.)
 Trefferlage 3.52 mm links, 3.26 mm hoch
 Streuwert 18.38, horizontal: 22.47, vertikal: 13.08



Serie 1:
 9.3 ↖ 9.8 ← 10.3 ↗ 10.0 ↓ 9.5 ↘
 10.6 * 9.4 ← 10.6 * 9.5 ← 10.4 *
 beste Teiler 1026.2 (6.) 1112.5 (8.) 1444.2 (10.)
 Trefferlage 20.06 mm links, 2.99 mm hoch
 Streuwert 16.82, horizontal: 18.43, vertikal: 15.04





Serie 2:
 10.7 * 10.4 ↓ 10.3 → 10.7 * 10.1 →
 10.3 → 9.6 → 10.9 * 10.3 ← 10.4 *
 beste Teiler 167.4 (18.) 601.1 (14.) 834.3 (11.)
 Trefferlage 5.75 mm rechts, 1.07 mm hoch
 Streuwert 13.03, horizontal: 16.38, vertikal: 8.43




Serie 3:
 10.2 ↑ 9.3 ↘ 9.3 → 10.6 * 10.1 ↗
 10.3 ↘ 9.8 ↘ 10.6 * 10.2 ↓ 9.7 →
 beste Teiler 983.8 (24.) 1047.9 (28.) 1759.4 (26.)
 Trefferlage 3.73 mm rechts, 5.72 mm hoch
 Streuwert 20.03, horizontal: 23.68, vertikal: 15.56

 Unterschrift des Schützen


Ergebnis: **314.0** (299)
 Serien: 104.0 105.0 105.0
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 4955 (7), 2688 (13), 2440 (28)
 beste Teiler 15.2 (12.) 231.4 (9.) 428.1 (6.)
 Trefferlage 0.35 mm links, 3.00 mm tief
 Streuwert 11.62, horizontal: 14.30, vertikal: 8.10



Serie 1:
 10.6 * 10.6 * 10.4 * 10.1 ↘ 10.7 *
 10.8 * 9.1 ← 10.5 * 10.9 * 10.3 ↓
 beste Teiler 231.4 (9.) 428.1 (6.) 601.8 (5.)
 Trefferlage 3.37 mm links, 7.46 mm tief
 Streuwert 13.57, horizontal: 18.17, vertikal: 6.18





Serie 2:
 10.3 ↖ 10.9 * 10.0 ↙ 10.6 * 10.3 ↖
 10.7 * 10.5 * 10.5 * 10.4 → 10.8 *
 beste Teiler 15.2 (12.) 453.5 (20.) 715.4 (16.)
 Trefferlage 4.09 mm links, 1.19 mm hoch
 Streuwert 10.35, horizontal: 12.17, vertikal: 8.14




Serie 3:
 10.7 * 10.6 * 10.3 ↗ 10.7 * 10.7 *
 10.4 * 10.7 * 10.1 → 10.5 * 10.3 ↘
 beste Teiler 733.2 (21.) 755.8 (27.) 780.9 (25.)
 Trefferlage 6.41 mm rechts, 2.73 mm tief
 Streuwert 9.20, horizontal: 10.21, vertikal: 8.07

Unterschrift des Schützen


Ergebnis: **313.0** (298)
 Serien: 105.7 104.5 102.8
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 3967 (21), 2829 (27), 2611 (17)
 beste Teiler 40.3 (18.) 63.5 (5.) 95.4 (11.)
 Trefferlage 1.67 mm links, 3.80 mm hoch
 Streuwert 11.66, horizontal: 9.21, vertikal: 13.67



Serie 1:
 10.8 * 10.2 ← 10.4 ↓ 10.6 * 10.9 *
 10.2 ↘ 10.7 * 10.7 * 10.6 * 10.6 *
 beste Teiler 63.5 (5.) 431.2 (1.) 557.3 (7.)
 Trefferlage 4.70 mm links, 0.16 mm hoch
 Streuwert 8.57, horizontal: 8.26, vertikal: 8.86





Serie 2:
 10.9 * 10.5 * 10.4 ↑ 10.7 * 10.2 →
 10.6 * 10.0 ↓ 10.9 * 10.0 ↑ 10.3 ↘
 beste Teiler 40.3 (18.) 95.4 (11.) 583.6 (14.)
 Trefferlage 3.02 mm rechts, 1.04 mm hoch
 Streuwert 12.02, horizontal: 9.20, vertikal: 14.28




Serie 3:
 9.5 ↑ 10.5 * 10.4 * 10.6 * 10.5 *
 10.4 ↙ 9.9 ↑ 10.4 * 10.4 ↘ 10.2 ↖
 beste Teiler 928.9 (24.) 1150.3 (25.) 1205.9 (22.)
 Trefferlage 3.33 mm links, 10.21 mm hoch
 Streuwert 12.91, horizontal: 9.09, vertikal: 15.84

 Unterschrift des Schützen


Ergebnis: **310.2** (295)
 Serien: 102.3 103.7 104.2
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 4016 (6), 3820 (13), 3449 (8)
 beste Teiler 313.5 (3.) 322.7 (15.) 498.0 (9.)
 Trefferlage 2.11 mm links, 1.06 mm hoch
 Streuwert 14.63, horizontal: 15.63, vertikal: 13.55



Serie 1:
 10.6 * 10.2 ↓ 10.8 * 10.2 ↗ 10.7 *
 9.5 ← 9.7 ↘ 9.7 ↖ 10.8 * 10.1 ↗
 beste Teiler 313.5 (3.) 498.0 (9.) 824.6 (5.)
 Trefferlage 3.77 mm links, 2.09 mm hoch
 Streuwert 17.46, horizontal: 17.64, vertikal: 17.29





Serie 2:
 10.0 ↗ 10.7 * 9.5 ← 10.7 * 10.8 *
 10.1 ↖ 10.8 * 10.8 * 10.3 ← 10.0 ↘
 beste Teiler 322.7 (15.) 530.2 (17.) 555.0 (18.)
 Trefferlage 3.69 mm links, 2.83 mm hoch
 Streuwert 14.19, horizontal: 16.68, vertikal: 11.16




Serie 3:
 10.7 * 10.4 ↑ 10.6 * 10.7 * 10.0 ↓
 10.6 * 10.2 ← 9.8 → 10.6 * 10.6 *
 beste Teiler 681.5 (24.) 824.9 (21.) 888.2 (23.)
 Trefferlage 1.12 mm rechts, 1.74 mm tief
 Streuwert 12.94, horizontal: 13.41, vertikal: 12.45

Unterschrift des Schützen


Ergebnis: **308.2** (295)
 Serien: 103.6 101.5 103.1
 Zähler: 26 3 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 6492 (13), 3239 (8), 3177 (22)
 beste Teiler 110.3 (4.) 641.4 (15.) 647.2 (3.)
 Trefferlage 2.30 mm rechts, 1.31 mm tief
 Streuwert 15.75, horizontal: 15.48, vertikal: 16.02



Serie 1:
 10.3 ↖ 10.3 ↗ 10.7 * 10.9 * 10.3 ↓
 10.3 ↑ 10.4 * 9.8 ↓ 9.9 ↘ 10.7 *
 beste Teiler 110.3 (4.) 647.2 (3.) 774.8 (10.)
 Trefferlage 2.92 mm links, 0.90 mm hoch
 Streuwert 13.68, horizontal: 10.71, vertikal: 16.11





Serie 2:
 10.6 * 10.2 ↓ 8.5 → 10.4 * 10.7 *
 10.4 * 10.2 ↑ 10.4 * 10.0 ↑ 10.1 ↖
 beste Teiler 641.4 (15.) 1014.0 (11.) 1440.2 (18.)
 Trefferlage 6.52 mm rechts, 4.02 mm hoch
 Streuwert 19.18, horizontal: 21.74, vertikal: 16.23




Serie 3:
 10.4 → 9.8 ↓ 10.2 ↑ 10.4 ↓ 10.1 ↘
 10.5 * 10.7 * 10.0 ↙ 10.4 * 10.6 *
 beste Teiler 805.9 (27.) 1047.9 (30.) 1358.2 (26.)
 Trefferlage 3.32 mm rechts, 8.86 mm tief
 Streuwert 12.99, horizontal: 11.57, vertikal: 14.27

Unterschrift des Schützen


Ergebnis: **312.6** (296)
 Serien: 102.5 105.3 104.8
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 3781 (25), 3084 (4), 2877 (3)
 beste Teiler 405.2 (5.) 437.8 (16.) 446.5 (30.)
 Trefferlage 2.39 mm rechts, 1.73 mm hoch
 Streuwert 12.18, horizontal: 11.22, vertikal: 13.06



Serie 1:
 9.9 ↑ 10.0 ↘ 9.9 ↘ 9.8 ↓ 10.8 *
 10.5 * 10.7 * 10.4 * 10.5 * 10.0 →
 beste Teiler 405.2 (5.) 708.4 (7.) 1231.2 (9.)
 Trefferlage 0.96 mm rechts, 4.92 mm hoch
 Streuwert 15.56, horizontal: 13.85, vertikal: 17.10





Serie 2:
 10.5 * 10.4 → 10.4 ↗ 10.8 * 10.5 *
 10.8 * 10.3 ↓ 10.4 ↙ 10.5 * 10.7 *
 beste Teiler 437.8 (16.) 480.6 (14.) 707.3 (20.)
 Trefferlage 3.94 mm rechts, 0.36 mm hoch
 Streuwert 9.29, horizontal: 7.69, vertikal: 10.65




Serie 3:
 10.3 ↙ 10.4 * 10.6 * 10.6 * 9.5 ↘
 10.7 * 10.5 * 10.8 * 10.6 * 10.8 *
 beste Teiler 446.5 (30.) 513.2 (28.) 794.6 (26.)
 Trefferlage 2.27 mm rechts, 0.07 mm tief
 Streuwert 11.76, horizontal: 12.23, vertikal: 11.28

Unterschrift des Schützen


Ergebnis: **315.8** (300)
 Serien: 105.5 105.3 105.0
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 2504 (8), 2374 (2), 1962 (22)
 beste Teiler 197.3 (17.) 223.9 (9.) 333.1 (28.)
 Trefferlage 0.45 mm rechts, 0.62 mm tief
 Streuwert 9.51, horizontal: 8.28, vertikal: 10.59



Serie 1:
 10.5 * 10.1 ↑ 10.8 * 10.3 ↘ 10.7 *
 10.6 * 10.8 * 10.0 ↖ 10.9 * 10.8 *
 beste Teiler 223.9 (9.) 432.3 (3.) 494.5 (7.)
 Trefferlage 1.02 mm links, 0.23 mm tief
 Streuwert 10.11, horizontal: 8.29, vertikal: 11.65





Serie 2:
 10.6 * 10.3 ↙ 10.4 * 10.6 * 10.4 *
 10.6 * 10.9 * 10.7 * 10.3 → 10.5 *
 beste Teiler 197.3 (17.) 715.7 (18.) 987.5 (11.)
 Trefferlage 1.39 mm rechts, 1.80 mm tief
 Streuwert 9.22, horizontal: 9.31, vertikal: 9.13




Serie 3:
 10.6 * 10.2 → 10.5 * 10.7 * 10.3 ↓
 10.4 ↓ 10.6 * 10.8 * 10.5 * 10.4 *
 beste Teiler 333.1 (28.) 700.6 (24.) 995.1 (27.)
 Trefferlage 0.97 mm rechts, 0.17 mm hoch
 Streuwert 10.03, horizontal: 7.84, vertikal: 11.83

Unterschrift des Schützen


Ergebnis: **314.9** (300)
 Serien: 104.2 105.2 105.5
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 2415 (8), 2255 (9), 2066 (5)
 beste Teiler 402.8 (3.) 450.5 (25.) 493.9 (14.)
 Trefferlage 0.88 mm rechts, 0.90 mm hoch
 Streuwert 9.87, horizontal: 10.91, vertikal: 8.71



Serie 1:
 10.6 * 10.7 * 10.8 * 10.2 ↘ 10.2 ↖
 10.6 * 10.5 * 10.1 ↗ 10.1 ← 10.4 ↗
 beste Teiler 402.8 (3.) 786.4 (2.) 993.7 (1.)
 Trefferlage 0.28 mm links, 2.38 mm hoch
 Streuwert 11.94, horizontal: 12.88, vertikal: 10.91



Serie 2:
 10.7 * 10.5 * 10.4 * 10.8 * 10.5 *
 10.3 → 10.5 * 10.5 * 10.4 * 10.6 *
 beste Teiler 493.9 (14.) 570.7 (11.) 970.3 (20.)
 Trefferlage 5.60 mm rechts, 1.27 mm hoch
 Streuwert 8.35, horizontal: 8.51, vertikal: 8.19





Serie 3:
 10.6 * 10.4 → 10.6 * 10.7 * 10.8 *
 10.4 ↙ 10.8 * 10.5 * 10.5 * 10.2 ↖
 beste Teiler 450.5 (25.) 556.7 (27.) 690.3 (24.)
 Trefferlage 2.67 mm links, 0.94 mm tief
 Streuwert 8.86, horizontal: 10.25, vertikal: 7.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306.0** (295)
 Serien: 101.8 102.1 102.1
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 5064 (24), 3693 (8), 3174 (7)
 beste Teiler 265.4 (21.) 359.3 (5.) 514.2 (20.)
 Trefferlage 2.47 mm rechts, 4.95 mm tief
 Streuwert 16.07, horizontal: 15.70, vertikal: 16.44



Serie 1:
 10.5 * 9.8 ↘ 10.0 ↖ 10.2 ↓ 10.8 *
 10.6 * 9.8 ↙ 9.6 ↘ 10.0 ↓ 10.5 *
 beste Teiler 359.3 (5.) 910.1 (6.) 1363.5 (10.)
 Trefferlage 2.20 mm links, 10.75 mm tief
 Streuwert 15.53, horizontal: 13.93, vertikal: 16.97





Serie 2:
 10.4 ↖ 10.0 ← 9.8 ↘ 10.1 ↗ 10.1 →
 10.2 → 10.4 * 10.2 ↗ 10.1 ↑ 10.8 *
 beste Teiler 514.2 (20.) 1424.7 (17.) 1605.5 (11.)
 Trefferlage 4.14 mm rechts, 4.41 mm hoch
 Streuwert 15.39, horizontal: 16.97, vertikal: 13.62




Serie 3:
 10.9 * 10.1 → 10.5 * 9.0 ↘ 10.6 *
 10.3 ↘ 10.1 ↓ 10.0 ← 10.5 * 10.1 →
 beste Teiler 265.4 (21.) 1001.5 (25.) 1239.8 (29.)
 Trefferlage 5.49 mm rechts, 8.51 mm tief
 Streuwert 16.16, horizontal: 16.57, vertikal: 15.74

Unterschrift des Schützen


Ergebnis: **314.4** (299)
 Serien: 105.0 104.9 104.5
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 3244 (22), 2642 (9), 2191 (4)
 beste Teiler 234.9 (2.) 326.3 (7.) 566.4 (28.)
 Trefferlage 2.16 mm rechts, 3.58 mm tief
 Streuwert 10.30, horizontal: 11.67, vertikal: 8.70



Serie 1:
 10.6 * 10.9 * 10.6 * 10.2 ↘ 10.5 *
 10.5 * 10.8 * 10.5 * 10.0 → 10.4 ↖
 beste Teiler 234.9 (2.) 326.3 (7.) 868.5 (3.)
 Trefferlage 5.72 mm rechts, 1.51 mm tief
 Streuwert 10.01, horizontal: 11.62, vertikal: 8.08





Serie 2:
 10.3 → 10.6 * 10.2 ↓ 10.2 ↘ 10.3 ↖
 10.7 * 10.6 * 10.6 * 10.7 * 10.7 *
 beste Teiler 646.9 (19.) 681.5 (20.) 683.1 (16.)
 Trefferlage 1.87 mm rechts, 5.82 mm tief
 Streuwert 9.48, horizontal: 11.04, vertikal: 7.61




Serie 3:
 10.7 * 9.8 ↘ 10.4 * 10.2 ↖ 10.6 *
 10.7 * 10.7 * 10.7 * 10.4 * 10.3 ←
 beste Teiler 566.4 (28.) 605.9 (21.) 644.9 (26.)
 Trefferlage 1.10 mm links, 3.41 mm tief
 Streuwert 11.55, horizontal: 12.50, vertikal: 10.51

Unterschrift des Schützen


Ergebnis: **312.9** (300)
 Serien: 104.5 103.3 105.1
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2779 (15), 2728 (14), 2508 (11)
 beste Teiler 323.0 (19.) 332.7 (22.) 533.6 (21.)
 Trefferlage 2.85 mm rechts, 1.76 mm tief
 Streuwert 11.37, horizontal: 13.48, vertikal: 8.77



Serie 1:
 10.6 * 10.7 * 10.2 ↖ 10.4 * 10.7 *
 10.6 * 10.2 ↓ 10.5 * 10.5 * 10.1 ↗
 beste Teiler 594.9 (5.) 687.6 (2.) 1015.4 (1.)
 Trefferlage 2.24 mm rechts, 2.43 mm tief
 Streuwert 11.09, horizontal: 10.40, vertikal: 11.74





Serie 2:
 10.0 → 10.6 * 10.8 * 10.0 → 10.0 →
 10.1 ← 10.5 * 10.4 → 10.8 * 10.1 ↙
 beste Teiler 323.0 (19.) 541.0 (13.) 871.9 (12.)
 Trefferlage 5.56 mm rechts, 2.21 mm tief
 Streuwert 13.83, horizontal: 18.21, vertikal: 7.15




Serie 3:
 10.8 * 10.8 * 10.5 * 10.3 ↖ 10.4 ↘
 10.6 * 10.4 * 10.4 ← 10.6 * 10.3 →
 beste Teiler 332.7 (22.) 533.6 (21.) 915.1 (29.)
 Trefferlage 0.75 mm rechts, 0.65 mm tief
 Streuwert 9.73, horizontal: 11.51, vertikal: 7.55

Unterschrift des Schützen


Ergebnis: **308.9** (292)
 Serien: 99.6 103.7 105.6
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3755 (16), 3559 (1), 3356 (2)
 beste Teiler 330.9 (11.) 444.0 (29.) 522.0 (21.)
 Trefferlage 10.37 mm rechts, 5.53 mm hoch
 Streuwert 12.31, horizontal: 12.84, vertikal: 11.75



Serie 1:
 9.6 ↘ 9.7 ↖ 9.8 ↗ 10.1 → 10.5 *
 9.8 ↑ 9.9 → 10.5 * 9.9 ↗ 9.8 →
 beste Teiler 1251.0 (8.) 1343.7 (5.) 2247.1 (4.)
 Trefferlage 16.24 mm rechts, 10.19 mm hoch
 Streuwert 15.64, horizontal: 15.50, vertikal: 15.77





Serie 2:
 10.8 * 10.5 * 10.0 ↗ 10.4 → 10.7 *
 9.6 → 10.5 * 10.2 ↑ 10.7 * 10.3 →
 beste Teiler 330.9 (11.) 699.0 (15.) 705.9 (19.)
 Trefferlage 10.92 mm rechts, 5.46 mm hoch
 Streuwert 10.53, horizontal: 11.94, vertikal: 8.91




Serie 3:
 10.8 * 10.7 * 10.4 * 10.5 * 10.7 *
 10.5 * 10.5 * 10.2 → 10.8 * 10.5 *
 beste Teiler 444.0 (29.) 522.0 (21.) 598.0 (22.)
 Trefferlage 3.96 mm rechts, 0.93 mm hoch
 Streuwert 8.17, horizontal: 8.02, vertikal: 8.31

Unterschrift des Schützen


Ergebnis: **314.5** (298)
 Serien: 103.9 104.7 105.9
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 3574 (11), 3512 (4), 2509 (3)
 beste Teiler 37.0 (22.) 262.1 (20.) 285.0 (24.)
 Trefferlage 3.42 mm links, 2.79 mm hoch
 Streuwert 10.71, horizontal: 11.15, vertikal: 10.26



Serie 1:
 10.1 ↑ 10.6 * 10.0 ↘ 9.7 ↘ 10.3 ↘
 10.4 ↙ 10.8 * 10.7 * 10.6 * 10.7 *
 beste Teiler 470.9 (7.) 674.8 (10.) 782.9 (8.)
 Trefferlage 6.30 mm links, 6.59 mm hoch
 Streuwert 11.72, horizontal: 9.13, vertikal: 13.83





Serie 2:
 9.6 ↘ 10.3 ← 10.7 * 10.6 * 10.8 *
 10.5 * 10.7 * 10.2 → 10.4 * 10.9 *
 beste Teiler 262.1 (20.) 415.9 (15.) 648.2 (13.)
 Trefferlage 2.92 mm links, 0.78 mm hoch
 Streuwert 11.64, horizontal: 14.12, vertikal: 8.46




Serie 3:
 10.3 ↗ 10.9 * 10.2 ↘ 10.8 * 10.6 *
 10.7 * 10.3 ↙ 10.8 * 10.5 * 10.8 *
 beste Teiler 37.0 (22.) 285.0 (24.) 432.0 (28.)
 Trefferlage 1.04 mm links, 1.00 mm hoch
 Streuwert 8.78, horizontal: 10.11, vertikal: 7.20

Unterschrift des Schützen


Ergebnis: **312.1** (299)
 Serien: 104.5 102.9 104.7
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 2894 (11), 2665 (13), 2397 (25)
 beste Teiler 332.8 (21.) 458.6 (27.) 530.9 (18.)
 Trefferlage 5.50 mm rechts, 1.68 mm tief
 Streuwert 11.01, horizontal: 10.65, vertikal: 11.36



Serie 1:
 10.6 * 10.4 * 10.4 * 10.4 * 10.3 ↘
 10.5 * 10.7 * 10.6 * 10.3 ↘ 10.3 ↘
 beste Teiler 799.7 (7.) 990.3 (8.) 1079.1 (1.)
 Trefferlage 2.88 mm rechts, 5.78 mm tief
 Streuwert 9.41, horizontal: 9.64, vertikal: 9.17





Serie 2:
 9.9 → 10.4 * 10.0 ↙ 10.6 * 10.3 ↘
 10.1 ↘ 10.3 ↗ 10.8 * 10.3 ↗ 10.2 →
 beste Teiler 530.9 (18.) 1082.7 (14.) 1529.8 (12.)
 Trefferlage 5.79 mm rechts, 0.27 mm hoch
 Streuwert 13.93, horizontal: 15.03, vertikal: 12.73




Serie 3:
 10.8 * 10.3 ↗ 10.3 ↗ 10.7 * 10.1 ↓
 10.2 ↘ 10.8 * 10.3 → 10.6 * 10.6 *
 beste Teiler 332.8 (21.) 458.6 (27.) 702.4 (24.)
 Trefferlage 7.83 mm rechts, 0.46 mm hoch
 Streuwert 9.33, horizontal: 5.70, vertikal: 11.90

Unterschrift des Schützen


Ergebnis: **314.8** (299)
 Serien: 105.2 105.3 104.3
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 2801 (4), 2716 (24), 2383 (9)
 beste Teiler 348.4 (19.) 364.7 (12.) 399.9 (21.)
 Trefferlage 1.68 mm rechts, 0.06 mm tief
 Streuwert 10.43, horizontal: 8.94, vertikal: 11.73



Serie 1:
 10.8 * 10.4 ↘ 10.5 * 9.9 ↗ 10.8 *
 10.7 * 10.5 * 10.7 * 10.1 ↓ 10.8 *
 beste Teiler 437.2 (10.) 479.6 (5.) 540.9 (1.)
 Trefferlage 5.67 mm rechts, 0.76 mm tief
 Streuwert 9.93, horizontal: 9.29, vertikal: 10.52





Serie 2:
 10.3 ↘ 10.8 * 10.4 * 10.7 * 10.6 *
 10.7 * 10.5 * 10.3 ↗ 10.8 * 10.2 ↙
 beste Teiler 348.4 (19.) 364.7 (12.) 703.6 (16.)
 Trefferlage 0.25 mm links, 2.68 mm tief
 Streuwert 9.46, horizontal: 9.96, vertikal: 8.93




Serie 3:
 10.8 * 10.4 * 10.8 * 10.0 ↖ 10.4 ↗
 10.4 * 10.1 ↑ 10.7 * 10.3 ↑ 10.4 *
 beste Teiler 399.9 (21.) 483.3 (23.) 834.7 (28.)
 Trefferlage 0.38 mm links, 3.24 mm hoch
 Streuwert 11.79, horizontal: 6.74, vertikal: 15.25

Unterschrift des Schützen


Ergebnis: **309.7** (294)
 Serien: 103.8 100.2 105.7
 Zähler: 25 4 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 5545 (11), 4016 (10), 4016 (13)
 beste Teiler 311.3 (20.) 465.0 (27.) 599.3 (28.)
 Trefferlage 9.01 mm links, 4.23 mm hoch
 Streuwert 13.22, horizontal: 15.45, vertikal: 10.52



Serie 1:
 10.7 * 10.6 * 10.5 * 10.6 * 10.7 *
 10.6 * 10.7 * 10.1 ↖ 9.8 ← 9.5 ↖
 beste Teiler 669.5 (1.) 697.0 (7.) 779.7 (5.)
 Trefferlage 10.91 mm links, 0.97 mm hoch
 Streuwert 11.71, horizontal: 14.00, vertikal: 8.84





Serie 2:
 8.8 ↖ 9.8 ↑ 9.5 ↖ 10.2 ↖ 10.1 ←
 10.0 ← 10.2 ← 10.4 ↖ 10.4 ← 10.8 *
 beste Teiler 311.3 (20.) 1580.0 (18.) 1656.1 (19.)
 Trefferlage 18.29 mm links, 11.08 mm hoch
 Streuwert 14.17, horizontal: 14.95, vertikal: 13.34




Serie 3:
 10.6 * 10.6 * 10.3 ↗ 10.5 * 10.5 *
 10.4 * 10.8 * 10.7 * 10.6 * 10.7 *
 beste Teiler 465.0 (27.) 599.3 (28.) 801.8 (30.)
 Trefferlage 2.16 mm rechts, 0.62 mm hoch
 Streuwert 8.17, horizontal: 10.55, vertikal: 4.72

Unterschrift des Schützen


Ergebnis: **306.6** (293)
 Serien: 102.5 103.3 100.8
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 4511 (27), 3693 (12), 3669 (21)
 beste Teiler 294.4 (15.) 460.4 (26.) 886.8 (9.)
 Trefferlage 1.29 mm links, 0.30 mm tief
 Streuwert 15.91, horizontal: 14.06, vertikal: 17.57



Serie 1:
 10.4 * 10.3 ↓ 10.5 * 10.5 * 10.1 ↖
 9.9 ← 10.1 ↗ 10.2 ↑ 10.6 * 9.9 ↙
 beste Teiler 886.8 (9.) 1230.3 (3.) 1374.0 (4.)
 Trefferlage 6.73 mm links, 0.62 mm hoch
 Streuwert 14.28, horizontal: 12.64, vertikal: 15.75





Serie 2:
 10.5 * 9.6 ↓ 10.4 ↖ 10.1 ← 10.8 *
 10.5 * 10.3 ↓ 10.2 ↙ 10.5 * 10.4 ←
 beste Teiler 294.4 (15.) 1117.3 (11.) 1218.7 (19.)
 Trefferlage 1.85 mm links, 5.04 mm tief
 Streuwert 13.62, horizontal: 13.14, vertikal: 14.09




Serie 3:
 9.6 ↗ 10.1 → 9.9 ↓ 10.1 ↖ 10.3 ↗
 10.8 * 9.3 ↖ 10.5 * 10.4 ↘ 9.8 ↓
 beste Teiler 460.4 (26.) 1196.9 (28.) 1660.2 (29.)
 Trefferlage 4.71 mm rechts, 3.50 mm hoch
 Streuwert 19.19, horizontal: 15.20, vertikal: 22.49

Unterschrift des Schützen


Ergebnis: **314.0** (299)
 Serien: 105.1 104.6 104.3
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3005 (25), 2642 (1), 2500 (21)
 beste Teiler 112.0 (22.) 387.6 (10.) 414.4 (19.)
 Trefferlage 2.77 mm rechts, 2.91 mm tief
 Streuwert 10.65, horizontal: 11.26, vertikal: 10.01



Serie 1:
 10.0 → 10.1 ↓ 10.3 ↖ 10.4 → 10.7 *
 10.6 * 10.7 * 10.8 * 10.7 * 10.8 *
 beste Teiler 387.6 (10.) 514.0 (8.) 600.5 (7.)
 Trefferlage 4.45 mm rechts, 1.48 mm tief
 Streuwert 9.91, horizontal: 11.58, vertikal: 7.91





Serie 2:
 10.7 * 10.8 * 10.6 * 10.3 ↘ 10.3 ↘
 10.5 * 10.1 → 10.4 ↓ 10.8 * 10.1 ↖
 beste Teiler 414.4 (19.) 524.7 (12.) 743.4 (11.)
 Trefferlage 1.76 mm rechts, 0.58 mm tief
 Streuwert 11.15, horizontal: 11.09, vertikal: 11.21




Serie 3:
 10.1 ↘ 10.9 * 10.3 ↖ 10.6 * 9.9 ↘
 10.6 * 10.6 * 10.3 ↘ 10.3 ↘ 10.7 *
 beste Teiler 112.0 (22.) 674.9 (30.) 891.3 (24.)
 Trefferlage 2.09 mm rechts, 6.68 mm tief
 Streuwert 11.34, horizontal: 12.11, vertikal: 10.52

Unterschrift des Schützen


Ergebnis: **309.1** (295)
 Serien: 103.9 102.8 102.4
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 4577 (21), 4500 (11), 3017 (28)
 beste Teiler 244.3 (20.) 466.0 (29.) 582.7 (27.)
 Trefferlage 6.23 mm rechts, 3.15 mm tief
 Streuwert 14.18, horizontal: 14.85, vertikal: 13.49



Serie 1:
 10.5 * 10.7 * 10.6 * 10.4 * 10.1 →
 10.7 * 10.4 ↗ 10.1 ↗ 9.9 ↘ 10.5 *
 beste Teiler 760.1 (6.) 763.9 (2.) 894.0 (3.)
 Trefferlage 6.10 mm rechts, 0.40 mm hoch
 Streuwert 12.16, horizontal: 11.39, vertikal: 12.89





Serie 2:
 9.3 ↘ 10.3 ↗ 10.4 * 10.6 * 10.2 →
 10.5 * 9.9 ← 10.5 * 10.2 ↘ 10.9 *
 beste Teiler 244.3 (20.) 974.3 (14.) 1156.6 (16.)
 Trefferlage 0.56 mm rechts, 4.47 mm tief
 Streuwert 16.00, horizontal: 16.54, vertikal: 15.43




Serie 3:
 9.2 ↘ 10.2 ↗ 10.1 ↘ 10.0 → 10.3 ↘
 10.5 * 10.7 * 9.9 ↘ 10.8 * 10.7 *
 beste Teiler 466.0 (29.) 582.7 (27.) 607.1 (30.)
 Trefferlage 12.03 mm rechts, 5.39 mm tief
 Streuwert 14.04, horizontal: 15.29, vertikal: 12.67

Unterschrift des Schützen


Ergebnis: **312.4** (298)
 Serien: 103.9 106.2 102.3
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 3075 (26), 3065 (29), 2362 (22)
 beste Teiler 77.0 (17.) 207.4 (18.) 362.4 (14.)
 Trefferlage 3.91 mm rechts, 5.66 mm hoch
 Streuwert 11.02, horizontal: 13.12, vertikal: 8.41



Serie 1:
 10.4 ↗ 10.5 * 10.3 ↗ 10.1 ↖ 10.2 →
 10.7 * 10.5 * 10.1 ↖ 10.4 ↗ 10.7 *
 beste Teiler 616.2 (10.) 829.7 (6.) 1269.3 (7.)
 Trefferlage 1.77 mm rechts, 8.45 mm hoch
 Streuwert 10.60, horizontal: 13.24, vertikal: 7.03



Serie 2:
 10.2 ↗ 10.8 * 10.4 * 10.8 * 10.8 *
 10.2 ↖ 10.9 * 10.9 * 10.6 * 10.6 *
 beste Teiler 77.0 (17.) 207.4 (18.) 362.4 (14.)
 Trefferlage 0.33 mm links, 6.02 mm hoch
 Streuwert 7.13, horizontal: 5.43, vertikal: 8.49





Serie 3:
 10.2 → 10.1 ↘ 10.4 * 10.2 ↖ 10.7 *
 9.8 → 10.4 → 10.2 ↗ 9.8 → 10.5 *
 beste Teiler 767.0 (25.) 1360.1 (30.) 1428.1 (23.)
 Trefferlage 10.31 mm rechts, 2.52 mm hoch
 Streuwert 13.52, horizontal: 16.71, vertikal: 9.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **310.2** (295)
 Serien: 103.2 103.8 103.2
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3969 (30), 3486 (3), 3399 (13)
 beste Teiler 296.4 (19.) 506.2 (7.) 550.1 (29.)
 Trefferlage 2.94 mm links, 0.75 mm hoch
 Streuwert 13.60, horizontal: 12.69, vertikal: 14.46



Serie 1:
 10.4 ↙ 10.7 * 9.7 ↘ 10.3 ↗ 10.3 ↘
 10.3 ↘ 10.8 * 9.9 ↘ 10.5 * 10.3 ↗
 beste Teiler 506.2 (7.) 702.1 (2.) 1189.8 (9.)
 Trefferlage 10.77 mm links, 5.15 mm hoch
 Streuwert 11.40, horizontal: 11.75, vertikal: 11.05





Serie 2:
 10.5 * 10.4 ↘ 9.7 ↘ 10.1 ↘ 10.3 →
 10.6 * 10.5 * 10.5 * 10.8 * 10.4 →
 beste Teiler 296.4 (19.) 1050.0 (16.) 1150.5 (18.)
 Trefferlage 1.14 mm rechts, 5.83 mm hoch
 Streuwert 12.22, horizontal: 12.81, vertikal: 11.59




Serie 3:
 10.0 ↙ 10.6 * 10.5 * 10.2 ↓ 9.8 ↓
 10.5 * 10.7 * 10.6 * 10.8 * 9.5 ↘
 beste Teiler 550.1 (29.) 617.3 (27.) 957.4 (28.)
 Trefferlage 0.81 mm rechts, 8.72 mm tief
 Streuwert 13.82, horizontal: 10.71, vertikal: 16.35

Unterschrift des Schützen


Ergebnis: **309.7** (300)
 Serien: 103.4 103.8 102.5
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2638 (13), 2566 (1), 2512 (18)
 beste Teiler 484.5 (12.) 590.2 (17.) 791.7 (8.)
 Trefferlage 4.39 mm links, 1.47 mm hoch
 Streuwert 12.89, horizontal: 13.14, vertikal: 12.64



Serie 1:
 10.0 ← 10.1 ← 10.4 * 10.4 ↑ 10.2 ↗
 10.5 * 10.4 * 10.7 * 10.4 * 10.3 ↘
 beste Teiler 791.7 (8.) 1215.9 (6.) 1467.6 (9.)
 Trefferlage 8.34 mm links, 4.53 mm hoch
 Streuwert 11.27, horizontal: 11.33, vertikal: 11.20





Serie 2:
 10.1 ↘ 10.8 * 10.0 ↖ 10.2 ✓ 10.5 *
 10.5 * 10.7 * 10.0 ↖ 10.6 * 10.4 ↘
 beste Teiler 484.5 (12.) 590.2 (17.) 922.2 (19.)
 Trefferlage 3.23 mm links, 1.33 mm tief
 Streuwert 12.64, horizontal: 10.56, vertikal: 14.41




Serie 3:
 10.5 * 10.3 ↖ 10.1 ↙ 10.2 ← 10.4 ↘
 10.2 → 10.5 * 10.1 ← 10.1 ↑ 10.1 ↘
 beste Teiler 1200.3 (27.) 1290.2 (21.) 1630.3 (25.)
 Trefferlage 1.61 mm links, 1.23 mm hoch
 Streuwert 15.03, horizontal: 17.00, vertikal: 12.76

Unterschrift des Schützen


Ergebnis: **308.5** (297)
 Serien: 102.9 101.3 104.3
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3562 (20), 3358 (19), 2997 (21)
 beste Teiler 395.2 (27.) 415.9 (28.) 576.5 (22.)
 Trefferlage 0.94 mm rechts, 5.78 mm hoch
 Streuwert 13.85, horizontal: 14.51, vertikal: 13.16



Serie 1:
 10.7 * 10.6 * 10.4 * 10.1 ↑ 10.1 ↗
 10.6 * 10.0 ↗ 10.0 ↘ 10.1 ↗ 10.3 →
 beste Teiler 595.2 (1.) 1074.5 (2.) 1076.1 (6.)
 Trefferlage 6.87 mm rechts, 8.97 mm hoch
 Streuwert 11.61, horizontal: 12.84, vertikal: 10.23



Serie 2:
 10.4 * 10.1 ↖ 10.1 ↖ 10.3 ← 10.5 *
 10.0 ↘ 10.5 * 10.1 ↓ 9.7 ↖ 9.6 ↘
 beste Teiler 1200.1 (17.) 1363.0 (15.) 1514.7 (11.)
 Trefferlage 8.69 mm links, 7.89 mm hoch
 Streuwert 15.46, horizontal: 14.34, vertikal: 16.51





Serie 3:
 9.9 ↗ 10.7 * 10.4 * 10.1 ↖ 10.6 *
 10.4 * 10.8 * 10.8 * 10.5 * 10.1 →
 beste Teiler 395.2 (27.) 415.9 (28.) 576.5 (22.)
 Trefferlage 4.66 mm rechts, 0.46 mm hoch
 Streuwert 11.91, horizontal: 12.27, vertikal: 11.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313.0** (299)
 Serien: 104.2 103.8 105.0
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 4046 (24), 2716 (1), 2587 (4)
 beste Teiler 70.4 (5.) 119.5 (28.) 341.3 (22.)
 Trefferlage 1.88 mm rechts, 2.01 mm hoch
 Streuwert 11.78, horizontal: 10.56, vertikal: 12.88



Serie 1:
 10.0 ↘ 10.5 * 10.5 * 10.0 ↘ 10.9 *
 10.2 ↘ 10.6 * 10.5 * 10.5 * 10.5 *
 beste Teiler 70.4 (5.) 1021.6 (7.) 1154.9 (10.)
 Trefferlage 3.30 mm rechts, 2.52 mm hoch
 Streuwert 11.89, horizontal: 12.27, vertikal: 11.49





Serie 2:
 10.1 ↓ 10.1 ↙ 10.6 * 10.2 ↘ 10.4 ↓
 10.4 * 10.7 * 10.5 * 10.4 ↑ 10.4 ↘
 beste Teiler 834.4 (17.) 1050.7 (13.) 1139.5 (18.)
 Trefferlage 0.96 mm rechts, 4.39 mm tief
 Streuwert 12.19, horizontal: 11.86, vertikal: 12.50




Serie 3:
 10.2 ↗ 10.8 * 10.5 * 9.4 ↗ 10.6 *
 10.6 * 10.6 * 10.9 * 10.6 * 10.8 *
 beste Teiler 119.5 (28.) 341.3 (22.) 359.1 (30.)
 Trefferlage 1.39 mm rechts, 7.90 mm hoch
 Streuwert 10.64, horizontal: 8.03, vertikal: 12.73

Unterschrift des Schützen


Ergebnis: **311.5** (299)
 Serien: 104.5 104.6 102.4
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 4583 (22), 2648 (29), 2346 (26)
 beste Teiler 699.4 (14.) 801.4 (10.) 903.6 (21.)
 Trefferlage 4.62 mm rechts, 0.00 mm
 Streuwert 12.13, horizontal: 12.88, vertikal: 11.33



Serie 1:
 10.6 * 10.2 ↙ 10.5 * 10.6 * 10.1 →
 10.5 * 10.5 * 10.5 * 10.3 → 10.7 *
 beste Teiler 801.4 (10.) 979.7 (1.) 1100.0 (4.)
 Trefferlage 2.40 mm rechts, 1.32 mm hoch
 Streuwert 10.96, horizontal: 13.25, vertikal: 8.05




Serie 2:
 10.5 * 10.6 * 10.4 * 10.7 * 10.1 ↘
 10.6 * 10.4 * 10.5 * 10.3 ↘ 10.5 *
 beste Teiler 699.4 (14.) 920.8 (16.) 1033.5 (12.)
 Trefferlage 2.93 mm rechts, 4.40 mm tief
 Streuwert 9.80, horizontal: 9.37, vertikal: 10.21




Serie 3:
 10.6 * 9.2 ↘ 10.6 * 10.4 ↘ 10.2 ↖
 10.1 ↘ 10.6 * 10.2 ↗ 10.0 ↗ 10.5 *
 beste Teiler 903.6 (21.) 1056.3 (23.) 1058.4 (27.)
 Trefferlage 8.54 mm rechts, 3.06 mm hoch
 Streuwert 15.10, horizontal: 15.65, vertikal: 14.52

Unterschrift des Schützen


Ergebnis: **308.5** (296)
 Serien: 103.3 102.5 102.7
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 4572 (23), 4238 (6), 3245 (29)
 beste Teiler 356.2 (26.) 427.9 (4.) 730.4 (24.)
 Trefferlage 2.61 mm rechts, 0.06 mm tief
 Streuwert 14.67, horizontal: 15.44, vertikal: 13.86



Serie 1:
 10.4 * 10.5 * 10.3 ↙ 10.8 * 10.1 ↘
 9.4 ↗ 10.5 * 10.4 * 10.4 ↗ 10.5 *
 beste Teiler 427.9 (4.) 1154.0 (7.) 1168.6 (10.)
 Trefferlage 2.24 mm rechts, 2.23 mm hoch
 Streuwert 14.33, horizontal: 16.10, vertikal: 12.31



Serie 2:
 10.0 ← 10.2 ← 10.2 ↘ 10.5 * 10.4 ↑
 10.4 ↓ 10.5 * 10.1 ↑ 10.3 ← 9.9 ↗
 beste Teiler 1182.1 (14.) 1217.5 (17.) 1643.7 (15.)
 Trefferlage 3.53 mm links, 5.99 mm hoch
 Streuwert 14.07, horizontal: 15.80, vertikal: 12.09





Serie 3:
 10.4 * 10.4 ↓ 9.2 ↗ 10.7 * 10.5 *
 10.8 * 10.3 ↓ 10.3 ↓ 9.8 ↘ 10.3 ↘
 beste Teiler 356.2 (26.) 730.4 (24.) 1378.1 (25.)
 Trefferlage 9.14 mm rechts, 8.41 mm tief
 Streuwert 13.55, horizontal: 13.04, vertikal: 14.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311.7** (299)
 Serien: 104.9 102.7 104.1
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3218 (2), 2772 (12), 2658 (13)
 beste Teiler 452.5 (3.) 508.4 (25.) 569.9 (27.)
 Trefferlage 2.04 mm rechts, 1.16 mm hoch
 Streuwert 12.32, horizontal: 10.65, vertikal: 13.79



Serie 1:
 10.6 * 9.8 ↘ 10.8 * 10.5 * 10.6 *
 10.7 * 10.7 * 10.4 * 10.2 ↑ 10.6 *
 beste Teiler 452.5 (3.) 795.1 (7.) 809.6 (6.)
 Trefferlage 3.21 mm rechts, 1.22 mm hoch
 Streuwert 10.94, horizontal: 6.98, vertikal: 13.81



Serie 2:
 10.5 * 10.0 ↗ 10.0 ↘ 10.2 → 10.3 ↖
 10.7 * 10.4 * 10.3 ↗ 10.2 ↑ 10.1 ↘
 beste Teiler 690.2 (16.) 1383.4 (11.) 1485.0 (17.)
 Trefferlage 7.32 mm rechts, 4.52 mm hoch
 Streuwert 13.29, horizontal: 12.80, vertikal: 13.77





Serie 3:
 10.4 * 10.2 ↓ 10.2 ↙ 10.3 ↘ 10.8 *
 10.0 ↖ 10.7 * 10.7 * 10.6 * 10.2 ↓
 beste Teiler 508.4 (25.) 569.9 (27.) 703.4 (28.)
 Trefferlage 4.40 mm links, 2.24 mm tief
 Streuwert 11.87, horizontal: 8.63, vertikal: 14.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315.1** (300)
 Serien: 104.7 105.0 105.4
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 2389 (4), 2257 (23), 2224 (20)
 beste Teiler 57.3 (16.) 359.6 (7.) 438.0 (27.)
 Trefferlage 1.26 mm links, 3.36 mm hoch
 Streuwert 9.74, horizontal: 9.45, vertikal: 10.01



Serie 1:
 10.5 * 10.7 * 10.3 ↗ 10.1 ↖ 10.3 ↘
 10.3 ↑ 10.8 * 10.7 * 10.4 ↘ 10.6 *
 beste Teiler 359.6 (7.) 602.9 (8.) 725.0 (2.)
 Trefferlage 2.79 mm links, 1.94 mm hoch
 Streuwert 10.46, horizontal: 10.56, vertikal: 10.36





Serie 2:
 10.8 * 10.8 * 10.4 ↑ 10.5 * 10.2 ↖
 10.9 * 10.4 ↑ 10.2 ↘ 10.6 * 10.2 ↑
 beste Teiler 57.3 (16.) 491.4 (12.) 550.9 (11.)
 Trefferlage 0.34 mm rechts, 6.72 mm hoch
 Streuwert 9.66, horizontal: 8.24, vertikal: 10.90




Serie 3:
 10.5 * 10.3 → 10.1 ↖ 10.8 * 10.6 *
 10.6 * 10.8 * 10.4 * 10.8 * 10.5 *
 beste Teiler 438.0 (27.) 444.4 (29.) 452.7 (24.)
 Trefferlage 1.32 mm links, 1.42 mm hoch
 Streuwert 9.51, horizontal: 10.15, vertikal: 8.82

Unterschrift des Schützen


Ergebnis: **311.0** (296)
 Serien: 103.5 103.1 104.4
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3745 (12), 2966 (11), 2791 (13)
 beste Teiler 172.4 (26.) 364.0 (24.) 627.9 (20.)
 Trefferlage 4.64 mm rechts, 2.46 mm tief
 Streuwert 12.43, horizontal: 14.51, vertikal: 9.93



Serie 1:
 10.4 * 10.4 ↖ 10.4 * 10.1 ↘ 10.5 *
 10.2 ↘ 10.3 ↗ 10.5 * 10.6 * 10.1 ↓
 beste Teiler 966.2 (9.) 1126.2 (5.) 1221.4 (8.)
 Trefferlage 5.18 mm rechts, 0.18 mm tief
 Streuwert 12.42, horizontal: 11.95, vertikal: 12.87





Serie 2:
 9.9 ↘ 9.6 ↘ 9.9 → 10.3 → 10.6 *
 10.5 * 10.6 * 10.4 ↓ 10.6 * 10.7 *
 beste Teiler 627.9 (20.) 976.2 (17.) 983.8 (15.)
 Trefferlage 13.07 mm rechts, 5.47 mm tief
 Streuwert 10.82, horizontal: 12.56, vertikal: 8.75




Serie 3:
 10.2 → 10.7 * 10.6 * 10.8 * 9.9 ←
 10.9 * 10.4 * 10.0 ↙ 10.3 → 10.6 *
 beste Teiler 172.4 (26.) 364.0 (24.) 801.6 (22.)
 Trefferlage 4.32 mm links, 1.75 mm tief
 Streuwert 11.58, horizontal: 14.46, vertikal: 7.67

Unterschrift des Schützen


Ergebnis: **307.1** (295)
 Serien: 103.5 101.3 102.3
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 4354 (20), 3508 (5), 3366 (15)
 beste Teiler 474.6 (10.) 659.1 (14.) 833.8 (9.)
 Trefferlage 5.76 mm rechts, 1.02 mm hoch
 Streuwert 14.91, horizontal: 15.52, vertikal: 14.28



Serie 1:
 10.4 * 9.8 ↑ 10.6 * 10.3 ↙ 9.7 →
 10.6 * 10.5 * 10.1 ↘ 10.7 * 10.8 *
 beste Teiler 474.6 (10.) 833.8 (9.) 1067.6 (6.)
 Trefferlage 6.31 mm rechts, 2.57 mm hoch
 Streuwert 13.58, horizontal: 13.85, vertikal: 13.30





Serie 2:
 10.3 → 9.9 ↑ 10.0 ↘ 10.7 * 9.7 →
 10.5 * 10.3 ↗ 10.6 * 10.0 → 9.3 ↘
 beste Teiler 659.1 (14.) 908.4 (18.) 1136.0 (16.)
 Trefferlage 12.59 mm rechts, 0.07 mm tief
 Streuwert 15.95, horizontal: 11.97, vertikal: 19.11




Serie 3:
 10.2 → 10.4 ↑ 10.3 ↘ 10.2 ← 10.2 ←
 10.2 → 10.2 ↘ 10.1 ← 10.3 ← 10.2 ↘
 beste Teiler 1604.4 (22.) 1709.5 (23.) 1765.1 (29.)
 Trefferlage 1.62 mm links, 0.56 mm hoch
 Streuwert 14.81, horizontal: 18.12, vertikal: 10.52

Unterschrift des Schützen


Ergebnis: **313.4** (299)
 Serien: 103.2 104.7 105.5
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 3174 (1), 2575 (9), 2366 (2)
 beste Teiler 408.2 (26.) 761.1 (12.) 806.8 (30.)
 Trefferlage 2.63 mm links, 0.06 mm hoch
 Streuwert 10.86, horizontal: 12.40, vertikal: 9.05



Serie 1:
 9.8 ↗ 10.1 ↘ 10.5 * 10.6 * 10.3 ↘
 10.3 ↘ 10.6 * 10.6 * 10.0 ↙ 10.4 ↖
 beste Teiler 905.5 (7.) 959.5 (4.) 976.7 (8.)
 Trefferlage 1.86 mm rechts, 3.17 mm tief
 Streuwert 13.84, horizontal: 16.00, vertikal: 11.27



Serie 2:
 10.3 ↖ 10.7 * 10.3 ↖ 10.6 * 10.3 ↗
 10.6 * 10.6 * 10.4 * 10.6 * 10.3 ↗
 beste Teiler 761.1 (12.) 934.7 (16.) 1053.6 (19.)
 Trefferlage 3.14 mm links, 3.34 mm hoch
 Streuwert 9.83, horizontal: 11.59, vertikal: 7.68





Serie 3:
 10.3 ↖ 10.5 * 10.7 * 10.2 ← 10.6 *
 10.8 * 10.6 * 10.6 * 10.5 * 10.7 *
 beste Teiler 408.2 (26.) 806.8 (30.) 819.4 (23.)
 Trefferlage 6.62 mm links, 0.03 mm hoch
 Streuwert 7.72, horizontal: 8.04, vertikal: 7.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313.2** (298)
 Serien: 103.5 104.4 105.3
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3535 (8), 3228 (11), 2423 (9)
 beste Teiler 200.2 (19.) 370.2 (3.) 437.5 (23.)
 Trefferlage 5.26 mm rechts, 2.84 mm hoch
 Streuwert 10.88, horizontal: 11.63, vertikal: 10.06



Serie 1:
 10.2 ↘ 10.2 ↗ 10.8 * 10.6 * 10.7 *
 10.4 ↑ 10.3 → 9.6 ↘ 10.1 ↑ 10.6 *
 beste Teiler 370.2 (3.) 761.1 (5.) 874.8 (10.)
 Trefferlage 7.19 mm rechts, 3.78 mm hoch
 Streuwert 12.77, horizontal: 11.93, vertikal: 13.56



Serie 2:
 9.8 ↘ 10.6 * 10.4 ↗ 10.4 ↘ 10.2 ↑
 10.3 ↘ 10.6 * 10.6 * 10.9 * 10.6 *
 beste Teiler 200.2 (19.) 920.2 (17.) 971.5 (20.)
 Trefferlage 4.69 mm rechts, 2.04 mm hoch
 Streuwert 11.62, horizontal: 12.96, vertikal: 10.10





Serie 3:
 10.3 → 10.2 → 10.8 * 10.7 * 10.7 *
 10.3 ↗ 10.6 * 10.7 * 10.6 * 10.4 *
 beste Teiler 437.5 (23.) 705.2 (24.) 796.5 (28.)
 Trefferlage 3.91 mm rechts, 2.68 mm hoch
 Streuwert 8.88, horizontal: 10.92, vertikal: 6.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312.9** (296)
 Serien: 103.2 104.6 105.1
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 3889 (5), 3253 (21), 2967 (9)
 beste Teiler 205.7 (10.) 317.2 (19.) 521.3 (28.)
 Trefferlage 3.15 mm rechts, 1.02 mm hoch
 Streuwert 12.09, horizontal: 11.21, vertikal: 12.90



Serie 1:
 10.6 * 9.9 ↘ 10.6 * 10.7 * 9.5 ↓
 10.2 ↑ 10.5 * 10.4 * 9.9 ↙ 10.9 *
 beste Teiler 205.7 (10.) 757.7 (4.) 964.6 (1.)
 Trefferlage 3.62 mm rechts, 0.89 mm tief
 Streuwert 15.19, horizontal: 14.27, vertikal: 16.05





Serie 2:
 10.0 → 10.6 * 10.5 * 10.7 * 10.7 *
 10.2 ↗ 10.3 ↘ 10.7 * 10.8 * 10.1 ↙
 beste Teiler 317.2 (19.) 690.6 (18.) 718.5 (14.)
 Trefferlage 5.50 mm rechts, 0.55 mm tief
 Streuwert 10.69, horizontal: 11.22, vertikal: 10.14




Serie 3:
 9.8 ↑ 10.5 * 10.6 * 10.7 * 10.6 *
 10.7 * 10.5 * 10.8 * 10.3 ↘ 10.6 *
 beste Teiler 521.3 (28.) 623.1 (24.) 814.1 (26.)
 Trefferlage 0.33 mm rechts, 4.53 mm hoch
 Streuwert 10.39, horizontal: 7.76, vertikal: 12.47

Unterschrift des Schützen


Ergebnis: **312.1** (298)
 Serien: 103.6 103.8 104.7
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 3203 (7), 2947 (15), 2314 (2)
 beste Teiler 104.6 (18.) 249.2 (11.) 501.5 (12.)
 Trefferlage 5.38 mm rechts, 3.79 mm hoch
 Streuwert 11.26, horizontal: 11.90, vertikal: 10.58



Serie 1:
 10.2 ↑ 10.1 ↗ 10.5 * 10.2 → 10.2 ↖
 10.5 * 9.8 ↗ 10.6 * 10.8 * 10.7 *
 beste Teiler 507.8 (9.) 700.7 (10.) 1095.2 (8.)
 Trefferlage 2.49 mm rechts, 9.70 mm hoch
 Streuwert 11.30, horizontal: 13.22, vertikal: 8.97





Serie 2:
 10.9 * 10.8 * 10.2 ↑ 10.3 ↗ 9.9 →
 10.3 → 10.1 ↗ 10.9 * 10.2 → 10.2 →
 beste Teiler 104.6 (18.) 249.2 (11.) 501.5 (12.)
 Trefferlage 11.38 mm rechts, 3.09 mm hoch
 Streuwert 10.66, horizontal: 9.70, vertikal: 11.54




Serie 3:
 10.3 ↘ 10.6 * 10.7 * 10.6 * 10.3 ↘
 10.4 * 10.6 * 10.5 * 10.5 * 10.2 ↗
 beste Teiler 807.2 (23.) 883.5 (22.) 913.7 (24.)
 Trefferlage 2.27 mm rechts, 1.41 mm tief
 Streuwert 10.12, horizontal: 11.30, vertikal: 8.79

Unterschrift des Schützen


Ergebnis: **309.7** (296)
 Serien: 102.2 104.7 102.8
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 3431 (26), 2897 (1), 2859 (6)
 beste Teiler 589.1 (15.) 622.8 (20.) 679.1 (28.)
 Trefferlage 2.33 mm rechts, 2.61 mm tief
 Streuwert 13.25, horizontal: 11.53, vertikal: 14.77



Serie 1:
 9.9 ↑ 10.1 ↑ 10.2 ← 10.4 * 10.3 ↘
 9.9 ↘ 10.4 ↘ 10.5 * 10.1 → 10.4 ↓
 beste Teiler 1179.2 (8.) 1514.7 (4.) 1547.8 (10.)
 Trefferlage 4.20 mm rechts, 0.70 mm tief
 Streuwert 15.34, horizontal: 13.62, vertikal: 16.89



Serie 2:
 10.5 * 10.6 * 10.2 ↓ 10.4 → 10.7 *
 10.6 * 10.5 * 10.3 ↑ 10.2 ↓ 10.7 *
 beste Teiler 589.1 (15.) 622.8 (20.) 842.1 (12.)
 Trefferlage 1.59 mm rechts, 4.31 mm tief
 Streuwert 9.91, horizontal: 7.58, vertikal: 11.80





Serie 3:
 10.6 * 10.1 ↑ 10.6 * 10.3 ↓ 9.9 ↗
 9.7 ↓ 10.4 * 10.7 * 10.1 → 10.4 ←
 beste Teiler 679.1 (28.) 970.0 (21.) 1061.2 (23.)
 Trefferlage 1.19 mm rechts, 2.81 mm tief
 Streuwert 15.02, horizontal: 13.40, vertikal: 16.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311.1** (297)
 Serien: 103.0 103.7 104.4
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3988 (2), 3305 (16), 3024 (7)
 beste Teiler 419.5 (5.) 477.5 (6.) 605.1 (17.)
 Trefferlage 6.90 mm rechts, 2.10 mm hoch
 Streuwert 11.68, horizontal: 12.16, vertikal: 11.17



Serie 1:
 10.1 ↑ 9.5 ↗ 10.3 → 10.6 * 10.8 *
 10.8 * 9.9 → 10.4 * 10.3 ↘ 10.3 ↑
 beste Teiler 419.5 (5.) 477.5 (6.) 1070.3 (4.)
 Trefferlage 7.11 mm rechts, 6.02 mm hoch
 Streuwert 13.95, horizontal: 14.43, vertikal: 13.45





Serie 2:
 10.6 * 10.2 ↗ 10.6 * 10.6 * 10.6 *
 9.7 → 10.7 * 10.3 ↗ 10.1 → 10.3 ↘
 beste Teiler 605.1 (17.) 879.2 (11.) 949.7 (14.)
 Trefferlage 6.93 mm rechts, 2.89 mm hoch
 Streuwert 11.59, horizontal: 14.12, vertikal: 8.34




Serie 3:
 10.7 * 10.4 * 10.5 * 10.6 * 10.5 *
 10.2 ↓ 10.3 → 10.2 ↓ 10.5 * 10.5 *
 beste Teiler 648.4 (21.) 905.2 (24.) 1221.3 (30.)
 Trefferlage 6.67 mm rechts, 2.60 mm tief
 Streuwert 9.44, horizontal: 8.30, vertikal: 10.46

Unterschrift des Schützen


Ergebnis: **313.7** (300)
 Serien: 103.7 105.2 104.8
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2607 (10), 2344 (13), 2317 (1)
 beste Teiler 368.0 (14.) 432.3 (20.) 448.2 (16.)
 Trefferlage 5.28 mm rechts, 1.92 mm hoch
 Streuwert 9.93, horizontal: 11.39, vertikal: 8.23



Serie 1:
 10.1 ↘ 10.4 * 10.6 * 10.7 * 10.5 *
 10.3 ← 10.3 ↙ 10.3 ↗ 10.5 * 10.0 ↖
 beste Teiler 783.7 (4.) 1002.7 (3.) 1169.7 (9.)
 Trefferlage 0.69 mm rechts, 0.77 mm hoch
 Streuwert 12.50, horizontal: 13.43, vertikal: 11.49





Serie 2:
 10.7 * 10.1 ← 10.1 → 10.8 * 10.2 ↘
 10.8 * 10.5 * 10.5 * 10.7 * 10.8 *
 beste Teiler 368.0 (14.) 432.3 (20.) 448.2 (16.)
 Trefferlage 4.29 mm rechts, 1.03 mm hoch
 Streuwert 10.00, horizontal: 12.79, vertikal: 6.05




Serie 3:
 10.4 → 10.7 * 10.2 ↗ 10.4 → 10.5 *
 10.6 * 10.3 ↗ 10.7 * 10.6 * 10.4 →
 beste Teiler 729.0 (28.) 822.1 (22.) 868.2 (26.)
 Trefferlage 10.87 mm rechts, 3.95 mm hoch
 Streuwert 5.35, horizontal: 3.82, vertikal: 6.53

Unterschrift des Schützen


Ergebnis: **313.0** (299)
 Serien: 103.7 104.8 104.5
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 3030 (4), 2629 (14), 2624 (26)
 beste Teiler 255.0 (19.) 608.1 (24.) 620.6 (21.)
 Trefferlage 4.29 mm rechts, 0.87 mm hoch
 Streuwert 11.05, horizontal: 11.65, vertikal: 10.42



Serie 1:
 10.7 * 10.5 * 10.1 ↗ 9.9 → 10.6 *
 10.4 * 10.2 ↗ 10.1 → 10.7 * 10.5 *
 beste Teiler 656.8 (1.) 734.1 (9.) 865.0 (5.)
 Trefferlage 8.02 mm rechts, 4.68 mm hoch
 Streuwert 11.38, horizontal: 12.09, vertikal: 10.61





Serie 2:
 10.6 * 10.4 * 10.5 * 10.0 ↖ 10.2 ↗
 10.6 * 10.6 * 10.7 * 10.9 * 10.3 ↘
 beste Teiler 255.0 (19.) 766.4 (18.) 857.3 (16.)
 Trefferlage 2.79 mm links, 1.53 mm hoch
 Streuwert 10.56, horizontal: 10.78, vertikal: 10.33




Serie 3:
 10.7 * 10.7 * 10.3 ↘ 10.7 * 10.7 *
 10.0 ↘ 10.2 ↘ 10.2 → 10.5 * 10.5 *
 beste Teiler 608.1 (24.) 620.6 (21.) 621.6 (22.)
 Trefferlage 7.65 mm rechts, 3.58 mm tief
 Streuwert 9.56, horizontal: 9.55, vertikal: 9.57

Unterschrift des Schützen


Ergebnis: **306.0** (293)
 Serien: 103.0 102.0 101.0
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 4081 (27), 3520 (25), 3220 (8)
 beste Teiler 532.9 (26.) 598.0 (13.) 865.7 (1.)
 Trefferlage 4.47 mm rechts, 1.92 mm tief
 Streuwert 15.87, horizontal: 17.59, vertikal: 13.93



Serie 1:
 10.6 * 10.5 * 10.1 ↘ 10.5 * 10.3 ↓
 10.3 → 10.2 ↘ 9.8 → 10.3 ↘ 10.4 ↓
 beste Teiler 865.7 (1.) 1198.6 (4.) 1355.1 (2.)
 Trefferlage 10.54 mm rechts, 10.21 mm tief
 Streuwert 9.71, horizontal: 11.90, vertikal: 6.86





Serie 2:
 10.3 ↗ 10.0 ↘ 10.7 * 10.0 ↖ 9.9 ↓
 10.5 * 9.9 ↗ 10.1 ↗ 10.2 ↙ 10.4 *
 beste Teiler 598.0 (13.) 1190.7 (16.) 1530.4 (20.)
 Trefferlage 6.98 mm rechts, 2.78 mm hoch
 Streuwert 15.45, horizontal: 15.05, vertikal: 15.83




Serie 3:
 9.9 ← 10.1 ↖ 10.5 * 10.5 * 9.7 ←
 10.8 * 9.4 ↘ 10.0 → 10.2 ↓ 9.9 ↗
 beste Teiler 532.9 (26.) 1355.3 (23.) 1361.8 (24.)
 Trefferlage 4.10 mm links, 1.66 mm hoch
 Streuwert 18.87, horizontal: 22.35, vertikal: 14.59

Unterschrift des Schützen


Ergebnis: **307.1** (295)
 Serien: 101.5 101.2 104.4
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 4866 (11), 4065 (18), 3751 (3)
 beste Teiler 248.2 (15.) 524.6 (5.) 588.6 (27.)
 Trefferlage 5.40 mm rechts, 5.31 mm tief
 Streuwert 15.31, horizontal: 12.21, vertikal: 17.87



Serie 1:
 10.1 ↘ 10.2 ↘ 9.6 ↑ 10.0 ↑ 10.8 *
 10.2 ↗ 10.0 ↗ 9.6 ↘ 10.7 * 10.3 ↓
 beste Teiler 524.6 (5.) 696.8 (9.) 1871.6 (10.)
 Trefferlage 5.44 mm rechts, 3.61 mm hoch
 Streuwert 17.48, horizontal: 14.40, vertikal: 20.10





Serie 2:
 9.1 ↓ 10.7 * 10.4 ↘ 9.8 → 10.9 *
 10.1 ↓ 10.7 * 9.4 ↓ 10.1 ↘ 10.0 ↘
 beste Teiler 248.2 (15.) 691.7 (17.) 784.5 (12.)
 Trefferlage 9.51 mm rechts, 15.06 mm tief
 Streuwert 14.89, horizontal: 12.10, vertikal: 17.23




Serie 3:
 10.5 * 10.6 * 10.3 ↙ 10.6 * 10.4 ↙
 10.2 ↘ 10.7 * 10.6 * 10.1 ↓ 10.4 *
 beste Teiler 588.6 (27.) 932.4 (24.) 971.7 (28.)
 Trefferlage 1.24 mm rechts, 4.49 mm tief
 Streuwert 10.54, horizontal: 9.43, vertikal: 11.55

Unterschrift des Schützen


Ergebnis: **312.2** (299)
 Serien: 103.9 103.6 104.7
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 3005 (27), 2646 (16), 2587 (12)
 beste Teiler 355.6 (19.) 373.1 (28.) 377.8 (29.)
 Trefferlage 2.80 mm rechts, 3.11 mm tief
 Streuwert 11.64, horizontal: 11.21, vertikal: 12.06



Serie 1:
 10.3 ← 10.4 ↓ 10.0 ↓ 10.4 * 10.6 *
 10.4 ↓ 10.7 * 10.3 ↓ 10.7 * 10.1 ↓
 beste Teiler 675.0 (7.) 827.5 (9.) 837.2 (5.)
 Trefferlage 1.10 mm rechts, 11.28 mm tief
 Streuwert 9.15, horizontal: 8.60, vertikal: 9.68





Serie 2:
 10.4 * 10.0 ↘ 10.6 * 10.1 ↘ 10.6 *
 10.0 → 10.1 ↗ 10.3 → 10.8 * 10.7 *
 beste Teiler 355.6 (19.) 634.2 (20.) 980.3 (13.)
 Trefferlage 11.16 mm rechts, 5.42 mm tief
 Streuwert 9.64, horizontal: 9.11, vertikal: 10.14




Serie 3:
 10.5 * 10.4 * 10.5 * 10.6 * 10.5 *
 10.3 ← 9.9 ↖ 10.8 * 10.8 * 10.4 *
 beste Teiler 373.1 (28.) 377.8 (29.) 925.7 (24.)
 Trefferlage 3.85 mm links, 7.37 mm hoch
 Streuwert 9.68, horizontal: 10.86, vertikal: 8.33

Unterschrift des Schützen


Ergebnis: **304.6** (288)
 Serien: 95.1 103.1 106.4
 Zähler: 20 8 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 6434 (6), 5645 (10), 4572 (2)
 beste Teiler 341.2 (26.) 506.3 (19.) 544.5 (24.)
 Trefferlage 9.15 mm rechts, 8.99 mm tief
 Streuwert 17.39, horizontal: 18.43, vertikal: 16.29



Serie 1:
 9.5 ↘ 9.2 ↘ 9.7 ↘ 10.4 ↘ 9.6 →
 8.5 ↗ 9.9 ↘ 10.1 ↓ 9.4 ↘ 8.8 →
 beste Teiler 1649.7 (4.) 2399.9 (8.) 2892.9 (7.)
 Trefferlage 23.61 mm rechts, 27.14 mm tief
 Streuwert 15.13, horizontal: 19.19, vertikal: 9.48





Serie 2:
 9.7 ↘ 10.2 ↙ 10.7 * 10.3 ↘ 10.7 *
 10.5 * 10.2 ↘ 9.4 → 10.8 * 10.6 *
 beste Teiler 506.3 (19.) 577.8 (13.) 622.5 (15.)
 Trefferlage 3.59 mm rechts, 2.69 mm tief
 Streuwert 15.27, horizontal: 17.09, vertikal: 13.20




Serie 3:
 10.4 * 10.7 * 10.4 → 10.8 * 10.7 *
 10.8 * 10.7 * 10.8 * 10.7 * 10.4 ←
 beste Teiler 341.2 (26.) 544.5 (24.) 553.0 (28.)
 Trefferlage 0.25 mm rechts, 2.86 mm hoch
 Streuwert 7.23, horizontal: 8.93, vertikal: 4.97

Unterschrift des Schützen


Ergebnis: **315.9** (299)
 Serien: 104.4 106.0 105.5
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 2814 (5), 2520 (19), 1854 (27)
 beste Teiler 171.7 (14.) 309.8 (18.) 370.0 (22.)
 Trefferlage 5.42 mm links, 3.39 mm hoch
 Streuwert 8.51, horizontal: 7.51, vertikal: 9.41



Serie 1:
 10.4 ↘ 10.8 * 10.7 * 10.3 ↑ 9.9 ↘
 10.7 * 10.3 ← 10.5 * 10.4 ← 10.4 *
 beste Teiler 370.3 (2.) 735.2 (3.) 809.3 (6.)
 Trefferlage 6.66 mm links, 3.83 mm hoch
 Streuwert 10.34, horizontal: 9.02, vertikal: 11.51





Serie 2:
 10.6 * 10.8 * 10.7 * 10.9 * 10.5 *
 10.7 * 10.7 * 10.8 * 10.0 ↑ 10.3 ↘
 beste Teiler 171.7 (14.) 309.8 (18.) 432.2 (12.)
 Trefferlage 2.50 mm links, 3.47 mm hoch
 Streuwert 7.98, horizontal: 4.53, vertikal: 10.34




Serie 3:
 10.6 * 10.8 * 10.3 ↖ 10.8 * 10.3 ←
 10.7 * 10.3 ← 10.4 ↘ 10.6 * 10.7 *
 beste Teiler 370.0 (22.) 407.7 (24.) 662.9 (26.)
 Trefferlage 7.11 mm links, 2.88 mm hoch
 Streuwert 7.45, horizontal: 8.10, vertikal: 6.74

Unterschrift des Schützen


Ergebnis: **309.5** (296)
 Serien: 102.9 102.8 103.8
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 3166 (25), 2972 (15), 2972 (21)
 beste Teiler 338.9 (12.) 543.8 (22.) 603.0 (8.)
 Trefferlage 9.24 mm links, 0.12 mm tief
 Streuwert 12.35, horizontal: 12.35, vertikal: 12.35



Serie 1:
 10.4 ↘ 10.1 ↖ 10.6 * 10.0 ← 10.2 ↗
 10.4 * 10.4 * 10.7 * 10.2 ← 9.9 ↖
 beste Teiler 603.0 (8.) 1030.5 (3.) 1467.3 (6.)
 Trefferlage 9.31 mm links, 2.23 mm hoch
 Streuwert 12.84, horizontal: 13.80, vertikal: 11.80





Serie 2:
 10.1 ← 10.8 * 10.1 ↓ 10.7 * 9.9 ↘
 10.6 * 10.2 ← 10.2 ↖ 10.1 ↖ 10.1 ↗
 beste Teiler 338.9 (12.) 743.1 (14.) 965.9 (16.)
 Trefferlage 8.53 mm links, 4.78 mm tief
 Streuwert 13.41, horizontal: 14.95, vertikal: 11.66




Serie 3:
 9.9 ↑ 10.8 * 10.5 * 10.6 * 9.8 ←
 10.5 * 10.5 * 10.5 * 10.5 * 10.2 ←
 beste Teiler 543.8 (22.) 879.2 (24.) 1314.6 (28.)
 Trefferlage 9.87 mm links, 2.17 mm hoch
 Streuwert 11.32, horizontal: 8.74, vertikal: 13.41

Unterschrift des Schützen


Ergebnis: **312.5** (299)
 Serien: 103.8 103.7 105.0
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 3484 (5), 2529 (9), 2388 (16)
 beste Teiler 86.5 (10.) 389.6 (6.) 594.7 (26.)
 Trefferlage 0.19 mm links, 3.68 mm hoch
 Streuwert 11.43, horizontal: 13.75, vertikal: 8.51



Serie 1:
 10.2 ↖ 10.6 * 10.3 ↗ 10.1 ↖ 9.7 →
 10.8 * 10.6 * 10.6 * 10.0 ↘ 10.9 *
 beste Teiler 86.5 (10.) 389.6 (6.) 866.9 (2.)
 Trefferlage 3.43 mm rechts, 3.24 mm hoch
 Streuwert 13.18, horizontal: 15.29, vertikal: 10.67





Serie 2:
 10.6 * 10.2 ↗ 10.6 * 10.7 * 10.2 ←
 10.1 → 10.4 * 10.4 * 10.3 ↖ 10.2 →
 beste Teiler 770.0 (14.) 854.4 (11.) 887.0 (13.)
 Trefferlage 0.04 mm rechts, 2.12 mm hoch
 Streuwert 12.53, horizontal: 15.51, vertikal: 8.56




Serie 3:
 10.3 ↗ 10.7 * 10.3 ← 10.4 ↖ 10.7 *
 10.7 * 10.5 * 10.7 * 10.3 ↖ 10.4 ↖
 beste Teiler 594.7 (26.) 696.6 (28.) 709.5 (25.)
 Trefferlage 4.06 mm links, 5.67 mm hoch
 Streuwert 8.44, horizontal: 10.17, vertikal: 6.25

Unterschrift des Schützen


Ergebnis: **315.0** (299)
 Serien: 104.0 106.0 105.0
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 3468 (10), 2005 (9), 1975 (21)
 beste Teiler 167.6 (17.) 367.1 (20.) 424.4 (30.)
 Trefferlage 5.28 mm rechts, 2.89 mm tief
 Streuwert 9.19, horizontal: 9.93, vertikal: 8.39



Serie 1:
 10.4 ↙ 10.4 ↗ 10.6 * 10.7 * 10.4 *
 10.5 * 10.3 ↘ 10.8 * 10.2 ↓ 9.7 ↘
 beste Teiler 492.4 (8.) 625.0 (4.) 906.0 (3.)
 Trefferlage 6.73 mm rechts, 3.46 mm tief
 Streuwert 11.41, horizontal: 12.69, vertikal: 9.97



Serie 2:
 10.7 * 10.3 ↓ 10.5 * 10.7 * 10.5 *
 10.7 * 10.9 * 10.4 * 10.5 * 10.8 *
 beste Teiler 167.6 (17.) 367.1 (20.) 614.1 (11.)
 Trefferlage 0.50 mm links, 3.98 mm tief
 Streuwert 7.57, horizontal: 6.54, vertikal: 8.47





Serie 3:
 10.2 ↗ 10.6 * 10.5 * 10.4 * 10.7 *
 10.3 ↘ 10.4 ↓ 10.8 * 10.3 ↘ 10.8 *
 beste Teiler 424.4 (30.) 491.0 (28.) 778.6 (25.)
 Trefferlage 9.61 mm rechts, 1.23 mm tief
 Streuwert 7.23, horizontal: 7.31, vertikal: 7.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **309.3** (297)
 Serien: 103.4 103.5 102.4
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 4384 (25), 3989 (26), 2892 (18)
 beste Teiler 90.1 (4.) 331.4 (24.) 647.3 (14.)
 Trefferlage 4.75 mm links, 1.60 mm tief
 Streuwert 13.97, horizontal: 15.68, vertikal: 12.03



Serie 1:
 10.7 * 10.2 → 10.2 ← 10.9 * 10.3 ←
 10.1 → 10.5 * 10.2 ↙ 10.2 ↘ 10.1 ↗
 beste Teiler 90.1 (4.) 714.8 (1.) 1207.1 (7.)
 Trefferlage 1.60 mm links, 0.79 mm hoch
 Streuwert 13.44, horizontal: 16.83, vertikal: 8.83





Serie 2:
 10.1 ← 10.5 * 10.2 ↙ 10.7 * 10.6 *
 10.0 ↗ 10.5 * 9.9 ↓ 10.4 ↘ 10.6 *
 beste Teiler 647.3 (14.) 904.6 (15.) 912.3 (20.)
 Trefferlage 5.51 mm links, 3.91 mm tief
 Streuwert 12.72, horizontal: 12.95, vertikal: 12.48




Serie 3:
 10.3 ↘ 10.2 → 10.7 * 10.8 * 9.3 ←
 9.5 ↖ 10.2 ↓ 10.6 * 10.4 * 10.4 →
 beste Teiler 331.4 (24.) 733.4 (23.) 876.8 (28.)
 Trefferlage 7.14 mm links, 1.70 mm tief
 Streuwert 16.48, horizontal: 17.97, vertikal: 14.83

Unterschrift des Schützen


Ergebnis: **311.0** (295)
 Serien: 105.8 102.4 102.8
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 4012 (16), 3199 (24), 3071 (14)
 beste Teiler 290.6 (13.) 426.3 (11.) 430.2 (9.)
 Trefferlage 7.06 mm rechts, 1.94 mm tief
 Streuwert 12.40, horizontal: 13.48, vertikal: 11.22



Serie 1:
 10.7 * 10.2 ↖ 10.3 ↓ 10.4 * 10.5 *
 10.8 * 10.7 * 10.7 * 10.8 * 10.7 *
 beste Teiler 430.2 (9.) 517.4 (6.) 602.0 (7.)
 Trefferlage 3.18 mm links, 0.06 mm tief
 Streuwert 8.31, horizontal: 7.10, vertikal: 9.36





Serie 2:
 10.8 * 10.1 ↓ 10.8 * 9.8 ↗ 9.9 ↘
 9.5 ↘ 10.2 ↙ 10.1 ↗ 10.5 * 10.7 *
 beste Teiler 290.6 (13.) 426.3 (11.) 622.8 (20.)
 Trefferlage 10.80 mm rechts, 7.74 mm tief
 Streuwert 13.67, horizontal: 15.48, vertikal: 11.59




Serie 3:
 10.5 * 10.4 * 10.3 ↘ 9.8 ↗ 10.8 *
 9.9 ↘ 10.2 ↑ 10.5 * 10.2 ↗ 10.2 →
 beste Teiler 509.5 (25.) 1120.9 (28.) 1154.7 (21.)
 Trefferlage 13.58 mm rechts, 1.98 mm hoch
 Streuwert 10.98, horizontal: 10.77, vertikal: 11.19

Unterschrift des Schützen


Ergebnis: **305.4** (293)
 Serien: 102.1 100.1 103.2
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 4705 (19), 3861 (13), 3580 (3)
 beste Teiler 532.5 (20.) 702.4 (6.) 812.8 (24.)
 Trefferlage 4.86 mm rechts, 4.43 mm tief
 Streuwert 16.13, horizontal: 13.25, vertikal: 18.58



Serie 1:
 10.4 * 10.2 ↗ 9.6 ← 10.0 ↘ 10.0 ↑
 10.7 * 10.1 ↙ 10.4 * 10.6 * 10.1 →
 beste Teiler 702.4 (6.) 1099.3 (9.) 1435.5 (8.)
 Trefferlage 5.39 mm rechts, 2.94 mm tief
 Streuwert 15.47, horizontal: 16.40, vertikal: 14.47





Serie 2:
 10.0 ↓ 10.1 ↖ 9.5 ↓ 10.5 * 10.5 *
 9.8 ↗ 9.8 ↘ 9.9 ↗ 9.2 ↓ 10.8 *
 beste Teiler 532.5 (20.) 1198.6 (14.) 1301.2 (15.)
 Trefferlage 2.48 mm rechts, 1.48 mm tief
 Streuwert 21.13, horizontal: 13.83, vertikal: 26.48




Serie 3:
 10.2 ↓ 10.6 * 10.2 → 10.7 * 9.9 ↘
 10.1 ↘ 10.6 * 10.0 ↓ 10.3 ↙ 10.6 *
 beste Teiler 812.8 (24.) 866.8 (27.) 1027.2 (30.)
 Trefferlage 6.70 mm rechts, 8.88 mm tief
 Streuwert 11.44, horizontal: 9.73, vertikal: 12.93

 Unterschrift des Schützen


Ergebnis: **311.0** (297)
 Serien: 104.5 104.5 102.0
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3958 (28), 3119 (13), 2918 (29)
 beste Teiler 276.9 (11.) 571.0 (19.) 579.8 (26.)
 Trefferlage 4.28 mm links, 3.35 mm tief
 Streuwert 12.32, horizontal: 12.44, vertikal: 12.19



Serie 1:
 10.3 ↙ 10.6 * 10.2 ↘ 10.5 * 10.6 *
 10.6 * 10.7 * 10.1 ↖ 10.4 * 10.5 *
 beste Teiler 761.6 (7.) 845.0 (5.) 899.0 (6.)
 Trefferlage 2.24 mm links, 4.89 mm tief
 Streuwert 10.18, horizontal: 11.38, vertikal: 8.82





Serie 2:
 10.9 * 10.4 * 9.8 ← 10.3 ↘ 10.5 *
 10.4 * 10.6 * 10.6 * 10.7 * 10.3 ↘
 beste Teiler 276.9 (11.) 571.0 (19.) 837.7 (18.)
 Trefferlage 4.04 mm links, 0.62 mm tief
 Streuwert 11.25, horizontal: 12.97, vertikal: 9.20




Serie 3:
 10.4 ↗ 10.5 * 10.4 ← 10.0 ↖ 10.3 ↑
 10.7 * 10.0 ↓ 9.5 ↓ 9.9 ← 10.3 ↙
 beste Teiler 579.8 (26.) 1207.8 (22.) 1552.8 (21.)
 Trefferlage 6.54 mm links, 4.55 mm tief
 Streuwert 15.73, horizontal: 13.82, vertikal: 17.44

Unterschrift des Schützen


Ergebnis: **312.2** (299)
 Serien: 103.7 104.2 104.3
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 3320 (6), 2480 (3), 2477 (11)
 beste Teiler 450.7 (26.) 633.4 (20.) 714.9 (13.)
 Trefferlage 1.37 mm links, 3.81 mm hoch
 Streuwert 11.39, horizontal: 12.47, vertikal: 10.21



Serie 1:
 10.2 ↙ 10.6 * 10.1 ↖ 10.6 * 10.6 *
 9.7 ↖ 10.5 * 10.6 * 10.3 ↖ 10.5 *
 beste Teiler 889.2 (4.) 920.6 (8.) 944.2 (5.)
 Trefferlage 8.95 mm links, 0.58 mm hoch
 Streuwert 11.26, horizontal: 12.13, vertikal: 10.32



Serie 2:
 10.1 ↖ 10.5 * 10.7 * 10.2 ↑ 10.3 ↑
 10.2 → 10.7 * 10.2 → 10.6 * 10.7 *
 beste Teiler 633.4 (20.) 714.9 (13.) 774.1 (17.)
 Trefferlage 1.83 mm rechts, 6.67 mm hoch
 Streuwert 11.16, horizontal: 12.44, vertikal: 9.71





Serie 3:
 10.4 * 10.5 * 10.2 ↗ 10.3 ↗ 10.3 ↖
 10.8 * 10.6 * 10.3 ↗ 10.4 * 10.5 *
 beste Teiler 450.7 (26.) 917.3 (27.) 1187.5 (30.)
 Trefferlage 3.00 mm rechts, 4.18 mm hoch
 Streuwert 10.41, horizontal: 10.11, vertikal: 10.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **305.6** (293)
 Serien: 103.7 103.3 98.6
 Zähler: 26 3 0 0 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 11745 (30), 2902 (18), 2843 (25)
 beste Teiler 374.5 (24.) 653.1 (9.) 700.1 (15.)
 Trefferlage 6.47 mm links, 2.11 mm tief
 Streuwert 19.80, horizontal: 25.16, vertikal: 12.28



Serie 1:
 10.2 ↓ 10.2 ← 10.3 ← 10.2 ↙ 10.2 ↘
 10.4 ↘ 10.4 * 10.5 * 10.7 * 10.6 *
 beste Teiler 653.1 (9.) 1089.7 (10.) 1170.4 (8.)
 Trefferlage 5.04 mm links, 5.75 mm tief
 Streuwert 11.26, horizontal: 12.41, vertikal: 9.97





Serie 2:
 10.3 ← 10.5 * 10.3 ↙ 10.6 * 10.7 *
 10.4 ← 10.5 * 9.9 ↙ 10.2 → 9.9 →
 beste Teiler 700.1 (15.) 926.9 (14.) 1180.4 (17.)
 Trefferlage 2.55 mm links, 2.02 mm tief
 Streuwert 13.55, horizontal: 15.89, vertikal: 10.72




Serie 3:
 10.0 ↑ 10.1 ↘ 10.4 ↘ 10.8 * 9.9 ↓
 10.4 ↑ 10.2 ↗ 10.2 ← 10.2 ↘ 6.4 ←
 beste Teiler 374.5 (24.) 1654.5 (26.) 1658.7 (23.)
 Trefferlage 11.81 mm links, 1.42 mm hoch
 Streuwert 30.21, horizontal: 39.78, vertikal: 15.59

Unterschrift des Schützen


Ergebnis: **307.7** (293)
 Serien: 102.3 102.2 103.2
 Zähler: 24 5 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 6130 (3), 4038 (20), 3863 (28)
 beste Teiler 334.1 (18.) 533.5 (24.) 707.4 (6.)
 Trefferlage 9.90 mm links, 3.03 mm tief
 Streuwert 14.46, horizontal: 12.25, vertikal: 16.38



Serie 1:
 10.7 * 10.2 ↘ 8.6 ↑ 10.5 * 9.9 ↘
 10.7 * 10.6 * 10.2 ↖ 10.4 ↓ 10.5 *
 beste Teiler 707.4 (6.) 762.5 (1.) 1078.8 (7.)
 Trefferlage 7.10 mm links, 0.92 mm hoch
 Streuwert 18.04, horizontal: 11.14, vertikal: 22.95





Serie 2:
 10.3 ↗ 10.5 * 10.7 * 10.4 ↘ 9.7 ←
 10.5 * 10.1 ↖ 10.8 * 9.8 ↘ 9.4 ↘
 beste Teiler 334.1 (18.) 732.2 (13.) 1210.4 (16.)
 Trefferlage 9.95 mm links, 4.46 mm tief
 Streuwert 14.87, horizontal: 14.90, vertikal: 14.85




Serie 3:
 10.4 ↖ 10.4 ← 10.0 ↘ 10.8 * 10.4 *
 10.5 * 10.3 ← 9.5 ← 10.6 * 10.3 ↓
 beste Teiler 533.5 (24.) 879.6 (29.) 1143.9 (26.)
 Trefferlage 12.65 mm links, 5.56 mm tief
 Streuwert 10.26, horizontal: 10.96, vertikal: 9.51

Unterschrift des Schützen


Ergebnis: **311.9** (299)
 Serien: 104.0 103.3 104.6
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2926 (19), 2713 (6), 2489 (9)
 beste Teiler 431.0 (16.) 464.4 (18.) 490.1 (2.)
 Trefferlage 2.07 mm links, 4.94 mm hoch
 Streuwert 11.50, horizontal: 11.84, vertikal: 11.14



Serie 1:
 10.3 ↘ 10.8 * 10.3 ↖ 10.4 * 10.5 *
 10.0 ↘ 10.5 * 10.6 * 10.1 ↖ 10.5 *
 beste Teiler 490.1 (2.) 939.2 (8.) 1152.2 (5.)
 Trefferlage 6.66 mm links, 5.63 mm hoch
 Streuwert 10.60, horizontal: 9.73, vertikal: 11.41





Serie 2:
 10.2 ← 10.1 ↗ 10.1 ↖ 10.7 * 10.4 ↗
 10.8 * 10.1 → 10.8 * 9.9 ↗ 10.2 ↓
 beste Teiler 431.0 (16.) 464.4 (18.) 764.1 (14.)
 Trefferlage 0.04 mm rechts, 2.76 mm hoch
 Streuwert 14.24, horizontal: 14.99, vertikal: 13.46




Serie 3:
 10.7 * 10.1 ↘ 10.2 ↗ 10.4 * 10.5 *
 10.5 * 10.4 * 10.6 * 10.6 * 10.6 *
 beste Teiler 660.5 (21.) 924.0 (30.) 1043.2 (29.)
 Trefferlage 0.38 mm rechts, 6.43 mm hoch
 Streuwert 9.44, horizontal: 9.88, vertikal: 8.98

Unterschrift des Schützen


Ergebnis: **312.2** (297)
 Serien: 104.5 103.8 103.9
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 3020 (9), 2963 (21), 2810 (27)
 beste Teiler 146.8 (22.) 170.5 (7.) 364.6 (5.)
 Trefferlage 4.57 mm links, 0.95 mm hoch
 Streuwert 11.79, horizontal: 9.64, vertikal: 13.60



Serie 1:
 10.7 * 10.4 ↑ 10.1 ↑ 10.3 ← 10.8 *
 10.5 * 10.9 * 10.3 ↓ 9.9 ↓ 10.6 *
 beste Teiler 170.5 (7.) 364.6 (5.) 601.6 (1.)
 Trefferlage 3.57 mm links, 0.44 mm hoch
 Streuwert 12.12, horizontal: 7.32, vertikal: 15.50





Serie 2:
 10.2 ↑ 10.3 ↗ 10.3 ↘ 10.3 ↑ 10.6 *
 10.7 * 10.2 ↓ 10.7 * 10.2 ↘ 10.3 ↓
 beste Teiler 729.3 (16.) 774.8 (18.) 1067.2 (15.)
 Trefferlage 1.16 mm links, 4.25 mm hoch
 Streuwert 11.93, horizontal: 9.24, vertikal: 14.12




Serie 3:
 9.9 ↙ 10.9 * 10.1 ← 10.7 * 10.3 ↓
 10.4 * 9.9 ← 10.5 * 10.8 * 10.4 ↘
 beste Teiler 146.8 (22.) 549.5 (29.) 683.8 (24.)
 Trefferlage 8.99 mm links, 1.84 mm tief
 Streuwert 11.40, horizontal: 11.16, vertikal: 11.64

Unterschrift des Schützen


Ergebnis: **304.6** (292)
 Serien: 102.5 102.7 99.4
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 5143 (27), 3800 (23), 3466 (7)
 beste Teiler 373.4 (15.) 402.7 (5.) 818.7 (2.)
 Trefferlage 6.45 mm links, 6.74 mm tief
 Streuwert 16.17, horizontal: 16.66, vertikal: 15.66



Serie 1:
 9.9 ↙ 10.7 * 10.2 ↙ 10.0 ↙ 10.8 *
 10.6 * 9.7 ↘ 9.8 ↘ 10.4 → 10.4 →
 beste Teiler 402.7 (5.) 818.7 (2.) 856.4 (6.)
 Trefferlage 2.45 mm links, 10.89 mm tief
 Streuwert 14.15, horizontal: 15.43, vertikal: 12.75





Serie 2:
 10.4 ↗ 10.2 ← 10.4 ← 10.3 ↙ 10.8 *
 10.0 → 10.1 → 10.0 → 9.9 ↙ 10.6 *
 beste Teiler 373.4 (15.) 1023.0 (20.) 1629.6 (11.)
 Trefferlage 0.01 mm rechts, 3.36 mm tief
 Streuwert 15.17, horizontal: 18.85, vertikal: 10.24




Serie 3:
 9.8 ↖ 10.1 ↖ 9.5 ↙ 10.3 ← 10.3 ↖
 10.5 * 9.0 ↙ 9.7 ↓ 10.0 ↙ 10.2 ↖
 beste Teiler 1250.2 (26.) 1780.0 (25.) 1941.8 (24.)
 Trefferlage 16.93 mm links, 5.97 mm tief
 Streuwert 17.39, horizontal: 10.71, vertikal: 22.14

Unterschrift des Schützen


Ergebnis: **309.4** (296)
 Serien: 103.9 103.2 102.3
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 3916 (28), 3630 (11), 3299 (24)
 beste Teiler 354.9 (21.) 654.2 (20.) 721.9 (16.)
 Trefferlage 2.28 mm rechts, 7.49 mm hoch
 Streuwert 13.05, horizontal: 14.52, vertikal: 11.38



Serie 1:
 10.5 * 10.4 ↘ 10.6 * 10.5 * 10.1 ↖
 10.5 * 10.2 ↗ 10.6 * 10.1 → 10.4 *
 beste Teiler 1017.7 (3.) 1040.4 (8.) 1201.6 (6.)
 Trefferlage 3.50 mm rechts, 6.74 mm hoch
 Streuwert 10.92, horizontal: 13.50, vertikal: 7.50



Serie 2:
 9.6 ↗ 10.2 ↑ 10.2 ↖ 10.5 * 9.9 ↖
 10.7 * 10.7 * 10.2 ↘ 10.5 * 10.7 *
 beste Teiler 654.2 (20.) 721.9 (16.) 754.8 (17.)
 Trefferlage 0.49 mm links, 7.15 mm hoch
 Streuwert 13.82, horizontal: 15.69, vertikal: 11.65





Serie 3:
 10.8 * 10.0 ↖ 10.2 ↘ 9.7 ↖ 10.3 ↗
 10.5 * 10.6 * 9.5 ↗ 10.0 ↗ 10.7 *
 beste Teiler 354.9 (21.) 762.7 (30.) 866.3 (27.)
 Trefferlage 3.83 mm rechts, 8.59 mm hoch
 Streuwert 15.20, horizontal: 15.44, vertikal: 14.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **302.5** (288)
 Serien: 97.8 101.9 102.8
 Zähler: 20 8 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 6617 (2), 5465 (8), 4404 (6)
 beste Teiler 46.0 (22.) 321.6 (5.) 642.0 (12.)
 Trefferlage 8.42 mm rechts, 3.44 mm tief
 Streuwert 18.92, horizontal: 20.38, vertikal: 17.33



Serie 1:
 10.0 ↓ 8.4 ↘ 9.7 ↘ 10.6 * 10.8 *
 9.3 ↖ 10.2 ↓ 8.9 ↙ 9.5 ↗ 10.4 ↓
 beste Teiler 321.6 (5.) 853.0 (4.) 1640.9 (10.)
 Trefferlage 5.72 mm rechts, 10.65 mm tief
 Streuwert 25.80, horizontal: 28.83, vertikal: 22.37





Serie 2:
 10.3 ↓ 10.7 * 10.2 ↘ 10.6 * 10.0 ↘
 9.7 ↘ 10.0 ← 9.8 ↗ 10.5 * 10.1 ↗
 beste Teiler 642.0 (12.) 1052.3 (14.) 1218.7 (19.)
 Trefferlage 5.71 mm rechts, 0.36 mm tief
 Streuwert 16.45, horizontal: 17.66, vertikal: 15.15




Serie 3:
 9.9 → 10.9 * 10.7 * 10.6 * 10.3 →
 9.7 → 10.5 * 9.7 ↘ 10.2 ↗ 10.3 →
 beste Teiler 46.0 (22.) 706.5 (23.) 897.9 (24.)
 Trefferlage 13.84 mm rechts, 0.67 mm hoch
 Streuwert 12.21, horizontal: 12.13, vertikal: 12.29

Unterschrift des Schützen


Ergebnis: **312.3** (299)
 Serien: 103.6 105.1 103.6
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 2809 (28), 2757 (7), 2649 (27)
 beste Teiler 390.2 (26.) 545.6 (5.) 689.3 (13.)
 Trefferlage 1.35 mm links, 7.20 mm tief
 Streuwert 10.75, horizontal: 12.49, vertikal: 8.68



Serie 1:
 10.4 ↖ 10.4 ↙ 10.3 ↓ 10.2 ↘ 10.8 *
 10.5 * 10.0 ↖ 10.4 ↓ 10.1 ↗ 10.5 *
 beste Teiler 545.6 (5.) 1265.7 (6.) 1383.6 (10.)
 Trefferlage 5.40 mm links, 8.25 mm tief
 Streuwert 11.36, horizontal: 12.01, vertikal: 10.68





Serie 2:
 10.4 ← 10.7 * 10.7 * 10.4 → 10.6 *
 10.2 → 10.5 * 10.6 * 10.7 * 10.3 ↓
 beste Teiler 689.3 (13.) 692.3 (12.) 788.9 (19.)
 Trefferlage 1.24 mm rechts, 6.14 mm tief
 Streuwert 8.64, horizontal: 10.85, vertikal: 5.63




Serie 3:
 10.6 * 10.6 * 10.5 * 10.5 * 10.2 →
 10.8 * 10.0 ↓ 9.9 ← 10.4 * 10.1 ↘
 beste Teiler 390.2 (26.) 884.9 (22.) 1047.8 (21.)
 Trefferlage 0.08 mm rechts, 7.21 mm tief
 Streuwert 12.39, horizontal: 14.58, vertikal: 9.73

Unterschrift des Schützen


Ergebnis: **314.7** (298)
 Serien: 106.5 103.3 104.9
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 3249 (25), 3198 (12), 2757 (15)
 beste Teiler 231.2 (14.) 253.6 (2.) 376.2 (10.)
 Trefferlage 0.03 mm rechts, 3.04 mm hoch
 Streuwert 10.63, horizontal: 10.89, vertikal: 10.35



Serie 1:
 10.5 * 10.9 * 10.4 → 10.3 → 10.6 *
 10.8 * 10.8 * 10.6 * 10.8 * 10.8 *
 beste Teiler 253.6 (2.) 376.2 (10.) 415.4 (7.)
 Trefferlage 2.25 mm rechts, 0.35 mm hoch
 Streuwert 7.28, horizontal: 8.49, vertikal: 5.82





Serie 2:
 10.3 ↗ 9.8 ← 10.6 * 10.9 * 10.0 ↘
 10.2 ↘ 10.2 ← 10.5 * 10.3 ↘ 10.5 *
 beste Teiler 231.2 (14.) 1039.4 (13.) 1127.1 (18.)
 Trefferlage 4.66 mm links, 0.69 mm hoch
 Streuwert 13.87, horizontal: 15.43, vertikal: 12.12




Serie 3:
 10.5 * 10.4 * 10.5 * 10.5 * 9.8 ↑
 10.6 * 10.7 * 10.7 * 10.5 * 10.7 *
 beste Teiler 581.9 (27.) 631.9 (30.) 769.6 (28.)
 Trefferlage 2.50 mm rechts, 8.08 mm hoch
 Streuwert 8.88, horizontal: 5.96, vertikal: 11.05

Unterschrift des Schützen


Ergebnis: **316.2** (300)
 Serien: 104.9 105.9 105.4
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 2606 (2), 2299 (27), 2203 (21)
 beste Teiler 220.4 (8.) 247.1 (25.) 251.8 (11.)
 Trefferlage 0.38 mm links, 3.59 mm hoch
 Streuwert 9.03, horizontal: 9.16, vertikal: 8.91



Serie 1:
 10.4 ↯ 10.0 ↯ 10.6 * 10.4 * 10.5 *
 10.5 * 10.3 ↯ 10.9 * 10.9 * 10.4 *
 beste Teiler 220.4 (8.) 261.0 (9.) 896.3 (3.)
 Trefferlage 3.54 mm links, 3.82 mm hoch
 Streuwert 9.96, horizontal: 9.97, vertikal: 9.96



Serie 2:
 10.9 * 10.5 * 10.5 * 10.4 * 10.3 ↯
 10.4 ↯ 10.8 * 10.8 * 10.7 * 10.6 *
 beste Teiler 251.8 (11.) 383.8 (17.) 481.0 (18.)
 Trefferlage 1.58 mm rechts, 2.84 mm hoch
 Streuwert 8.18, horizontal: 8.65, vertikal: 7.68





Serie 3:
 10.2 ↯ 10.6 * 10.7 * 10.7 * 10.9 *
 10.7 * 10.1 ↯ 10.6 * 10.3 ↯ 10.6 *
 beste Teiler 247.1 (25.) 614.5 (26.) 705.9 (24.)
 Trefferlage 0.81 mm rechts, 4.11 mm hoch
 Streuwert 9.37, horizontal: 8.89, vertikal: 9.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315.6** (300)
 Serien: 105.0 104.7 105.9
 Zähler: 30 0 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 2263 (15), 2086 (1), 1875 (19)
 beste Teiler 380.7 (11.) 465.8 (24.) 558.3 (30.)
 Trefferlage 1.02 mm links, 1.89 mm hoch
 Streuwert 9.00, horizontal: 8.35, vertikal: 9.60



Serie 1:
 10.2 ↑ 10.5 * 10.6 * 10.7 * 10.3 ↓
 10.5 * 10.7 * 10.5 * 10.5 * 10.5 *
 beste Teiler 757.6 (7.) 779.4 (4.) 859.4 (3.)
 Trefferlage 0.71 mm rechts, 1.04 mm hoch
 Streuwert 9.56, horizontal: 8.22, vertikal: 10.74





Serie 2:
 10.8 * 10.5 * 10.5 * 10.5 * 10.1 ↑
 10.3 ↑ 10.7 * 10.6 * 10.3 ↓ 10.4 *
 beste Teiler 380.7 (11.) 688.3 (17.) 1099.8 (18.)
 Trefferlage 0.06 mm links, 4.24 mm hoch
 Streuwert 9.90, horizontal: 7.35, vertikal: 11.91




Serie 3:
 10.5 * 10.7 * 10.4 ← 10.8 * 10.6 *
 10.4 ← 10.7 * 10.4 * 10.7 * 10.7 *
 beste Teiler 465.8 (24.) 558.3 (30.) 575.2 (22.)
 Trefferlage 3.73 mm links, 0.39 mm hoch
 Streuwert 7.77, horizontal: 9.53, vertikal: 5.48

Unterschrift des Schützen


Ergebnis: **313.8** (298)
 Serien: 104.2 105.8 103.8
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 3567 (10), 3293 (30), 2320 (18)
 beste Teiler 279.8 (23.) 358.8 (20.) 414.5 (15.)
 Trefferlage 2.00 mm links, 1.38 mm hoch
 Streuwert 11.19, horizontal: 12.42, vertikal: 9.81



Serie 1:
 10.5 * 10.2 ↘ 10.7 * 10.5 * 10.4 *
 10.6 * 10.6 * 10.8 * 10.3 ← 9.6 ←
 beste Teiler 444.0 (8.) 583.6 (3.) 873.1 (7.)
 Trefferlage 5.28 mm links, 2.79 mm tief
 Streuwert 11.85, horizontal: 14.39, vertikal: 8.59



Serie 2:
 10.8 * 10.7 * 10.5 * 10.7 * 10.8 *
 10.5 * 10.6 * 10.1 ↖ 10.3 ↖ 10.8 *
 beste Teiler 358.8 (20.) 414.5 (15.) 550.3 (11.)
 Trefferlage 4.34 mm links, 2.14 mm hoch
 Streuwert 8.18, horizontal: 9.42, vertikal: 6.70





Serie 3:
 10.3 ↖ 10.2 → 10.8 * 10.7 * 10.3 →
 10.2 ↘ 10.5 * 10.5 * 10.6 * 9.7 ↗
 beste Teiler 279.8 (23.) 822.5 (24.) 962.9 (29.)
 Trefferlage 3.60 mm rechts, 4.80 mm hoch
 Streuwert 12.38, horizontal: 12.17, vertikal: 12.58


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **311.1** (296)
 Serien: 103.7 104.1 103.3
 Zähler: 26 4 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 3783 (7), 3500 (17), 3191 (12)
 beste Teiler 344.6 (8.) 469.6 (13.) 473.5 (18.)
 Trefferlage 7.97 mm rechts, 3.56 mm tief
 Streuwert 11.57, horizontal: 12.88, vertikal: 10.10



Serie 1:
 10.4 * 10.1 ↘ 10.7 * 10.6 * 10.4 →
 10.7 * 9.5 → 10.8 * 10.3 ↓ 10.2 →
 beste Teiler 344.6 (8.) 592.0 (3.) 764.2 (6.)
 Trefferlage 8.20 mm rechts, 3.86 mm tief
 Streuwert 11.82, horizontal: 12.74, vertikal: 10.83





Serie 2:
 10.2 ↘ 9.8 ↘ 10.8 * 10.4 * 10.6 *
 10.6 * 9.7 → 10.8 * 10.6 * 10.6 *
 beste Teiler 469.6 (13.) 473.5 (18.) 933.0 (15.)
 Trefferlage 6.43 mm rechts, 4.21 mm tief
 Streuwert 12.31, horizontal: 14.15, vertikal: 10.14




Serie 3:
 9.9 → 10.2 ↘ 10.1 ↘ 10.6 * 10.7 *
 10.2 → 10.6 * 10.2 ↙ 10.5 * 10.3 ↑
 beste Teiler 721.8 (25.) 986.7 (27.) 999.3 (24.)
 Trefferlage 9.27 mm rechts, 2.62 mm tief
 Streuwert 11.72, horizontal: 12.96, vertikal: 10.34

 Unterschrift des Schützen


Ergebnis: **317.2** (299)
 Serien: 105.7 106.2 105.3
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 3706 (22), 1811 (3), 1702 (27)
 beste Teiler 209.4 (21.) 267.3 (30.) 349.6 (8.)
 Trefferlage 1.07 mm rechts, 0.11 mm tief
 Streuwert 8.97, horizontal: 10.18, vertikal: 7.56



Serie 1:
 10.8 * 10.4 * 10.3 ← 10.4 ↗ 10.6 *
 10.8 * 10.4 ↘ 10.8 * 10.7 * 10.5 *
 beste Teiler 349.6 (8.) 420.5 (1.) 507.0 (6.)
 Trefferlage 2.23 mm links, 0.27 mm hoch
 Streuwert 8.73, horizontal: 9.24, vertikal: 8.18





Serie 2:
 10.8 * 10.7 * 10.4 * 10.6 * 10.4 *
 10.8 * 10.8 * 10.8 * 10.4 * 10.5 *
 beste Teiler 382.6 (11.) 462.7 (18.) 489.8 (16.)
 Trefferlage 2.10 mm rechts, 1.21 mm hoch
 Streuwert 7.27, horizontal: 7.35, vertikal: 7.20




Serie 3:
 10.9 * 9.6 → 10.7 * 10.5 * 10.7 *
 10.7 * 10.3 ↓ 10.6 * 10.4 ↖ 10.9 *
 beste Teiler 209.4 (21.) 267.3 (30.) 582.8 (23.)
 Trefferlage 3.36 mm rechts, 1.82 mm tief
 Streuwert 10.85, horizontal: 13.24, vertikal: 7.75

Unterschrift des Schützen


Ergebnis: **312.9** (298)
 Serien: 104.9 104.3 103.7
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 3610 (18), 3086 (21), 2740 (26)
 beste Teiler 419.9 (24.) 494.4 (22.) 530.1 (20.)
 Trefferlage 0.87 mm rechts, 3.90 mm tief
 Streuwert 11.59, horizontal: 11.23, vertikal: 11.95



Serie 1:
 10.0 ↓ 10.6 * 10.6 * 10.6 * 10.6 *
 10.7 * 10.3 ↖ 10.6 * 10.5 * 10.4 ↓
 beste Teiler 800.8 (6.) 872.0 (8.) 888.1 (2.)
 Trefferlage 1.45 mm links, 5.49 mm tief
 Streuwert 9.45, horizontal: 7.88, vertikal: 10.79





Serie 2:
 10.0 → 10.6 * 10.6 * 10.4 ↗ 10.6 *
 10.7 * 10.5 * 9.6 ↘ 10.5 * 10.8 *
 beste Teiler 530.1 (20.) 771.1 (16.) 918.3 (15.)
 Trefferlage 6.29 mm rechts, 2.73 mm tief
 Streuwert 11.72, horizontal: 13.39, vertikal: 9.76




Serie 3:
 9.8 ↓ 10.8 * 10.6 * 10.8 * 10.6 *
 10.0 ↙ 10.2 ↖ 10.2 ↙ 10.6 * 10.1 ↘
 beste Teiler 419.9 (24.) 494.4 (22.) 1013.5 (25.)
 Trefferlage 2.20 mm links, 3.48 mm tief
 Streuwert 13.40, horizontal: 10.74, vertikal: 15.62

 Unterschrift des Schützen


Ergebnis: **313.0** (299)
 Serien: 104.0 104.1 104.9
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 3039 (19), 2587 (16), 2534 (8)
 beste Teiler 61.4 (12.) 382.1 (4.) 558.6 (1.)
 Trefferlage 3.53 mm rechts, 1.85 mm hoch
 Streuwert 10.91, horizontal: 12.08, vertikal: 9.59



Serie 1:
 10.7 * 10.3 ← 10.7 * 10.8 * 10.5 *
 10.1 ↑ 10.3 ↙ 10.0 ↑ 10.1 ↗ 10.5 *
 beste Teiler 382.1 (4.) 558.6 (1.) 638.0 (3.)
 Trefferlage 1.51 mm links, 6.11 mm hoch
 Streuwert 11.38, horizontal: 8.37, vertikal: 13.75





Serie 2:
 10.6 * 10.9 * 10.5 * 10.6 * 10.3 ↘
 10.0 → 10.5 * 10.4 → 9.8 → 10.5 *
 beste Teiler 61.4 (12.) 921.6 (11.) 1073.7 (14.)
 Trefferlage 7.21 mm rechts, 2.60 mm tief
 Streuwert 11.23, horizontal: 14.59, vertikal: 6.27




Serie 3:
 10.6 * 10.5 * 10.4 * 10.7 * 10.5 *
 10.3 ↗ 10.2 → 10.7 * 10.4 → 10.6 *
 beste Teiler 581.0 (28.) 601.6 (24.) 1057.2 (21.)
 Trefferlage 4.89 mm rechts, 2.05 mm hoch
 Streuwert 9.16, horizontal: 11.91, vertikal: 5.08

 Unterschrift des Schützen


Ergebnis: **313.4** (298)
 Serien: 106.1 102.1 105.2
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 3961 (20), 3468 (18), 2626 (28)
 beste Teiler 178.7 (21.) 267.1 (7.) 271.2 (26.)
 Trefferlage 2.20 mm links, 4.94 mm hoch
 Streuwert 11.22, horizontal: 11.25, vertikal: 11.19



Serie 1:
 10.4 * 10.6 * 10.5 * 10.7 * 10.8 *
 10.7 * 10.9 * 10.6 * 10.5 * 10.4 *
 beste Teiler 267.1 (7.) 502.6 (5.) 615.7 (6.)
 Trefferlage 2.60 mm links, 2.32 mm hoch
 Streuwert 7.41, horizontal: 6.16, vertikal: 8.47





Serie 2:
 10.3 ↙ 10.1 ↑ 10.5 * 10.2 ↘ 10.2 ↘
 10.6 * 10.3 ↑ 9.7 ↘ 10.7 * 9.5 ↖
 beste Teiler 764.7 (19.) 1039.3 (16.) 1180.2 (13.)
 Trefferlage 4.44 mm links, 3.42 mm hoch
 Streuwert 16.29, horizontal: 17.47, vertikal: 15.02




Serie 3:
 10.9 * 10.6 * 10.3 ↖ 10.4 * 10.7 *
 10.9 * 10.4 * 10.0 ↑ 10.3 ↑ 10.7 *
 beste Teiler 178.7 (21.) 271.2 (26.) 560.9 (30.)
 Trefferlage 0.44 mm rechts, 9.07 mm hoch
 Streuwert 8.01, horizontal: 7.16, vertikal: 8.78

Unterschrift des Schützen


Ergebnis: **313.5** (298)
 Serien: 104.1 103.7 105.7
 Zähler: 28 2 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 3422 (14), 2814 (2), 2313 (5)
 beste Teiler 77.8 (24.) 476.8 (19.) 508.6 (20.)
 Trefferlage 4.07 mm rechts, 2.31 mm hoch
 Streuwert 10.65, horizontal: 10.87, vertikal: 10.43



Serie 1:
 10.6 * 9.9 ↘ 10.6 * 10.4 * 10.1 ↘
 10.6 * 10.2 ↗ 10.5 * 10.6 * 10.6 *
 beste Teiler 838.4 (1.) 868.8 (9.) 913.5 (6.)
 Trefferlage 2.80 mm rechts, 3.96 mm hoch
 Streuwert 11.20, horizontal: 10.34, vertikal: 12.00



Serie 2:
 10.3 ↘ 10.6 * 10.5 * 9.7 ↘ 10.2 ↘
 10.4 * 10.2 ↗ 10.2 ↗ 10.8 * 10.8 *
 beste Teiler 476.8 (19.) 508.6 (20.) 1099.4 (12.)
 Trefferlage 5.13 mm rechts, 1.42 mm hoch
 Streuwert 13.11, horizontal: 14.81, vertikal: 11.15



Serie 3:
 10.7 * 10.4 * 10.6 * 10.9 * 10.5 *
 10.6 * 10.7 * 10.3 → 10.6 * 10.4 *
 beste Teiler 77.8 (24.) 637.8 (27.) 788.5 (21.)
 Trefferlage 4.30 mm rechts, 1.54 mm hoch
 Streuwert 8.03, horizontal: 7.15, vertikal: 8.83

Unterschrift des Schützen