

KK 100m 30 – Wertung – Herren I

StartNr: 1



StandNr: 104

8. Juni 2024 15:01


Borggreve, Jonas #10

1000 Sportschützen Stadtlohn e.V. / Sportschützen Stadtlohn e.V.


Ergebnis: **286** (298.6)
 Serien: 96 94 96
 Zähler: 18 10 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 6151 (27), 6003 (18), 4712 (15)
 beste Teiler 239.9 (6.) 461.5 (25.) 647.3 (3.)
 Trefferlage 0.07 mm rechts, 3.19 mm hoch
 Streuwert 22.20, horizontal: 25.30, vertikal: 18.60



Serie 1:
 10.1 ↘ 9.5 → 10.7 * 10.2 ↘ 10.0 ↙
 10.9 * 10.4 → 9.4 ↖ 9.2 ↑ 9.4 ↖
 beste Teiler 239.9 (6.) 647.3 (3.) 1531.4 (7.)
 Trefferlage 0.05 mm links, 6.49 mm hoch
 Streuwert 21.92, horizontal: 22.73, vertikal: 21.08



Serie 2:
 10.3 ↑ 9.5 ← 10.6 * 10.0 ↖ 9.2 ←
 9.7 ↖ 10.0 ↖ 8.7 → 9.6 → 10.1 ↘
 beste Teiler 1092.6 (13.) 1754.4 (11.) 2446.5 (20.)
 Trefferlage 5.51 mm links, 0.36 mm tief
 Streuwert 25.93, horizontal: 32.45, vertikal: 17.09



Serie 3:
 10.6 * 10.4 * 10.4 * 10.2 ↑ 10.8 *
 10.1 ↗ 8.6 ↘ 9.9 ↖ 10.2 ↙ 9.9 →
 beste Teiler 461.5 (25.) 1061.8 (21.) 1396.0 (23.)
 Trefferlage 5.78 mm rechts, 3.46 mm hoch
 Streuwert 19.66, horizontal: 20.53, vertikal: 18.76

Unterschrift des Schützen

Meyton Elektronik

KK 100m 30 – Wertung – Herren I

StartNr: 2



StandNr: 103

8. Juni 2024 14:49


Giepen, Philipp #9

1000 Sportschützen Stadtlohn e.V. / Sportschützen Stadtlohn e.V.


Ergebnis: **274** (288.9)
 Serien: 93 89 92
 Zähler: 11 12 7 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 6472 (14), 6063 (6), 6047 (4)
 beste Teiler 654.0 (8.) 1155.7 (2.) 1342.1 (27.)
 Trefferlage 8.10 mm rechts, 17.84 mm tief
 Streuwert 24.34, horizontal: 31.09, vertikal: 14.76



Serie 1:
 9.3 → 10.5 * 10.3 ↙ 8.6 → 10.3 ↘
 8.6 → 9.6 ← 10.7 * 10.0 ↙ 9.7 ↘
 beste Teiler 654.0 (8.) 1155.7 (2.) 1829.7 (5.)
 Trefferlage 10.57 mm rechts, 13.90 mm tief
 Streuwert 24.14, horizontal: 32.74, vertikal: 9.69



Serie 2:
 9.9 ↘ 8.9 ↘ 10.1 ↙ 8.5 ↘ 10.3 ↙
 10.4 * 9.5 → 8.9 → 8.9 ↙ 9.5 →
 beste Teiler 1424.4 (16.) 1674.2 (15.) 2342.7 (13.)
 Trefferlage 14.33 mm rechts, 17.70 mm tief
 Streuwert 26.45, horizontal: 32.58, vertikal: 18.37





Serie 3:
 8.9 ↘ 10.2 → 10.3 → 9.3 ↓ 9.1 ↘
 9.7 ↙ 10.5 * 9.6 ↙ 9.0 ↙ 9.8 ↙
 beste Teiler 1342.1 (27.) 1713.5 (23.) 2049.8 (22.)
 Trefferlage 0.58 mm links, 21.94 mm tief
 Streuwert 23.27, horizontal: 29.11, vertikal: 15.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284** (298.9)
 Serien: 95 92 97
 Zähler: 18 9 2 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 7784 (15), 6468 (13), 6182 (4)
 beste Teiler 228.9 (20.) 279.0 (3.) 823.1 (5.)
 Trefferlage 1.68 mm links, 7.81 mm tief
 Streuwert 22.42, horizontal: 20.54, vertikal: 24.16



Serie 1:
 10.4 ↖ 10.6 * 10.8 * 8.6 ↓ 10.7 *
 9.7 ← 9.4 ↓ 9.9 ↘ 10.6 * 10.2 ↘
 beste Teiler 279.0 (3.) 823.1 (5.) 858.0 (9.)
 Trefferlage 2.63 mm links, 12.95 mm tief
 Streuwert 19.31, horizontal: 15.35, vertikal: 22.59



Serie 2:
 9.8 ↓ 10.4 → 8.5 ↖ 9.8 ↙ 7.9 ↘
 10.3 ↗ 10.1 ↗ 10.0 → 9.8 → 10.9 *
 beste Teiler 228.9 (20.) 1558.5 (12.) 1866.2 (16.)
 Trefferlage 8.47 mm rechts, 4.49 mm tief
 Streuwert 28.20, horizontal: 27.73, vertikal: 28.65



Serie 3:
 10.2 ↓ 9.2 ↓ 10.2 ↙ 10.3 ↘ 10.1 ↑
 10.4 ← 9.5 ↖ 10.5 * 10.6 * 9.5 ↙
 beste Teiler 944.1 (29.) 1155.0 (28.) 1561.2 (26.)
 Trefferlage 10.87 mm links, 6.00 mm tief
 Streuwert 18.03, horizontal: 12.07, vertikal: 22.46

Unterschrift des Schützen

KK 100m 30 – Wertung – Damen I

StartNr: 4



StandNr: 104

8. Juni 2024 16:13


Aleksandrova, Sabine Krista #25

1000 SFr Emsdetten e.V. / SFr Emsdetten e.V.


Ergebnis: **291** (304.6)
 Serien: 98 94 99
 Zähler: 21 9 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 4789 (20), 4408 (14), 4205 (18)
 beste Teiler 260.3 (1.) 607.2 (10.) 685.2 (3.)
 Trefferlage 2.76 mm links, 3.75 mm hoch
 Streuwert 17.64, horizontal: 20.88, vertikal: 13.65



Serie 1:
 10.9 * 10.0 ↗ 10.7 * 9.6 ↘ 9.8 ↘
 10.6 * 10.4 * 10.6 * 10.7 * 10.7 *
 beste Teiler 260.3 (1.) 607.2 (10.) 685.2 (3.)
 Trefferlage 6.63 mm links, 6.73 mm hoch
 Streuwert 12.04, horizontal: 13.05, vertikal: 10.93



Serie 2:
 9.7 ↗ 10.5 * 9.9 → 9.3 → 10.6 *
 9.4 ↘ 10.3 → 9.4 ← 10.5 * 9.1 ←
 beste Teiler 890.5 (15.) 1179.0 (12.) 1193.1 (19.)
 Trefferlage 2.50 mm rechts, 5.12 mm hoch
 Streuwert 23.69, horizontal: 30.81, vertikal: 13.17



Serie 3:
 10.3 ↘ 10.4 * 10.0 ← 10.4 * 10.3 ←
 10.0 ↗ 10.1 ↗ 9.8 ↘ 10.6 * 10.0 ↘
 beste Teiler 1063.3 (29.) 1394.5 (22.) 1516.8 (24.)
 Trefferlage 4.16 mm links, 0.57 mm tief
 Streuwert 15.99, horizontal: 15.38, vertikal: 16.57

 Unterschrift des Schützen

Meyton Elektronik

KK 100m 30 – Wertung – Damen I

StartNr: 5



StandNr: 103

8. Juni 2024 16:18


Fischer, Nike #24

1000 SFr Emsdetten e.V. / SFr Emsdetten e.V.


Ergebnis: **297** (309.8)
 Serien: 99 100 98
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3607 (10), 2973 (25), 2967 (28)
 beste Teiler 202.2 (30.) 305.4 (22.) 339.5 (16.)
 Trefferlage 3.93 mm links, 0.65 mm hoch
 Streuwert 13.64, horizontal: 12.63, vertikal: 14.58



Serie 1:
 10.2 ↙ 10.8 * 10.5 * 10.6 * 10.2 ↘
 10.2 ↘ 10.1 ↗ 10.3 ↘ 10.3 ↖ 9.6 ↘
 beste Teiler 527.0 (2.) 919.6 (4.) 1268.3 (3.)
 Trefferlage 5.51 mm links, 1.18 mm hoch
 Streuwert 14.64, horizontal: 12.02, vertikal: 16.87



Serie 2:
 10.1 ↘ 10.5 * 10.0 ↘ 10.3 ↖ 10.0 ←
 10.8 * 10.2 ↘ 10.4 ↙ 10.3 → 10.7 *
 beste Teiler 339.5 (16.) 559.4 (20.) 1185.3 (12.)
 Trefferlage 5.76 mm links, 0.64 mm tief
 Streuwert 13.33, horizontal: 12.86, vertikal: 13.78





Serie 3:
 10.3 ↘ 10.8 * 10.3 ↗ 10.2 ↙ 9.9 ↙
 10.6 * 10.2 ↘ 9.9 ↗ 10.6 * 10.9 *
 beste Teiler 202.2 (30.) 305.4 (22.) 851.6 (29.)
 Trefferlage 0.52 mm links, 1.43 mm hoch
 Streuwert 14.01, horizontal: 13.58, vertikal: 14.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **291** (306.9)
 Serien: 93 99 99
 Zähler: 22 7 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 5303 (1), 3636 (3), 3137 (28)
 beste Teiler 331.1 (8.) 723.1 (10.) 791.7 (25.)
 Trefferlage 4.97 mm links, 2.99 mm hoch
 Streuwert 15.46, horizontal: 16.20, vertikal: 14.69



Serie 1:
 8.9 ↘ 10.3 ← 9.6 ← 9.9 ↘ 10.6 *
 9.8 ↗ 9.9 ↑ 10.8 * 9.9 → 10.7 *
 beste Teiler 331.1 (8.) 723.1 (10.) 909.1 (5.)
 Trefferlage 6.75 mm links, 10.62 mm hoch
 Streuwert 19.16, horizontal: 22.41, vertikal: 15.23





Serie 2:
 10.2 ↘ 10.0 ↙ 10.5 * 9.9 ← 10.2 ←
 10.3 ↑ 10.4 ↓ 10.3 ← 10.6 * 10.6 *
 beste Teiler 845.7 (19.) 1013.1 (20.) 1232.7 (13.)
 Trefferlage 11.61 mm links, 1.64 mm tief
 Streuwert 11.11, horizontal: 8.84, vertikal: 12.99




Serie 3:
 10.0 ↗ 10.4 ↑ 10.3 ← 10.4 * 10.7 *
 10.4 * 10.5 * 9.8 ↘ 10.5 * 10.5 *
 beste Teiler 791.7 (25.) 1128.8 (29.) 1149.8 (30.)
 Trefferlage 3.44 mm rechts, 0.01 mm hoch
 Streuwert 12.84, horizontal: 11.56, vertikal: 14.01

Unterschrift des Schützen


Ergebnis: **289** (300.2)
 Serien: 99 95 95
 Zähler: 20 9 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 7486 (20), 5126 (29), 4448 (10)
 beste Teiler 457.9 (26.) 812.7 (19.) 901.5 (30.)
 Trefferlage 6.36 mm rechts, 2.43 mm tief
 Streuwert 20.64, horizontal: 24.42, vertikal: 15.99



Serie 1:
 10.1 ↘ 10.3 ↓ 10.2 ← 10.1 ↓ 10.0 →
 10.0 ↖ 10.4 * 10.6 * 10.4 ✓ 9.3 ←
 beste Teiler 1073.8 (8.) 1526.9 (7.) 1590.3 (9.)
 Trefferlage 3.64 mm links, 6.76 mm tief
 Streuwert 17.16, horizontal: 19.83, vertikal: 13.98





Serie 2:
 10.2 ↘ 9.5 ↘ 10.4 * 10.2 ↖ 10.1 →
 9.7 → 10.3 ↘ 9.4 ↘ 10.7 * 8.1 →
 beste Teiler 812.7 (19.) 1529.0 (13.) 1737.4 (17.)
 Trefferlage 20.89 mm rechts, 5.22 mm tief
 Streuwert 20.09, horizontal: 24.59, vertikal: 14.23




Serie 3:
 9.5 ↗ 10.4 ✓ 9.8 ← 10.2 ← 10.3 →
 10.8 * 9.9 ↖ 9.7 ↑ 9.0 ↘ 10.6 *
 beste Teiler 457.9 (26.) 901.5 (30.) 1590.8 (22.)
 Trefferlage 1.83 mm rechts, 4.67 mm hoch
 Streuwert 21.15, horizontal: 23.56, vertikal: 18.43

Unterschrift des Schützen


Ergebnis: **286** (300.3)
 Serien: 98 94 94
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 6999 (14), 5254 (26), 3956 (24)
 beste Teiler 66.4 (13.) 326.2 (4.) 621.7 (17.)
 Trefferlage 1.50 mm rechts, 0.79 mm tief
 Streuwert 21.16, horizontal: 26.42, vertikal: 14.03



Serie 1:
 9.9 ← 10.0 ← 10.5 * 10.8 * 10.4 *
 10.4 ↘ 10.6 * 9.7 ← 10.0 ↗ 10.3 →
 beste Teiler 326.2 (4.) 864.0 (7.) 1357.3 (3.)
 Trefferlage 1.66 mm links, 2.45 mm tief
 Streuwert 15.58, horizontal: 20.24, vertikal: 8.73





Serie 2:
 9.6 ↙ 9.8 ↘ 10.9 * 8.3 → 10.2 ↘
 10.0 → 10.7 * 9.8 → 9.8 → 10.5 *
 beste Teiler 66.4 (13.) 621.7 (17.) 1302.6 (20.)
 Trefferlage 16.66 mm rechts, 7.69 mm tief
 Streuwert 19.96, horizontal: 26.66, vertikal: 9.26




Serie 3:
 9.6 ↖ 10.4 * 10.1 → 9.5 ↑ 10.1 ↙
 9.0 ← 9.8 ↑ 9.7 → 9.7 ← 10.2 ↘
 beste Teiler 1412.7 (22.) 2164.0 (30.) 2332.0 (25.)
 Trefferlage 10.48 mm links, 7.75 mm hoch
 Streuwert 22.79, horizontal: 26.52, vertikal: 18.31

Unterschrift des Schützen


Ergebnis: **276** (291.6)
 Serien: 88 93 95
 Zähler: 10 17 2 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 8037 (8), 5730 (5), 5376 (3)
 beste Teiler 779.9 (26.) 1007.2 (19.) 1314.3 (24.)
 Trefferlage 0.07 mm rechts, 8.85 mm hoch
 Streuwert 25.49, horizontal: 28.07, vertikal: 22.61



Serie 1:
 10.0 → 10.3 ↘ 8.9 ↖ 9.9 ↗ 8.8 ↗
 9.2 ↑ 9.2 ← 7.8 → 9.6 ↘ 9.9 ↑
 beste Teiler 1678.6 (2.) 2723.0 (1.) 2792.5 (10.)
 Trefferlage 10.16 mm rechts, 15.59 mm hoch
 Streuwert 31.07, horizontal: 37.30, vertikal: 23.23





Serie 2:
 9.5 ↖ 9.1 ↑ 10.0 ↑ 9.9 ↘ 9.9 ←
 9.8 ↑ 9.4 ← 9.6 ↑ 10.6 * 10.3 ↗
 beste Teiler 1007.2 (19.) 1796.2 (20.) 2780.9 (13.)
 Trefferlage 7.57 mm links, 17.95 mm hoch
 Streuwert 19.61, horizontal: 19.84, vertikal: 19.38




Serie 3:
 9.9 ↗ 10.2 ↙ 10.5 * 10.5 * 9.6 ↘
 10.7 * 9.7 ↖ 9.4 → 10.3 ↓ 9.1 ←
 beste Teiler 779.9 (26.) 1314.3 (24.) 1373.2 (23.)
 Trefferlage 2.37 mm links, 6.98 mm tief
 Streuwert 20.99, horizontal: 23.87, vertikal: 17.65

Unterschrift des Schützen


Ergebnis: **286** (302.3)
 Serien: 95 94 97
 Zähler: 16 14 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3979 (17), 3967 (22), 3886 (8)
 beste Teiler 287.0 (3.) 303.6 (1.) 522.9 (26.)
 Trefferlage 3.06 mm rechts, 1.79 mm hoch
 Streuwert 19.06, horizontal: 21.73, vertikal: 15.95



Serie 1:
 10.8 * 10.7 * 10.8 * 10.2 ↘ 9.7 →
 9.8 ↘ 9.9 ↘ 9.5 ↙ 10.1 ↗ 9.8 →
 beste Teiler 287.0 (3.) 303.6 (1.) 773.5 (2.)
 Trefferlage 4.31 mm rechts, 2.39 mm hoch
 Streuwert 18.84, horizontal: 21.15, vertikal: 16.21





Serie 2:
 10.2 ↓ 9.6 ↘ 9.8 ↘ 9.6 ← 10.6 *
 9.8 ↘ 9.5 ↘ 10.2 ↗ 10.1 ↗ 9.7 ↗
 beste Teiler 883.3 (15.) 2094.6 (18.) 2095.6 (11.)
 Trefferlage 3.23 mm rechts, 0.50 mm hoch
 Streuwert 21.91, horizontal: 24.77, vertikal: 18.61




Serie 3:
 9.5 ← 9.5 ↗ 10.0 ↗ 10.7 * 9.6 →
 10.8 * 10.4 ↘ 10.4 ↙ 10.5 * 10.5 *
 beste Teiler 522.9 (26.) 819.5 (24.) 1318.9 (29.)
 Trefferlage 1.63 mm rechts, 2.48 mm hoch
 Streuwert 18.23, horizontal: 21.36, vertikal: 14.42

Unterschrift des Schützen


Ergebnis: **287** (300.7)
 Serien: 97 94 96
 Zähler: 17 13 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 5000 (14), 4219 (18), 4150 (24)
 beste Teiler 175.0 (20.) 300.5 (11.) 1035.7 (27.)
 Trefferlage 2.92 mm rechts, 4.48 mm hoch
 Streuwert 19.77, horizontal: 19.75, vertikal: 19.79



Serie 1:
 9.9 ← 10.1 ↓ 10.4 * 10.1 ↘ 10.3 ↑
 10.0 ↖ 9.9 ↗ 10.4 * 10.4 * 9.5 ↘
 beste Teiler 1414.2 (8.) 1471.6 (3.) 1482.9 (9.)
 Trefferlage 6.85 mm links, 2.50 mm tief
 Streuwert 17.43, horizontal: 16.64, vertikal: 18.19



Serie 2:
 10.8 * 9.7 → 9.9 ↓ 9.1 ↗ 9.8 →
 10.1 ↗ 10.1 ↖ 9.4 ↖ 9.5 → 10.9 *
 beste Teiler 175.0 (20.) 300.5 (11.) 2392.5 (17.)
 Trefferlage 8.52 mm rechts, 7.20 mm hoch
 Streuwert 22.24, horizontal: 23.72, vertikal: 20.64





Serie 3:
 10.2 ↓ 9.8 → 10.4 * 9.4 ↗ 10.5 *
 9.9 ↖ 10.6 * 10.0 ↑ 9.6 ↗ 10.0 ↑
 beste Teiler 1035.7 (27.) 1314.0 (25.) 1448.2 (23.)
 Trefferlage 7.09 mm rechts, 8.75 mm hoch
 Streuwert 18.43, horizontal: 16.03, vertikal: 20.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **295** (309.7)
 Serien: 98 99 98
 Zähler: 25 5 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 4485 (6), 3037 (21), 2953 (26)
 beste Teiler 313.0 (7.) 410.6 (17.) 592.7 (29.)
 Trefferlage 2.84 mm links, 0.66 mm hoch
 Streuwert 13.92, horizontal: 16.35, vertikal: 10.96



Serie 1:
 10.5 * 9.9 ↙ 10.4 ← 10.3 → 10.6 *
 9.3 ← 10.8 * 10.6 * 10.3 ↗ 10.5 *
 beste Teiler 313.0 (7.) 959.6 (8.) 1092.3 (5.)
 Trefferlage 5.45 mm links, 1.89 mm tief
 Streuwert 14.70, horizontal: 18.06, vertikal: 10.32





Serie 2:
 10.0 ← 10.3 ↘ 10.4 * 10.7 * 9.9 ↖
 10.5 * 10.8 * 10.7 * 10.4 ↗ 10.5 *
 beste Teiler 410.6 (17.) 790.8 (14.) 806.3 (18.)
 Trefferlage 5.24 mm links, 2.05 mm hoch
 Streuwert 11.74, horizontal: 14.16, vertikal: 8.68




Serie 3:
 9.8 ↗ 10.6 * 10.3 ← 10.5 * 10.0 ↗
 9.9 ↗ 10.0 ← 10.2 ↓ 10.7 * 10.3 ↓
 beste Teiler 592.7 (29.) 836.8 (22.) 1278.6 (24.)
 Trefferlage 2.16 mm rechts, 1.83 mm hoch
 Streuwert 15.61, horizontal: 17.12, vertikal: 13.94

Unterschrift des Schützen


Ergebnis: **277** (291.2)
 Serien: 91 95 91
 Zähler: 13 12 4 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 8358 (3), 7654 (24), 6091 (29)
 beste Teiler 486.5 (23.) 996.3 (30.) 1064.7 (28.)
 Trefferlage 1.92 mm rechts, 0.53 mm hoch
 Streuwert 27.44, horizontal: 32.00, vertikal: 21.96



Serie 1:
 9.5 ↙ 8.8 ← 7.7 ↘ 10.5 * 9.9 ↘
 10.0 ↑ 9.6 ↑ 9.5 ↑ 10.0 ← 10.2 ↘
 beste Teiler 1270.5 (4.) 2029.1 (10.) 2628.6 (6.)
 Trefferlage 23.47 mm links, 16.61 mm hoch
 Streuwert 22.20, horizontal: 24.13, vertikal: 20.09





Serie 2:
 9.9 ← 9.2 ← 10.3 ↘ 10.4 * 9.7 ↗
 10.3 ↓ 10.1 → 9.9 ↓ 9.9 ← 10.5 *
 beste Teiler 1349.0 (20.) 1494.4 (14.) 1770.3 (13.)
 Trefferlage 1.00 mm links, 0.58 mm tief
 Streuwert 19.92, horizontal: 23.96, vertikal: 14.84




Serie 3:
 10.1 → 9.4 → 10.8 * 8.0 → 9.3 →
 9.3 → 8.6 ↘ 10.6 * 8.6 ↓ 10.6 *
 beste Teiler 486.5 (23.) 996.3 (30.) 1064.7 (28.)
 Trefferlage 30.25 mm rechts, 14.40 mm tief
 Streuwert 21.45, horizontal: 22.95, vertikal: 19.83

Unterschrift des Schützen


Ergebnis: **285** (302.2)
 Serien: 97 94 94
 Zähler: 15 15 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 4284 (14), 3959 (19), 3621 (23)
 beste Teiler 199.4 (30.) 642.6 (5.) 740.0 (22.)
 Trefferlage 1.60 mm rechts, 7.54 mm hoch
 Streuwert 18.26, horizontal: 19.16, vertikal: 17.31



Serie 1:
 10.4 * 10.4 * 9.9 → 10.3 ← 10.7 *
 9.7 → 9.7 ← 10.1 ↓ 10.5 * 10.1 →
 beste Teiler 642.6 (5.) 1165.9 (9.) 1446.3 (1.)
 Trefferlage 0.20 mm links, 0.31 mm tief
 Streuwert 17.36, horizontal: 21.93, vertikal: 11.04





Serie 2:
 9.9 → 9.7 ↗ 9.8 ↑ 9.3 ↗ 10.4 →
 10.5 * 10.1 ↑ 9.9 ← 9.5 ↑ 10.6 *
 beste Teiler 988.9 (20.) 1198.1 (16.) 1608.1 (15.)
 Trefferlage 5.35 mm rechts, 15.97 mm hoch
 Streuwert 17.59, horizontal: 17.31, vertikal: 17.87




Serie 3:
 10.3 → 10.7 * 9.6 ↘ 9.9 ↘ 9.8 →
 10.3 ↘ 9.7 ↑ 9.8 ↗ 9.7 ↓ 10.9 *
 beste Teiler 199.4 (30.) 740.0 (22.) 1772.2 (26.)
 Trefferlage 0.33 mm links, 6.96 mm hoch
 Streuwert 19.42, horizontal: 19.45, vertikal: 19.39

Unterschrift des Schützen


Ergebnis: **287** (300.0)
 Serien: 94 96 97
 Zähler: 18 11 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 5572 (30), 5247 (11), 5130 (4)
 beste Teiler 796.0 (20.) 851.0 (27.) 916.5 (25.)
 Trefferlage 6.76 mm links, 2.74 mm hoch
 Streuwert 20.27, horizontal: 22.57, vertikal: 17.69



Serie 1:
 10.2 ↓ 10.4 * 10.3 ← 9.0 ← 9.4 ←
 9.9 ← 9.7 → 10.2 ↑ 9.6 → 9.8 ↘
 beste Teiler 1436.6 (2.) 1739.6 (3.) 1952.7 (1.)
 Trefferlage 8.09 mm links, 0.88 mm hoch
 Streuwert 22.90, horizontal: 28.58, vertikal: 15.25





Serie 2:
 9.0 ↘ 10.3 → 10.3 ↗ 9.3 ↖ 9.2 ↖
 10.2 ← 10.3 ↑ 9.7 ← 10.4 ↓ 10.7 *
 beste Teiler 796.0 (20.) 1584.1 (19.) 1681.5 (13.)
 Trefferlage 5.32 mm links, 2.34 mm hoch
 Streuwert 22.76, horizontal: 23.93, vertikal: 21.53




Serie 3:
 10.4 * 10.5 * 9.9 ← 10.4 ← 10.6 *
 10.3 ← 10.6 * 10.3 → 10.3 → 8.8 ↖
 beste Teiler 851.0 (27.) 916.5 (25.) 1179.0 (22.)
 Trefferlage 6.88 mm links, 4.99 mm hoch
 Streuwert 16.57, horizontal: 15.72, vertikal: 17.38

Unterschrift des Schützen


Ergebnis: **289** (301.7)
 Serien: 96 97 96
 Zähler: 19 11 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 5031 (8), 4918 (29), 4207 (7)
 beste Teiler 521.0 (4.) 807.4 (21.) 907.5 (27.)
 Trefferlage 4.31 mm links, 2.72 mm hoch
 Streuwert 19.11, horizontal: 19.20, vertikal: 19.01



Serie 1:
 10.2 ↓ 10.4 * 10.3 ↖ 10.8 * 10.6 *
 9.8 ↙ 9.4 ↘ 9.0 ← 10.2 ↗ 9.7 ↑
 beste Teiler 521.0 (4.) 1044.6 (5.) 1472.5 (2.)
 Trefferlage 6.99 mm links, 1.20 mm tief
 Streuwert 20.28, horizontal: 21.92, vertikal: 18.49





Serie 2:
 10.3 ↗ 10.1 → 9.9 ↘ 9.9 ↖ 10.4 ↘
 9.7 ↘ 10.4 ↗ 10.4 ↑ 10.2 ↙ 10.0 ←
 beste Teiler 1601.0 (18.) 1622.2 (17.) 1626.7 (15.)
 Trefferlage 4.08 mm rechts, 0.11 mm hoch
 Streuwert 17.14, horizontal: 17.13, vertikal: 17.15




Serie 3:
 10.7 * 9.4 ↖ 10.1 ↘ 10.3 ↗ 9.6 ↖
 10.5 * 10.6 * 10.2 ↓ 9.1 ↖ 9.5 ↖
 beste Teiler 807.4 (21.) 907.5 (27.) 1261.1 (26.)
 Trefferlage 10.04 mm links, 9.26 mm hoch
 Streuwert 19.33, horizontal: 17.05, vertikal: 21.37

Unterschrift des Schützen


Ergebnis: **280** (292.0)
 Serien: 93 94 93
 Zähler: 16 9 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 8788 (25), 7602 (4), 7575 (23)
 beste Teiler 719.3 (16.) 1081.2 (28.) 1167.8 (18.)
 Trefferlage 5.53 mm rechts, 1.40 mm tief
 Streuwert 27.29, horizontal: 34.21, vertikal: 17.87



Serie 1:
 8.5 → 10.2 ↑ 9.7 ↘ 8.0 → 10.5 *
 10.0 ↘ 9.7 ↘ 10.5 * 10.1 ↘ 9.6 ↑
 beste Teiler 1230.9 (8.) 1233.5 (5.) 2113.7 (2.)
 Trefferlage 22.48 mm rechts, 3.29 mm tief
 Streuwert 23.89, horizontal: 26.18, vertikal: 21.36





Serie 2:
 9.7 ↖ 9.5 ↖ 10.2 ↖ 9.3 → 10.0 →
 10.7 * 10.1 ← 10.5 * 9.7 ↘ 8.7 ↘
 beste Teiler 719.3 (16.) 1167.8 (18.) 2192.0 (13.)
 Trefferlage 2.33 mm rechts, 2.90 mm tief
 Streuwert 24.69, horizontal: 29.13, vertikal: 19.24




Serie 3:
 10.2 ↗ 10.1 ↘ 8.0 ← 9.8 → 7.5 ←
 10.2 → 10.2 ↑ 10.6 * 9.8 ↘ 10.4 →
 beste Teiler 1081.2 (28.) 1532.2 (30.) 2037.1 (27.)
 Trefferlage 8.20 mm links, 1.98 mm hoch
 Streuwert 30.66, horizontal: 41.18, vertikal: 13.55

Unterschrift des Schützen


Ergebnis: **278** (291.2)
 Serien: 94 90 94
 Zähler: 13 12 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 7244 (18), 6236 (10), 5737 (14)
 beste Teiler 443.0 (23.) 1134.4 (12.) 1161.9 (24.)
 Trefferlage 9.59 mm rechts, 5.38 mm tief
 Streuwert 25.71, horizontal: 26.02, vertikal: 25.40



Serie 1:
 10.0 → 9.4 ↘ 10.0 ↓ 10.0 ↗ 10.0 →
 10.5 * 9.9 ↑ 9.2 ↖ 9.5 → 8.6 →
 beste Teiler 1302.5 (6.) 2674.4 (3.) 2715.6 (4.)
 Trefferlage 16.43 mm rechts, 2.30 mm tief
 Streuwert 24.07, horizontal: 24.54, vertikal: 23.59





Serie 2:
 9.2 ↘ 10.5 * 9.9 ↖ 8.8 ↓ 9.4 ←
 10.0 → 9.8 → 8.2 → 9.7 ↓ 9.9 →
 beste Teiler 1134.4 (12.) 2779.6 (16.) 2848.9 (13.)
 Trefferlage 13.67 mm rechts, 11.02 mm tief
 Streuwert 28.04, horizontal: 30.04, vertikal: 25.88



Serie 3:
 10.1 ← 9.5 ↙ 10.8 * 10.5 * 9.2 ↓
 10.4 ↑ 8.9 ↗ 10.4 ↓ 8.9 ↘ 10.0 →
 beste Teiler 443.0 (23.) 1161.9 (24.) 1623.1 (26.)
 Trefferlage 1.33 mm links, 2.81 mm tief
 Streuwert 25.23, horizontal: 21.78, vertikal: 28.25


Unterschrift des Schützen

Ergebnis: **297** (310.8)
 Serien: 99 98 100
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 4781 (13), 3850 (16), 2860 (6)
 beste Teiler 277.2 (25.) 321.7 (8.) 483.5 (21.)
 Trefferlage 2.05 mm links, 3.81 mm hoch
 Streuwert 13.33, horizontal: 13.72, vertikal: 12.92




Serie 1:
 10.3 ← 10.1 ↑ 10.3 ↖ 10.1 ↗ 10.5 *
 9.9 ↓ 10.1 → 10.8 * 10.7 * 10.3 ↗

beste Teiler 321.7 (8.) 767.8 (9.) 1155.7 (5.)
 Trefferlage 3.44 mm links, 3.96 mm hoch
 Streuwert 13.66, horizontal: 13.58, vertikal: 13.74



Serie 2:
 10.6 * 10.3 ↖ 9.1 ↖ 10.7 * 10.2 →
 9.5 ↗ 10.7 * 10.5 * 10.5 * 10.3 ↓

beste Teiler 671.5 (17.) 729.7 (14.) 1030.8 (11.)
 Trefferlage 1.10 mm links, 7.84 mm hoch
 Streuwert 16.16, horizontal: 17.62, vertikal: 14.55





Serie 3:
 10.8 * 10.3 ← 10.6 * 10.8 * 10.9 *
 10.5 * 10.6 * 10.3 ↖ 10.0 ↓ 10.5 *


beste Teiler 277.2 (25.) 483.5 (21.) 547.4 (24.)
 Trefferlage 1.60 mm links, 0.38 mm tief
 Streuwert 10.21, horizontal: 10.42, vertikal: 10.00

Unterschrift des Schützen


Ergebnis: **297** (312.4)
 Serien: 99 99 99
 Zähler: 27 3 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 4355 (26), 3149 (9), 2849 (20)
 beste Teiler 283.8 (11.) 378.5 (1.) 405.8 (24.)
 Trefferlage 2.66 mm rechts, 0.01 mm hoch
 Streuwert 12.70, horizontal: 12.08, vertikal: 13.29



Serie 1:
 10.8 * 10.6 * 10.2 ↗ 10.1 ↖ 10.7 *
 10.1 ↘ 10.7 * 10.8 * 9.8 ↘ 10.5 *
 beste Teiler 378.5 (1.) 549.2 (8.) 628.5 (7.)
 Trefferlage 3.11 mm rechts, 1.20 mm tief
 Streuwert 12.67, horizontal: 13.73, vertikal: 11.50





Serie 2:
 10.8 * 10.6 * 10.2 ↘ 10.8 * 10.3 ↘
 10.8 * 10.5 * 10.5 * 10.1 ↗ 9.9 →
 beste Teiler 283.8 (11.) 503.4 (16.) 516.9 (14.)
 Trefferlage 4.64 mm rechts, 0.03 mm tief
 Streuwert 11.67, horizontal: 11.71, vertikal: 11.62




Serie 3:
 10.7 * 10.7 * 10.4 ↘ 10.8 * 10.2 ↓
 9.3 ↑ 10.4 ↑ 10.5 * 10.4 * 10.2 ↘
 beste Teiler 405.8 (24.) 781.5 (21.) 803.9 (22.)
 Trefferlage 0.22 mm rechts, 1.27 mm hoch
 Streuwert 14.69, horizontal: 11.54, vertikal: 17.28

Unterschrift des Schützen


Ergebnis: **288** (305.0)
 Serien: 96 96 96
 Zähler: 20 8 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 6064 (7), 5581 (22), 3793 (16)
 beste Teiler 373.3 (5.) 490.1 (1.) 545.6 (30.)
 Trefferlage 9.45 mm rechts, 0.51 mm hoch
 Streuwert 17.09, horizontal: 18.71, vertikal: 15.30



Serie 1:
 10.8 * 10.3 ↓ 10.2 ↘ 9.9 ↗ 10.8 *
 9.8 → 8.6 ↖ 10.4 ↑ 10.1 ↘ 10.4 *
 beste Teiler 373.3 (5.) 490.1 (1.) 1487.6 (10.)
 Trefferlage 4.38 mm rechts, 4.78 mm hoch
 Streuwert 19.61, horizontal: 20.35, vertikal: 18.84





Serie 2:
 9.7 ↘ 10.7 * 10.6 * 10.5 * 10.4 ↖
 9.5 ↘ 10.1 → 9.8 ↘ 9.6 → 10.5 *
 beste Teiler 693.0 (12.) 1032.1 (13.) 1217.4 (14.)
 Trefferlage 14.75 mm rechts, 2.09 mm tief
 Streuwert 14.56, horizontal: 16.02, vertikal: 12.94




Serie 3:
 10.6 * 8.8 ↘ 10.0 ↖ 9.9 ↘ 10.4 ↗
 10.7 * 10.7 * 10.5 * 9.9 → 10.8 *
 beste Teiler 545.6 (30.) 761.1 (27.) 819.7 (26.)
 Trefferlage 9.22 mm rechts, 1.14 mm tief
 Streuwert 17.30, horizontal: 19.94, vertikal: 14.16

Unterschrift des Schützen


Ergebnis: **291** (303.1)
 Serien: 97 96 98
 Zähler: 21 9 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 4510 (14), 4318 (5), 4232 (21)
 beste Teiler 450.6 (10.) 483.2 (24.) 665.4 (23.)
 Trefferlage 2.16 mm links, 1.87 mm hoch
 Streuwert 18.79, horizontal: 21.59, vertikal: 15.48



Serie 1:
 10.1 → 9.6 → 10.0 ↘ 10.1 ↓ 9.3 ↗
 10.6 * 10.1 ← 10.6 * 9.5 ← 10.8 *
 beste Teiler 450.6 (10.) 852.6 (8.) 1069.1 (6.)
 Trefferlage 4.36 mm rechts, 1.59 mm tief
 Streuwert 19.99, horizontal: 22.67, vertikal: 16.88





Serie 2:
 10.3 ↓ 10.1 ← 9.6 ↑ 9.3 ↗ 10.5 *
 9.6 ↘ 10.5 * 9.5 ← 10.3 → 10.5 *
 beste Teiler 1119.8 (15.) 1159.9 (20.) 1276.6 (17.)
 Trefferlage 2.99 mm links, 10.72 mm hoch
 Streuwert 19.27, horizontal: 22.49, vertikal: 15.39




Serie 3:
 9.4 ← 10.2 ↓ 10.7 * 10.8 * 10.0 ←
 10.1 ← 10.6 * 9.7 → 10.4 * 10.3 ↗
 beste Teiler 483.2 (24.) 665.4 (23.) 987.7 (27.)
 Trefferlage 7.88 mm links, 3.49 mm tief
 Streuwert 16.06, horizontal: 19.96, vertikal: 10.85

Unterschrift des Schützen


Ergebnis: **281** (292.4)
 Serien: 93 94 94
 Zähler: 14 14 1 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 9551 (3), 5367 (17), 4895 (28)
 beste Teiler 509.9 (21.) 660.3 (26.) 1316.7 (8.)
 Trefferlage 5.05 mm links, 3.29 mm hoch
 Streuwert 25.90, horizontal: 26.45, vertikal: 25.34



Serie 1:
 9.2 ↙ 9.7 → 7.2 ↗ 10.2 → 10.2 ↑
 10.2 ↓ 9.7 → 10.5 * 9.5 ↘ 10.2 ↑
 beste Teiler 1316.7 (8.) 1966.0 (10.) 2069.0 (4.)
 Trefferlage 6.92 mm rechts, 14.17 mm hoch
 Streuwert 28.37, horizontal: 29.43, vertikal: 27.27





Serie 2:
 9.4 ↙ 10.2 → 10.0 ↑ 10.0 ↓ 9.7 ↘
 9.4 → 8.9 ← 10.2 → 10.0 ← 9.7 ←
 beste Teiler 1968.3 (12.) 2134.0 (18.) 2568.7 (19.)
 Trefferlage 10.39 mm links, 3.75 mm tief
 Streuwert 23.99, horizontal: 29.17, vertikal: 17.32




Serie 3:
 10.8 * 10.3 ↘ 9.5 ↙ 10.1 ↘ 9.5 ←
 10.7 * 9.4 ↙ 9.1 ↑ 9.5 ↘ 9.4 ↓
 beste Teiler 509.9 (21.) 660.3 (26.) 1815.2 (22.)
 Trefferlage 11.68 mm links, 0.53 mm tief
 Streuwert 23.65, horizontal: 17.21, vertikal: 28.67

Unterschrift des Schützen


Ergebnis: **287** (299.9)
 Serien: 98 96 93
 Zähler: 19 10 0 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 8462 (29), 4863 (22), 4611 (30)
 beste Teiler 435.0 (10.) 816.2 (21.) 977.6 (15.)
 Trefferlage 1.72 mm rechts, 1.83 mm tief
 Streuwert 21.70, horizontal: 25.32, vertikal: 17.33



Serie 1:
 10.1 ↑ 10.5 * 10.2 ↘ 10.3 ← 10.2 ↓
 9.7 ↘ 10.0 ↙ 10.1 ↑ 9.9 ↘ 10.8 *
 beste Teiler 435.0 (10.) 1122.7 (2.) 1841.7 (4.)
 Trefferlage 2.20 mm rechts, 0.62 mm tief
 Streuwert 16.69, horizontal: 15.92, vertikal: 17.42





Serie 2:
 10.3 ↓ 9.4 → 10.0 ↘ 10.5 * 10.6 *
 9.7 ↘ 9.8 ↙ 9.7 ← 10.6 * 10.6 *
 beste Teiler 977.6 (15.) 1036.8 (20.) 1080.8 (19.)
 Trefferlage 1.54 mm rechts, 2.53 mm tief
 Streuwert 18.84, horizontal: 23.74, vertikal: 12.09




Serie 3:
 10.7 * 9.1 ↙ 10.3 ↘ 10.2 → 9.6 ↗
 9.5 → 10.2 → 10.4 * 7.7 ← 9.2 ↓
 beste Teiler 816.2 (21.) 1469.2 (28.) 1720.9 (23.)
 Trefferlage 1.41 mm rechts, 2.33 mm tief
 Streuwert 29.70, horizontal: 35.33, vertikal: 22.70

Unterschrift des Schützen


Ergebnis: **299** (313.3)
 Serien: 100 100 99
 Zähler: 29 1 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 3078 (30), 2509 (1), 2409 (2)
 beste Teiler 149.9 (19.) 269.0 (12.) 539.7 (10.)
 Trefferlage 2.49 mm links, 2.89 mm hoch
 Streuwert 10.95, horizontal: 9.68, vertikal: 12.09



Serie 1:
 10.0 ↘ 10.1 ↗ 10.1 ↖ 10.6 * 10.7 *
 10.3 → 10.5 * 10.3 ↓ 10.2 ↖ 10.8 *
 beste Teiler 539.7 (10.) 780.9 (5.) 940.9 (4.)
 Trefferlage 2.97 mm links, 2.63 mm hoch
 Streuwert 12.98, horizontal: 11.51, vertikal: 14.30



Serie 2:
 10.6 * 10.9 * 10.7 * 10.4 * 10.4 ←
 10.5 * 10.4 * 10.7 * 10.9 * 10.3 ↖
 beste Teiler 149.9 (19.) 269.0 (12.) 641.2 (18.)
 Trefferlage 4.36 mm links, 0.27 mm hoch
 Streuwert 7.97, horizontal: 7.75, vertikal: 8.18





Serie 3:
 10.2 ↘ 10.3 ↗ 10.7 * 10.3 ↓ 10.5 *
 10.2 ↖ 10.7 * 10.7 * 10.5 * 9.8 ↑
 beste Teiler 568.9 (28.) 681.7 (23.) 823.7 (27.)
 Trefferlage 0.13 mm links, 5.76 mm hoch
 Streuwert 11.87, horizontal: 9.95, vertikal: 13.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281** (296.1)
 Serien: 93 93 95
 Zähler: 12 17 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 6041 (29), 5227 (4), 4824 (17)
 beste Teiler 470.9 (19.) 504.1 (12.) 843.1 (26.)
 Trefferlage 2.13 mm links, 4.33 mm hoch
 Streuwert 22.86, horizontal: 23.85, vertikal: 21.82



Serie 1:
 10.1 ↗ 9.5 ↖ 9.8 ← 9.0 ← 9.3 ↘
 9.6 ↖ 10.1 ↖ 9.7 ↗ 10.6 * 9.4 ↘
 beste Teiler 1037.2 (9.) 2458.5 (1.) 2466.2 (7.)
 Trefferlage 12.32 mm links, 7.19 mm hoch
 Streuwert 24.31, horizontal: 28.44, vertikal: 19.33





Serie 2:
 9.9 ↑ 10.8 * 9.9 ← 10.3 ↘ 9.7 ↘
 9.5 ↗ 9.1 ↑ 9.4 ↖ 10.8 * 9.6 ↘
 beste Teiler 470.9 (19.) 504.1 (12.) 1865.8 (14.)
 Trefferlage 0.11 mm links, 7.66 mm hoch
 Streuwert 22.86, horizontal: 21.44, vertikal: 24.19




Serie 3:
 9.9 ↑ 9.9 ↑ 10.1 ↘ 9.9 ↘ 10.1 →
 10.6 * 10.5 * 10.0 ↖ 8.6 ↘ 10.4 *
 beste Teiler 843.1 (26.) 1129.2 (27.) 1436.2 (30.)
 Trefferlage 6.03 mm rechts, 1.84 mm tief
 Streuwert 21.01, horizontal: 19.26, vertikal: 22.62

Unterschrift des Schützen


Ergebnis: **289** (304.3)
 Serien: 95 97 97
 Zähler: 20 9 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 6006 (3), 3954 (22), 3613 (10)
 beste Teiler 123.4 (5.) 349.4 (27.) 531.9 (18.)
 Trefferlage 4.72 mm links, 5.91 mm hoch
 Streuwert 17.46, horizontal: 19.88, vertikal: 14.63



Serie 1:
 10.5 * 9.9 ↙ 8.7 ↘ 10.2 ↖ 10.9 *
 10.3 ← 9.8 ↘ 10.4 ↖ 10.1 → 9.6 ↖
 beste Teiler 123.4 (5.) 1232.7 (1.) 1595.3 (8.)
 Trefferlage 3.48 mm links, 2.38 mm hoch
 Streuwert 21.62, horizontal: 25.20, vertikal: 17.32





Serie 2:
 10.5 * 10.7 * 10.1 ↗ 10.3 ↖ 9.8 →
 9.7 ↑ 10.6 * 10.8 * 9.7 ↖ 10.5 *
 beste Teiler 531.9 (18.) 823.4 (12.) 945.8 (17.)
 Trefferlage 0.64 mm rechts, 9.08 mm hoch
 Streuwert 14.35, horizontal: 16.40, vertikal: 11.97




Serie 3:
 10.6 * 9.5 ↖ 10.1 ← 10.0 ↖ 9.6 ↖
 9.9 ↗ 10.8 * 10.4 * 10.2 ← 10.1 ↓
 beste Teiler 349.4 (27.) 1076.6 (21.) 1519.9 (28.)
 Trefferlage 11.33 mm links, 6.26 mm hoch
 Streuwert 15.96, horizontal: 16.95, vertikal: 14.89

Unterschrift des Schützen


Ergebnis: **292** (302.9)
 Serien: 96 99 97
 Zähler: 23 6 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 7029 (5), 3790 (9), 3437 (17)
 beste Teiler 740.6 (10.) 771.6 (18.) 1106.5 (1.)
 Trefferlage 4.31 mm links, 2.22 mm hoch
 Streuwert 18.60, horizontal: 20.79, vertikal: 16.12



Serie 1:
 10.6 * 10.0 ↘ 10.1 ↓ 10.2 → 8.3 ↘
 10.2 ↘ 10.0 ← 9.8 ↖ 9.5 ↑ 10.7 *
 beste Teiler 740.6 (10.) 1106.5 (1.) 2090.3 (6.)
 Trefferlage 3.70 mm rechts, 0.40 mm tief
 Streuwert 23.70, horizontal: 27.39, vertikal: 19.32





Serie 2:
 10.5 * 10.4 ↗ 10.0 ← 10.4 * 10.3 ↗
 10.4 * 9.7 ↘ 10.7 * 10.1 ↘ 10.2 ←
 beste Teiler 771.6 (18.) 1192.0 (11.) 1481.1 (16.)
 Trefferlage 6.88 mm links, 9.44 mm hoch
 Streuwert 12.51, horizontal: 15.42, vertikal: 8.67




Serie 3:
 9.8 ↘ 9.9 ↙ 10.1 ↗ 10.3 ↘ 10.2 ←
 10.2 ← 10.3 ↙ 10.0 ← 10.2 ↗ 9.8 ↘
 beste Teiler 1832.0 (27.) 1843.0 (24.) 2057.4 (26.)
 Trefferlage 9.77 mm links, 2.36 mm tief
 Streuwert 17.22, horizontal: 17.13, vertikal: 17.31

Unterschrift des Schützen


Ergebnis: **285** (298.7)
 Serien: 96 93 96
 Zähler: 19 7 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 7544 (16), 5892 (14), 5747 (19)
 beste Teiler 174.0 (25.) 395.5 (11.) 1078.3 (5.)
 Trefferlage 8.17 mm links, 11.14 mm tief
 Streuwert 21.02, horizontal: 27.88, vertikal: 10.32



Serie 1:
 10.4 * 9.4 ← 10.1 ↙ 10.1 ↘ 10.6 *
 10.0 ↓ 9.4 ← 10.3 → 9.7 ↓ 9.7 ←
 beste Teiler 1078.3 (5.) 1500.0 (1.) 1808.0 (8.)
 Trefferlage 14.08 mm links, 13.35 mm tief
 Streuwert 15.98, horizontal: 19.49, vertikal: 11.44





Serie 2:
 10.8 * 10.5 * 10.1 ← 8.7 ↘ 10.6 *
 8.0 ← 10.3 ← 10.1 ↙ 8.8 ← 9.1 ←
 beste Teiler 395.5 (11.) 1103.1 (15.) 1291.7 (12.)
 Trefferlage 19.55 mm links, 8.51 mm tief
 Streuwert 26.06, horizontal: 35.89, vertikal: 8.38




Serie 3:
 10.5 * 10.3 ↘ 10.3 → 9.9 ↘ 10.9 *
 10.5 * 10.4 * 9.9 ↘ 10.4 ↙ 8.9 ↘
 beste Teiler 174.0 (25.) 1142.8 (21.) 1244.6 (26.)
 Trefferlage 9.11 mm rechts, 11.56 mm tief
 Streuwert 15.02, horizontal: 17.96, vertikal: 11.33

Unterschrift des Schützen


Ergebnis: **286** (299.1)
 Serien: 99 90 97
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 6402 (14), 4758 (9), 4344 (17)
 beste Teiler 642.8 (24.) 724.5 (1.) 918.1 (25.)
 Trefferlage 0.88 mm rechts, 1.40 mm tief
 Streuwert 21.29, horizontal: 24.79, vertikal: 17.09



Serie 1:
 10.7 * 10.2 ↗ 10.2 ↑ 10.0 ↘ 10.1 ↓
 10.2 ↘ 10.1 ↑ 10.4 * 9.2 ← 10.5 *
 beste Teiler 724.5 (1.) 1152.8 (10.) 1527.2 (8.)
 Trefferlage 0.50 mm rechts, 3.58 mm hoch
 Streuwert 17.53, horizontal: 18.76, vertikal: 16.22





Serie 2:
 9.7 ← 9.6 ↖ 9.6 ↗ 8.5 ↘ 9.7 →
 9.6 ↘ 9.3 → 9.9 ↙ 10.6 * 9.7 ←
 beste Teiler 932.4 (19.) 2996.8 (18.) 3316.6 (11.)
 Trefferlage 5.65 mm rechts, 2.61 mm tief
 Streuwert 27.89, horizontal: 35.40, vertikal: 17.40




Serie 3:
 9.7 ← 10.0 ↗ 9.6 ↓ 10.7 * 10.6 *
 10.1 ↘ 10.0 ↘ 9.5 ↙ 10.5 * 10.6 *
 beste Teiler 642.8 (24.) 918.1 (25.) 937.0 (30.)
 Trefferlage 3.49 mm links, 5.18 mm tief
 Streuwert 18.15, horizontal: 18.12, vertikal: 18.18

Unterschrift des Schützen


Ergebnis: **283** (297.1)
 Serien: 96 95 92
 Zähler: 14 15 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 5470 (30), 5107 (20), 5037 (1)
 beste Teiler 345.8 (24.) 382.7 (6.) 486.0 (8.)
 Trefferlage 3.39 mm links, 7.78 mm hoch
 Streuwert 22.04, horizontal: 21.77, vertikal: 22.31



Serie 1:
 9.0 ↙ 10.4 ↘ 10.2 ↖ 9.8 ↗ 9.7 ←
 10.8 * 9.7 ↙ 10.8 * 10.1 ↑ 10.6 *
 beste Teiler 382.7 (6.) 486.0 (8.) 987.7 (10.)
 Trefferlage 14.47 mm links, 1.31 mm hoch
 Streuwert 16.89, horizontal: 13.88, vertikal: 19.43



Serie 2:
 10.4 ↖ 10.6 * 9.6 ↗ 10.3 ↘ 9.7 ↗
 10.1 ↓ 9.8 ↖ 9.5 ↓ 10.1 ← 9.0 ↘
 beste Teiler 937.1 (12.) 1662.5 (11.) 1708.0 (14.)
 Trefferlage 6.20 mm links, 3.88 mm hoch
 Streuwert 22.20, horizontal: 21.88, vertikal: 22.52



Serie 3:
 9.5 ↑ 9.4 → 9.2 ↑ 10.8 * 10.1 ↙
 9.5 ↗ 9.7 ↑ 10.4 ↙ 9.4 ↑ 8.9 →
 beste Teiler 345.8 (24.) 1536.3 (28.) 2390.6 (25.)
 Trefferlage 10.48 mm rechts, 18.14 mm hoch
 Streuwert 22.73, horizontal: 22.27, vertikal: 23.17

Unterschrift des Schützen

KK 100m 30 – Wertung – Herren I

StartNr: 41



StandNr: 101

8. Juni 2024 15:01


Wittich, Christian #4

1000 Spsch Alstätte 1953 e.V.


Ergebnis: **286** (299.5)
 Serien: 96 94 96
 Zähler: 16 14 0 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 5044 (16), 4298 (20), 4296 (6)
 beste Teiler 272.5 (18.) 633.6 (13.) 1156.8 (23.)
 Trefferlage 8.45 mm rechts, 1.29 mm tief
 Streuwert 19.80, horizontal: 17.74, vertikal: 21.66



Serie 1:
 10.4 ↗ 10.4 ↗ 10.3 → 9.8 ↘ 10.5 *
 9.3 ↘ 9.4 ↙ 10.0 ↘ 9.5 ↑ 10.2 →
 beste Teiler 1316.5 (5.) 1572.7 (2.) 1625.8 (1.)
 Trefferlage 9.33 mm rechts, 3.56 mm tief
 Streuwert 20.10, horizontal: 17.39, vertikal: 22.48



Serie 2:
 10.1 ↗ 9.5 → 10.7 * 9.6 ↓ 9.8 ↗
 9.0 ↘ 9.7 ↙ 10.9 * 10.4 ↘ 9.3 ↘
 beste Teiler 272.5 (18.) 633.6 (13.) 1665.2 (19.)
 Trefferlage 12.49 mm rechts, 8.96 mm tief
 Streuwert 21.05, horizontal: 18.95, vertikal: 22.95





Serie 3:
 10.0 ↗ 10.2 → 10.5 * 10.3 → 9.8 ↗
 9.8 → 9.5 ↘ 10.2 ↙ 9.9 ↑ 10.5 *
 beste Teiler 1156.8 (23.) 1277.6 (30.) 1781.3 (24.)
 Trefferlage 3.52 mm rechts, 8.64 mm hoch
 Streuwert 17.39, horizontal: 17.51, vertikal: 17.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **289** (300.5)
 Serien: 96 97 96
 Zähler: 21 7 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 7128 (27), 6030 (6), 4191 (24)
 beste Teiler 489.1 (12.) 567.8 (18.) 629.4 (4.)
 Trefferlage 5.56 mm rechts, 1.12 mm hoch
 Streuwert 20.80, horizontal: 23.73, vertikal: 17.38



Serie 1:
 9.7 ↙ 9.6 ↘ 10.4 * 10.7 * 10.2 ↗
 8.7 ↘ 10.6 * 10.3 ↑ 10.6 * 10.0 ↗
 beste Teiler 629.4 (4.) 910.7 (9.) 1002.6 (7.)
 Trefferlage 0.46 mm rechts, 3.28 mm tief
 Streuwert 20.90, horizontal: 21.36, vertikal: 20.43



Serie 2:
 10.7 * 10.8 * 10.0 ↘ 9.6 → 10.6 *
 10.1 → 10.1 ↘ 10.7 * 9.4 → 9.6 ↑
 beste Teiler 489.1 (12.) 567.8 (18.) 804.0 (11.)
 Trefferlage 9.07 mm rechts, 5.00 mm hoch
 Streuwert 16.89, horizontal: 19.52, vertikal: 13.76



Serie 3:
 10.2 ← 10.3 ↙ 9.8 ↘ 9.4 ↗ 10.0 ↑
 10.0 ↘ 8.2 → 10.1 ↓ 10.0 → 10.1 ←
 beste Teiler 1927.0 (22.) 2064.6 (21.) 2317.9 (30.)
 Trefferlage 7.16 mm rechts, 1.65 mm hoch
 Streuwert 25.10, horizontal: 30.52, vertikal: 18.11

Unterschrift des Schützen

KK 100m 30 – Wertung – Herren I

StartNr: 43



StandNr: 109

8. Juni 2024 11:01


Zamponi, Michel #81

6000 SV Brauersdorf e.V.


Ergebnis: **282** (294.5)
 Serien: 90 95 97
 Zähler: 17 9 3 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 8439 (4), 7131 (8), 6373 (5)
 beste Teiler 267.5 (9.) 526.3 (10.) 618.5 (16.)
 Trefferlage 16.27 mm rechts, 8.47 mm tief
 Streuwert 22.71, horizontal: 18.76, vertikal: 26.08



Serie 1:
 10.6 * 9.0 → 9.2 ↘ 7.7 ↘ 8.5 ↘
 9.0 ↘ 10.1 ↘ 8.2 → 10.9 * 10.8 *
 beste Teiler 267.5 (9.) 526.3 (10.) 867.1 (1.)
 Trefferlage 23.59 mm rechts, 23.49 mm tief
 Streuwert 27.17, horizontal: 23.92, vertikal: 30.07



Serie 2:
 9.8 ↑ 9.6 → 10.2 ↑ 9.5 ↑ 10.1 →
 10.7 * 9.6 ↘ 10.4 * 9.6 ↘ 10.0 →
 beste Teiler 618.5 (16.) 1414.4 (18.) 2177.0 (13.)
 Trefferlage 13.12 mm rechts, 4.86 mm hoch
 Streuwert 19.07, horizontal: 12.17, vertikal: 24.07



Serie 3:
 8.7 ↘ 10.3 → 10.2 → 9.8 → 10.3 ↘
 10.3 ↘ 10.2 ↙ 10.1 ↘ 10.5 * 10.6 *
 beste Teiler 841.9 (30.) 1235.9 (29.) 1773.5 (26.)
 Trefferlage 12.09 mm rechts, 6.78 mm tief
 Streuwert 17.03, horizontal: 17.99, vertikal: 16.00

Unterschrift des Schützen

Meyton Elektronik

KK 100m 30 – Wertung – Herren I

StartNr: 44



StandNr: 107

8. Juni 2024 14:53


Henker, Daniel #17

1000 SpSch Raesfeld/Westf


Ergebnis: **290** (301.9)
 Serien: 97 95 98
 Zähler: 20 10 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 5121 (3), 4731 (15), 4156 (4)
 beste Teiler 114.6 (22.) 775.0 (25.) 1163.0 (9.)
 Trefferlage 8.50 mm rechts, 5.27 mm hoch
 Streuwert 17.95, horizontal: 20.39, vertikal: 15.13



Serie 1:
 10.4 ↘ 9.9 ↘ 9.0 ↗ 9.4 ↗ 10.0 ↗
 10.5 * 10.3 → 10.1 ↗ 10.5 * 10.5 *
 beste Teiler 1163.0 (9.) 1332.6 (6.) 1377.0 (10.)
 Trefferlage 11.41 mm rechts, 10.00 mm hoch
 Streuwert 17.13, horizontal: 19.99, vertikal: 13.69



Serie 2:
 10.5 * 9.8 ↑ 9.5 → 10.5 * 9.2 ↘
 10.5 * 10.0 → 9.8 → 9.6 ↗ 10.3 ↗
 beste Teiler 1200.9 (16.) 1208.6 (11.) 1345.4 (14.)
 Trefferlage 18.39 mm rechts, 1.45 mm hoch
 Streuwert 16.91, horizontal: 17.95, vertikal: 15.81





Serie 3:
 10.0 ← 10.9 * 9.9 ↘ 10.0 ← 10.7 *
 10.2 ↗ 10.0 ↘ 10.0 ↑ 9.8 ↘ 10.1 ↘
 beste Teiler 114.6 (22.) 775.0 (25.) 2016.6 (26.)
 Trefferlage 4.30 mm links, 4.37 mm hoch
 Streuwert 16.96, horizontal: 17.80, vertikal: 16.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **276** (290.3)
 Serien: 88 95 93
 Zähler: 11 15 3 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 8555 (4), 7104 (6), 6564 (5)
 beste Teiler 200.4 (22.) 654.9 (17.) 1025.6 (11.)
 Trefferlage 2.04 mm links, 0.99 mm hoch
 Streuwert 27.91, horizontal: 29.45, vertikal: 26.28



Serie 1:
 10.4 ↗ 9.8 ← 9.8 ↙ 7.6 ↖ 8.4 ↑
 8.2 ↘ 10.0 ↖ 8.7 ↘ 9.9 → 10.0 ↓
 beste Teiler 1623.4 (1.) 2634.7 (7.) 2649.1 (10.)
 Trefferlage 9.36 mm links, 14.20 mm hoch
 Streuwert 34.84, horizontal: 29.89, vertikal: 39.18





Serie 2:
 10.6 * 9.8 → 10.1 ↘ 9.3 → 10.2 ↗
 9.9 ← 10.7 * 9.7 ↘ 9.6 → 10.4 *
 beste Teiler 654.9 (17.) 1025.6 (11.) 1436.9 (20.)
 Trefferlage 12.58 mm rechts, 1.32 mm tief
 Streuwert 18.25, horizontal: 21.64, vertikal: 14.06




Serie 3:
 9.9 → 10.9 * 9.9 ↘ 9.4 ↙ 9.1 ←
 9.2 ↘ 10.0 ← 10.0 ↘ 9.1 ← 9.7 ←
 beste Teiler 200.4 (22.) 2649.7 (27.) 2709.4 (28.)
 Trefferlage 9.34 mm links, 9.88 mm tief
 Streuwert 24.89, horizontal: 32.83, vertikal: 12.71

Unterschrift des Schützen


Ergebnis: **269** (285.9)
 Serien: 87 89 93
 Zähler: 9 13 6 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 8913 (7), 7903 (18), 7712 (21)
 beste Teiler 499.6 (2.) 552.7 (25.) 824.8 (22.)
 Trefferlage 3.85 mm rechts, 15.58 mm hoch
 Streuwert 29.29, horizontal: 33.48, vertikal: 24.39



Serie 1:
 10.3 ↘ 10.8 * 8.9 → 9.6 ↘ 9.9 ↑
 9.9 → 7.5 ↖ 8.8 → 8.5 ↖ 9.7 →
 beste Teiler 499.6 (2.) 1816.2 (1.) 2782.1 (6.)
 Trefferlage 9.87 mm rechts, 14.67 mm hoch
 Streuwert 32.82, horizontal: 34.99, vertikal: 30.49



Serie 2:
 8.9 ↖ 9.7 ↑ 9.7 → 9.1 → 10.1 ↗
 9.5 ↑ 9.9 → 7.9 ← 9.1 ↖ 10.5 *
 beste Teiler 1301.7 (20.) 2274.2 (15.) 2832.6 (17.)
 Trefferlage 0.69 mm rechts, 17.71 mm hoch
 Streuwert 29.95, horizontal: 38.12, vertikal: 18.48



Serie 3:
 8.0 ↖ 10.7 * 10.3 ↘ 8.5 → 10.8 *
 10.4 ↓ 10.5 * 9.0 ↑ 9.6 ↖ 9.8 →
 beste Teiler 552.7 (25.) 824.8 (22.) 1280.9 (27.)
 Trefferlage 1.00 mm rechts, 14.35 mm hoch
 Streuwert 27.49, horizontal: 29.56, vertikal: 25.25

Unterschrift des Schützen

KK 100m 30 – Wertung – Damen I

StartNr: 48



StandNr: 109

8. Juni 2024 14:59


Rekers, Katharina #21

1000 SG Rhade


Ergebnis: **293** (305.5)
 Serien: 99 96 98
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 4037 (9), 3922 (17), 3388 (12)
 beste Teiler 426.0 (8.) 736.9 (28.) 750.5 (6.)
 Trefferlage 2.26 mm rechts, 2.47 mm tief
 Streuwert 16.43, horizontal: 15.51, vertikal: 17.30



Serie 1:
 10.4 * 10.5 * 10.2 ↑ 10.3 ← 10.3 ↑
 10.7 * 10.1 ↘ 10.8 * 9.4 ↘ 10.0 →
 beste Teiler 426.0 (8.) 750.5 (6.) 1346.9 (2.)
 Trefferlage 6.62 mm rechts, 0.40 mm hoch
 Streuwert 14.97, horizontal: 16.35, vertikal: 13.44



Serie 2:
 10.6 * 9.7 ↓ 9.9 ↑ 10.0 ↘ 9.9 ↓
 10.2 ↑ 9.5 ↘ 10.0 ← 10.4 * 10.4 ←
 beste Teiler 870.7 (11.) 1413.7 (19.) 1569.1 (20.)
 Trefferlage 0.48 mm rechts, 5.98 mm tief
 Streuwert 18.78, horizontal: 13.70, vertikal: 22.75





Serie 3:
 10.1 ↑ 9.8 ← 10.3 ↑ 10.3 ↓ 10.6 *
 9.8 ↘ 10.2 ↙ 10.7 * 10.4 ↓ 10.0 →
 beste Teiler 736.9 (28.) 1111.1 (25.) 1624.8 (29.)
 Trefferlage 0.32 mm links, 1.83 mm tief
 Streuwert 16.29, horizontal: 16.97, vertikal: 15.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **275** (287.0)
 Serien: 93 90 92
 Zähler: 13 10 6 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 9981 (13), 7728 (5), 7268 (24)
 beste Teiler 515.5 (10.) 635.8 (4.) 717.7 (15.)
 Trefferlage 10.91 mm rechts, 5.37 mm tief
 Streuwert 30.07, horizontal: 34.95, vertikal: 24.22



Serie 1:
 10.3 ↖ 10.6 * 8.6 ↘ 10.7 * 8.0 ↘
 9.6 ↗ 9.8 → 10.2 ↓ 9.2 ↘ 10.8 *
 beste Teiler 515.5 (10.) 635.8 (4.) 1053.7 (2.)
 Trefferlage 20.18 mm rechts, 10.32 mm tief
 Streuwert 23.64, horizontal: 23.04, vertikal: 24.23



Serie 2:
 8.8 ↖ 10.2 ↗ 7.1 ↘ 9.1 ↘ 10.7 *
 10.0 ↖ 8.7 ↙ 9.8 ↓ 10.6 * 9.4 ↘
 beste Teiler 717.7 (15.) 1077.0 (19.) 2158.5 (12.)
 Trefferlage 5.81 mm rechts, 12.21 mm tief
 Streuwert 34.36, horizontal: 42.66, vertikal: 23.29



Serie 3:
 8.6 ↘ 9.3 ↖ 10.2 ↗ 8.2 → 9.4 ←
 10.0 ↗ 10.3 ↖ 9.4 ↖ 9.3 → 10.1 ↑
 beste Teiler 1822.3 (27.) 1960.0 (23.) 2459.4 (30.)
 Trefferlage 6.74 mm rechts, 6.40 mm hoch
 Streuwert 31.37, horizontal: 37.97, vertikal: 22.96

 Unterschrift des Schützen

KK 100m 30 – Wertung – Damen I

StartNr: 50



StandNr: 102

8. Juni 2024 17:16


Fischer, Anna #63

3000 Schützenges. Bad Salzuflen e.V


Ergebnis: **286** (298.7)
 Serien: 96 93 97
 Zähler: 17 12 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 5315 (17), 4936 (22), 4534 (23)
 beste Teiler 282.3 (1.) 552.1 (26.) 582.1 (3.)
 Trefferlage 2.22 mm rechts, 3.91 mm tief
 Streuwert 21.37, horizontal: 24.80, vertikal: 17.26



Serie 1:
 10.8 * 10.0 ↓ 10.7 * 9.7 ↓ 10.0 ↓
 10.0 ↖ 9.6 → 9.8 ← 10.0 ↑ 9.4 ↘
 beste Teiler 282.3 (1.) 582.1 (3.) 2627.1 (6.)
 Trefferlage 2.81 mm rechts, 6.21 mm tief
 Streuwert 20.82, horizontal: 20.85, vertikal: 20.79



Serie 2:
 10.3 ← 10.4 ↘ 9.8 ↑ 9.7 ← 9.5 ↘
 9.9 ↘ 8.9 ↘ 9.4 ← 10.5 * 10.1 →
 beste Teiler 1296.8 (19.) 1566.6 (12.) 1716.2 (11.)
 Trefferlage 6.69 mm rechts, 5.66 mm tief
 Streuwert 23.06, horizontal: 27.95, vertikal: 16.81



Serie 3:
 10.4 ↓ 9.1 ← 9.2 ↖ 10.1 ↘ 10.3 ↑
 10.8 * 9.4 ↘ 10.3 → 10.6 * 10.0 ←
 beste Teiler 552.1 (26.) 885.3 (29.) 1633.0 (21.)
 Trefferlage 2.81 mm links, 0.13 mm hoch
 Streuwert 21.59, horizontal: 26.74, vertikal: 14.75

Unterschrift des Schützen

Meyton Elektronik

KK 100m 30 – Wertung – Damen I

StartNr: 51



StandNr: 105

8. Juni 2024 13:38


Boss, Jessica #72

4000 BSV Frönsberg


Ergebnis: **280** (295.5)
 Serien: 94 94 92
 Zähler: 11 18 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 5614 (27), 4982 (7), 4565 (22)
 beste Teiler 615.1 (14.) 844.6 (6.) 1154.9 (28.)
 Trefferlage 9.28 mm rechts, 6.65 mm hoch
 Streuwert 21.67, horizontal: 23.85, vertikal: 19.25



Serie 1:
 10.4 ↓ 9.2 ← 9.9 ← 10.2 → 9.7 →
 10.6 * 9.1 → 10.5 * 9.8 ↗ 9.4 ↗
 beste Teiler 844.6 (6.) 1261.0 (8.) 1586.2 (1.)
 Trefferlage 7.41 mm rechts, 5.32 mm hoch
 Streuwert 22.81, horizontal: 28.09, vertikal: 15.86



Serie 2:
 9.6 ↗ 9.4 ↘ 10.0 ↘ 10.7 * 9.8 ↘
 10.4 * 9.8 ↑ 9.8 → 9.7 ↑ 10.2 ↑
 beste Teiler 615.1 (14.) 1526.1 (16.) 2156.8 (20.)
 Trefferlage 10.01 mm rechts, 8.06 mm hoch
 Streuwert 19.51, horizontal: 17.90, vertikal: 21.00





Serie 3:
 10.3 ↗ 9.2 ↖ 9.3 ↗ 9.7 ↖ 9.6 ↘
 9.8 ↓ 8.8 → 10.5 * 10.4 → 9.7 ←
 beste Teiler 1154.9 (28.) 1655.8 (29.) 1815.6 (21.)
 Trefferlage 10.41 mm rechts, 6.57 mm hoch
 Streuwert 24.63, horizontal: 26.77, vertikal: 22.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **290** (302.8)
 Serien: 97 96 97
 Zähler: 21 8 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 5382 (15), 5126 (5), 4223 (26)
 beste Teiler 656.8 (12.) 1080.8 (23.) 1151.1 (6.)
 Trefferlage 6.37 mm links, 4.06 mm hoch
 Streuwert 18.27, horizontal: 19.68, vertikal: 16.75



Serie 1:
 9.9 → 10.3 ↘ 10.4 * 10.0 ↙ 9.0 ←
 10.5 * 10.5 * 10.5 * 9.5 ↖ 10.3 ↗
 beste Teiler 1151.1 (6.) 1165.4 (7.) 1301.6 (8.)
 Trefferlage 10.31 mm links, 1.78 mm tief
 Streuwert 18.24, horizontal: 23.07, vertikal: 11.54





Serie 2:
 10.3 ↓ 10.7 * 9.9 ← 10.4 ↘ 8.9 ↖
 10.3 ↖ 9.6 ↘ 10.2 ↓ 10.5 * 10.2 ↗
 beste Teiler 656.8 (12.) 1302.4 (19.) 1547.9 (14.)
 Trefferlage 10.66 mm links, 1.97 mm hoch
 Streuwert 18.06, horizontal: 20.20, vertikal: 15.62




Serie 3:
 10.2 ↘ 9.7 ↗ 10.6 * 10.0 ↓ 10.4 ↘
 9.4 ↘ 9.4 ↗ 10.5 * 10.4 ↑ 10.3 ↗
 beste Teiler 1080.8 (23.) 1390.6 (28.) 1594.0 (29.)
 Trefferlage 1.86 mm rechts, 11.99 mm hoch
 Streuwert 17.43, horizontal: 13.93, vertikal: 20.34

Unterschrift des Schützen


Ergebnis: **288** (300.2)
 Serien: 96 97 95
 Zähler: 19 10 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 6274 (4), 4632 (23), 4142 (26)
 beste Teiler 578.2 (28.) 790.2 (8.) 1112.2 (15.)
 Trefferlage 6.79 mm rechts, 0.18 mm hoch
 Streuwert 19.90, horizontal: 20.48, vertikal: 19.29



Serie 1:
 10.1 ← 10.0 ↘ 10.2 ↘ 8.6 ↗ 10.3 ↖
 9.4 → 9.9 ↗ 10.7 * 10.0 ↗ 10.3 ↘
 beste Teiler 790.2 (8.) 1782.2 (5.) 1935.4 (10.)
 Trefferlage 14.55 mm rechts, 1.22 mm hoch
 Streuwert 20.09, horizontal: 22.80, vertikal: 16.95





Serie 2:
 9.9 → 10.0 ↖ 10.3 ↗ 9.7 ↖ 10.6 *
 10.2 ↘ 10.4 * 10.0 ↖ 10.5 * 9.9 ↖
 beste Teiler 1112.2 (15.) 1291.2 (19.) 1416.5 (17.)
 Trefferlage 3.66 mm links, 0.59 mm tief
 Streuwert 17.18, horizontal: 18.47, vertikal: 15.77




Serie 3:
 9.5 ↘ 10.4 * 9.2 → 10.4 ↖ 10.4 *
 9.4 ↓ 9.6 ↓ 10.7 * 10.1 ↑ 9.5 ↑
 beste Teiler 578.2 (28.) 1412.5 (22.) 1517.3 (25.)
 Trefferlage 9.50 mm rechts, 0.06 mm tief
 Streuwert 21.86, horizontal: 17.15, vertikal: 25.71

Unterschrift des Schützen


Ergebnis: **292** (305.1)
 Serien: 99 97 96
 Zähler: 22 8 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 5209 (30), 4044 (24), 3978 (13)
 beste Teiler 421.9 (3.) 483.2 (17.) 489.4 (12.)
 Trefferlage 2.09 mm links, 5.28 mm hoch
 Streuwert 17.11, horizontal: 18.87, vertikal: 15.16



Serie 1:
 10.0 ↗ 10.1 ↘ 10.8 * 10.5 * 10.0 ↓
 9.6 ↑ 10.4 * 10.7 * 10.1 ↗ 10.3 ←
 beste Teiler 421.9 (3.) 738.0 (8.) 1162.0 (4.)
 Trefferlage 5.00 mm rechts, 2.29 mm hoch
 Streuwert 15.23, horizontal: 12.96, vertikal: 17.20





Serie 2:
 10.2 → 10.8 * 9.5 ↙ 10.8 * 10.7 *
 10.3 → 10.8 * 9.8 ↖ 10.3 ↘ 9.9 ↖
 beste Teiler 483.2 (17.) 489.4 (12.) 492.1 (14.)
 Trefferlage 6.45 mm links, 3.26 mm hoch
 Streuwert 15.04, horizontal: 18.65, vertikal: 10.22




Serie 3:
 9.6 ↗ 10.4 ↗ 9.5 ↑ 9.4 ↖ 10.2 →
 10.4 * 10.3 ↑ 10.3 → 10.4 * 9.0 ←
 beste Teiler 1434.7 (26.) 1456.3 (29.) 1569.7 (22.)
 Trefferlage 4.85 mm links, 10.29 mm hoch
 Streuwert 20.53, horizontal: 23.36, vertikal: 17.25

Unterschrift des Schützen


Ergebnis: **288** (300.1)
 Serien: 97 95 96
 Zähler: 18 12 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 5258 (11), 4786 (9), 4512 (28)
 beste Teiler 182.0 (22.) 714.8 (14.) 720.0 (18.)
 Trefferlage 6.71 mm rechts, 5.89 mm hoch
 Streuwert 19.84, horizontal: 21.70, vertikal: 17.78



Serie 1:
 10.1 ↖ 9.7 → 9.5 → 10.3 ↗ 10.5 *
 10.1 ↘ 10.2 ↘ 10.1 ← 9.1 ↗ 10.3 ↗
 beste Teiler 1307.6 (5.) 1899.8 (4.) 1941.8 (10.)
 Trefferlage 9.29 mm rechts, 7.24 mm hoch
 Streuwert 19.28, horizontal: 22.15, vertikal: 15.91



Serie 2:
 9.0 → 9.8 ← 10.1 ↘ 10.7 * 9.3 ↖
 10.3 ↗ 9.7 ↘ 10.7 * 9.6 ↗ 10.5 *
 beste Teiler 714.8 (14.) 720.0 (18.) 1356.7 (20.)
 Trefferlage 0.66 mm rechts, 6.99 mm hoch
 Streuwert 22.01, horizontal: 27.62, vertikal: 14.36



Serie 3:
 10.7 * 10.9 * 10.0 ↘ 10.1 ↖ 10.0 →
 10.4 ↗ 9.5 ↑ 9.3 ↗ 9.8 ↘ 9.8 ↘
 beste Teiler 182.0 (22.) 736.7 (21.) 1537.6 (26.)
 Trefferlage 10.20 mm rechts, 3.43 mm hoch
 Streuwert 19.38, horizontal: 14.21, vertikal: 23.44

Unterschrift des Schützen

KK 100m 30 – Wertung – Damen I

StartNr: 56



StandNr: 106

8. Juni 2024 12:33


Matuschek, Tatjana #115

5000 SGes Hamm e.V.


Ergebnis: **293** (304.0)
 Serien: 99 96 98
 Zähler: 23 7 0 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3325 (16), 3108 (21), 3106 (25)
 beste Teiler 421.6 (22.) 829.2 (8.) 1481.2 (5.)
 Trefferlage 6.22 mm links, 3.21 mm tief
 Streuwert 16.26, horizontal: 17.98, vertikal: 14.34



Serie 1:
 9.9 ↙ 10.0 ↑ 10.0 ← 10.2 ↘ 10.4 *
 10.1 ↙ 10.1 ← 10.7 * 10.4 ↓ 10.4 ↙
 beste Teiler 829.2 (8.) 1481.2 (5.) 1630.6 (10.)
 Trefferlage 14.56 mm links, 1.70 mm tief
 Streuwert 11.71, horizontal: 9.67, vertikal: 13.45



Serie 2:
 10.3 → 10.2 ↗ 10.0 ↘ 10.0 ↓ 10.0 ←
 9.7 → 9.9 ↙ 10.0 ↗ 9.9 ↘ 9.9 ↓
 beste Teiler 1767.7 (11.) 2037.8 (12.) 2619.5 (14.)
 Trefferlage 7.16 mm links, 2.95 mm tief
 Streuwert 19.11, horizontal: 20.96, vertikal: 17.06





Serie 3:
 9.8 → 10.8 * 10.1 ↘ 10.1 → 9.8 ↙
 10.1 ↓ 10.4 ↘ 10.3 ↓ 10.2 ← 10.3 →
 beste Teiler 421.6 (22.) 1562.7 (27.) 1736.2 (30.)
 Trefferlage 3.04 mm rechts, 4.99 mm tief
 Streuwert 16.12, horizontal: 18.32, vertikal: 13.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288** (301.4)
 Serien: 98 95 95
 Zähler: 19 10 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 5757 (6), 5240 (20), 5191 (27)
 beste Teiler 227.7 (10.) 444.2 (30.) 545.8 (2.)
 Trefferlage 7.83 mm links, 1.13 mm tief
 Streuwert 19.61, horizontal: 21.80, vertikal: 17.16



Serie 1:
 10.2 ↗ 10.8 * 10.1 → 10.2 ✓ 10.2 →
 8.8 ↖ 10.0 ↙ 10.2 ↓ 10.6 * 10.9 *
 beste Teiler 227.7 (10.) 545.8 (2.) 964.2 (9.)
 Trefferlage 2.85 mm links, 1.92 mm tief
 Streuwert 18.61, horizontal: 22.34, vertikal: 13.92





Serie 2:
 9.6 ↙ 10.5 * 10.1 ← 10.4 * 9.7 ↘
 10.5 * 10.2 ↘ 9.9 ↖ 9.8 ↓ 9.0 ←
 beste Teiler 1163.9 (16.) 1377.5 (12.) 1442.2 (14.)
 Trefferlage 12.89 mm links, 5.23 mm tief
 Streuwert 19.30, horizontal: 20.12, vertikal: 18.43




Serie 3:
 9.6 → 9.5 ↙ 10.3 ↓ 9.7 ↖ 9.6 ↘
 10.3 ↑ 9.0 ↖ 10.3 ↘ 10.6 * 10.8 *
 beste Teiler 444.2 (30.) 958.6 (29.) 1722.6 (23.)
 Trefferlage 7.74 mm links, 3.75 mm hoch
 Streuwert 21.68, horizontal: 23.89, vertikal: 19.21

Unterschrift des Schützen


Ergebnis: **281** (295.2)
 Serien: 95 93 93
 Zähler: 14 13 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 7494 (30), 6381 (21), 5404 (16)
 beste Teiler 338.4 (10.) 364.1 (25.) 757.9 (19.)
 Trefferlage 5.37 mm rechts, 4.38 mm hoch
 Streuwert 24.30, horizontal: 24.10, vertikal: 24.50



Serie 1:
 9.7 ↗ 10.6 * 9.5 ← 9.9 ↘ 10.1 ↗
 10.1 ↑ 10.5 * 9.2 → 9.4 ↘ 10.8 *
 beste Teiler 338.4 (10.) 918.5 (2.) 1342.2 (7.)
 Trefferlage 6.34 mm rechts, 1.44 mm hoch
 Streuwert 21.65, horizontal: 24.97, vertikal: 17.72





Serie 2:
 10.3 ↑ 9.8 → 9.9 ↑ 10.6 * 9.3 ↘
 8.9 ↘ 9.9 ↘ 10.2 ↘ 10.7 * 9.7 ↑
 beste Teiler 757.9 (19.) 974.6 (14.) 1845.5 (11.)
 Trefferlage 11.82 mm rechts, 5.66 mm hoch
 Streuwert 20.73, horizontal: 21.85, vertikal: 19.55




Serie 3:
 8.5 ↓ 9.4 ← 10.5 * 10.0 ↙ 10.8 *
 10.1 ↘ 9.6 ↑ 9.0 → 10.1 → 8.1 ↑
 beste Teiler 364.1 (25.) 1235.4 (23.) 2285.7 (26.)
 Trefferlage 2.04 mm links, 6.05 mm hoch
 Streuwert 30.70, horizontal: 25.73, vertikal: 34.97

Unterschrift des Schützen


Ergebnis: **286** (298.7)
 Serien: 98 96 92
 Zähler: 18 10 2 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 6449 (27), 5312 (23), 4615 (30)
 beste Teiler 446.9 (9.) 714.9 (4.) 773.2 (3.)
 Trefferlage 6.19 mm rechts, 1.32 mm tief
 Streuwert 21.54, horizontal: 27.26, vertikal: 13.62



Serie 1:
 10.4 → 9.9 ↓ 10.7 * 10.7 * 10.5 *
 10.1 ← 10.1 → 10.6 * 10.8 * 9.4 ↖
 beste Teiler 446.9 (9.) 714.9 (4.) 773.2 (3.)
 Trefferlage 1.18 mm links, 4.45 mm hoch
 Streuwert 14.96, horizontal: 15.36, vertikal: 14.54





Serie 2:
 10.0 ↑ 10.3 ↖ 9.4 ↖ 9.4 → 9.2 →
 10.5 * 9.7 → 10.5 * 10.4 * 10.1 ←
 beste Teiler 1156.1 (16.) 1271.0 (18.) 1526.4 (19.)
 Trefferlage 3.82 mm rechts, 2.47 mm hoch
 Streuwert 21.85, horizontal: 28.84, vertikal: 11.12




Serie 3:
 10.2 ↖ 10.0 ↓ 8.9 → 9.8 ← 10.2 ↓
 9.4 → 8.5 → 10.2 ← 9.6 → 9.2 →
 beste Teiler 2102.3 (25.) 2104.2 (21.) 2207.3 (28.)
 Trefferlage 15.96 mm rechts, 10.91 mm tief
 Streuwert 25.10, horizontal: 33.96, vertikal: 10.34

Unterschrift des Schützen


Ergebnis: **283** (294.8)
 Serien: 95 93 95
 Zähler: 16 12 1 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 7903 (13), 7089 (5), 5115 (23)
 beste Teiler 592.0 (18.) 845.8 (15.) 920.0 (29.)
 Trefferlage 8.48 mm rechts, 2.59 mm tief
 Streuwert 24.67, horizontal: 27.34, vertikal: 21.66



Serie 1:
 10.3 ↙ 10.3 ↘ 10.1 ↗ 10.1 ↗ 8.2 ←
 10.0 ↖ 9.1 → 9.3 ↓ 10.4 ↖ 9.9 →
 beste Teiler 1567.2 (9.) 1843.9 (1.) 1887.1 (2.)
 Trefferlage 2.30 mm rechts, 0.10 mm tief
 Streuwert 26.83, horizontal: 32.36, vertikal: 19.81





Serie 2:
 10.0 → 9.1 ↗ 7.9 ↓ 9.6 ↘ 10.6 *
 9.3 → 10.5 * 10.7 * 9.7 ↙ 10.4 ←
 beste Teiler 592.0 (18.) 845.8 (15.) 1288.0 (17.)
 Trefferlage 11.91 mm rechts, 11.53 mm tief
 Streuwert 25.41, horizontal: 22.68, vertikal: 27.88




Serie 3:
 10.3 ↓ 9.7 → 9.0 ↖ 10.3 ↗ 9.3 ↘
 10.6 * 10.6 * 9.1 ↗ 10.6 * 9.8 →
 beste Teiler 920.0 (29.) 959.9 (27.) 1063.4 (26.)
 Trefferlage 11.24 mm rechts, 3.84 mm hoch
 Streuwert 22.18, horizontal: 27.99, vertikal: 14.17

Unterschrift des Schützen


Ergebnis: **259** (272.8)
 Serien: 90 85 84
 Zähler: 5 16 5 2 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 13111 (20), 11224 (26), 8341 (24)
 beste Teiler 1432.3 (10.) 2339.8 (18.) 2510.8 (3.)
 Trefferlage 20.67 mm rechts, 23.33 mm tief
 Streuwert 33.41, horizontal: 31.86, vertikal: 34.89



Serie 1:
 10.0 ↘ 8.5 ↓ 10.0 → 8.1 ↘ 7.9 ↓
 9.8 ↗ 9.4 ↓ 10.0 ↘ 9.8 ↖ 10.4 *
 beste Teiler 1432.3 (10.) 2510.8 (3.) 2519.9 (1.)
 Trefferlage 15.44 mm rechts, 23.63 mm tief
 Streuwert 27.72, horizontal: 22.52, vertikal: 32.09



Serie 2:
 9.3 ↘ 8.1 ↘ 9.9 ↓ 9.8 ↓ 9.2 →
 9.6 ↗ 8.8 ↓ 10.1 ↓ 9.1 ↑ 5.8 ↘
 beste Teiler 2339.8 (18.) 2854.7 (13.) 3094.2 (14.)
 Trefferlage 25.65 mm rechts, 26.02 mm tief
 Streuwert 35.55, horizontal: 30.01, vertikal: 40.33



Serie 3:
 8.0 ↘ 9.3 → 9.9 ↙ 7.7 ↓ 9.6 ↗
 6.6 ↗ 9.4 ↙ 9.3 ↘ 9.5 ↑ 9.9 ↙
 beste Teiler 3003.5 (30.) 3017.0 (23.) 3611.6 (25.)
 Trefferlage 20.92 mm rechts, 20.34 mm tief
 Streuwert 39.07, horizontal: 42.49, vertikal: 35.32

Unterschrift des Schützen

KK 100m 30 – Wertung – Herren II

StartNr: 63



StandNr: 103

8. Juni 2024 13:41


Kraeling, Marc #69

4000 Tückinger SV e.V.


Ergebnis: **289** (302.1)
 Serien: 99 95 95
 Zähler: 21 8 0 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 8901 (25), 4930 (7), 4592 (19)
 beste Teiler 492.6 (8.) 572.9 (30.) 935.5 (3.)
 Trefferlage 1.68 mm links, 2.60 mm tief
 Streuwert 21.17, horizontal: 19.96, vertikal: 22.32



Serie 1:
 10.5 * 10.6 * 10.6 * 10.0 ↘ 10.6 *
 10.5 * 9.1 ↓ 10.8 * 10.6 * 10.6 *
 beste Teiler 492.6 (8.) 935.5 (3.) 954.8 (5.)
 Trefferlage 0.33 mm links, 3.66 mm tief
 Streuwert 14.68, horizontal: 9.21, vertikal: 18.61



Serie 2:
 10.2 ↓ 9.5 ↙ 10.1 ↗ 10.5 * 10.4 *
 9.8 ← 10.4 ↘ 9.2 ↗ 9.2 ↗ 9.5 →
 beste Teiler 1298.2 (14.) 1472.8 (15.) 1644.5 (17.)
 Trefferlage 4.50 mm rechts, 5.86 mm hoch
 Streuwert 22.93, horizontal: 23.23, vertikal: 22.62





Serie 3:
 10.3 ↙ 10.3 ← 9.8 ← 10.4 * 7.5 ↙
 10.1 ↘ 10.1 ↘ 9.8 ↘ 10.4 → 10.7 *
 beste Teiler 572.9 (30.) 1419.0 (24.) 1622.6 (29.)
 Trefferlage 9.21 mm links, 10.02 mm tief
 Streuwert 24.05, horizontal: 23.49, vertikal: 24.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **284** (296.3)
 Serien: 92 98 94
 Zähler: 18 9 2 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 8300 (3), 7670 (1), 5407 (26)
 beste Teiler 589.6 (12.) 637.5 (15.) 837.4 (28.)
 Trefferlage 8.84 mm rechts, 10.13 mm tief
 Streuwert 22.49, horizontal: 21.38, vertikal: 23.55



Serie 1:
 8.0 ↘ 10.1 ↖ 7.7 ↘ 9.5 ↘ 10.4 ↘
 10.3 ↘ 9.2 → 9.7 ↗ 10.0 ↓ 10.1 →
 beste Teiler 1634.9 (5.) 1824.0 (6.) 2294.9 (10.)
 Trefferlage 23.47 mm rechts, 14.48 mm tief
 Streuwert 26.01, horizontal: 21.33, vertikal: 29.96



Serie 2:
 10.3 → 10.7 * 10.4 → 9.8 → 10.7 *
 10.0 ↓ 10.3 ↓ 10.5 * 10.1 ↙ 9.6 ↖
 beste Teiler 589.6 (12.) 637.5 (15.) 1309.9 (18.)
 Trefferlage 2.24 mm rechts, 6.52 mm tief
 Streuwert 15.37, horizontal: 16.40, vertikal: 14.26





Serie 3:
 10.4 * 9.9 → 9.3 ↓ 10.1 ↙ 9.8 ↗
 8.9 ↓ 9.2 ↙ 10.6 * 10.5 * 10.2 ↑
 beste Teiler 837.4 (28.) 1360.8 (29.) 1435.3 (21.)
 Trefferlage 0.83 mm rechts, 9.37 mm tief
 Streuwert 22.82, horizontal: 19.80, vertikal: 25.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **285** (298.4)
 Serien: 94 95 96
 Zähler: 17 11 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 6336 (11), 5299 (23), 4642 (8)
 beste Teiler 515.7 (25.) 607.3 (21.) 783.1 (2.)
 Trefferlage 4.48 mm rechts, 0.58 mm tief
 Streuwert 21.83, horizontal: 22.31, vertikal: 21.34



Serie 1:
 10.0 ↗ 10.7 * 9.7 ↘ 9.5 ← 10.0 ↘
 9.9 ↘ 10.4 ↗ 9.2 → 9.8 ↘ 9.5 →
 beste Teiler 783.1 (2.) 1561.2 (7.) 2568.1 (1.)
 Trefferlage 16.13 mm rechts, 2.10 mm hoch
 Streuwert 20.00, horizontal: 23.79, vertikal: 15.29



Serie 2:
 8.5 ↓ 9.2 ↗ 10.1 ↙ 9.4 ↓ 10.2 ↓
 9.5 ↘ 10.1 ↙ 10.5 * 10.1 → 10.3 ←
 beste Teiler 1194.8 (18.) 1883.0 (20.) 2223.1 (15.)
 Trefferlage 8.24 mm links, 5.82 mm tief
 Streuwert 24.61, horizontal: 16.99, vertikal: 30.37



Serie 3:
 10.7 * 10.4 ↘ 8.9 ↘ 10.2 ← 10.8 *
 9.7 ↘ 10.0 ↓ 10.5 * 9.9 ↗ 10.7 *
 beste Teiler 515.7 (25.) 607.3 (21.) 793.2 (30.)
 Trefferlage 5.54 mm rechts, 1.96 mm hoch
 Streuwert 18.48, horizontal: 20.41, vertikal: 16.32

Unterschrift des Schützen